

Microsoft Ai-102 Practice Test

designing and implementing a microsoft azure ai solution

Last exam update: Sep
28, 2025

Page 5 out of 29. Viewing questions 41-
50 out of 284

⚙️ Change Exam
Settings



💎 Upgrade to
Premium

🔖 View Marked
Questions

Question 41

SIMULATION You need to create a Text Analytics service named Text12345678, and then enable logging for Text12345678. The solution must ensure that any changes to Text12345678 will be stored in a Log Analytics workspace. To complete this task, sign in to the Azure portal.

Hide Answer

Mark Question: ☐

Answer:

.

Step 1: Sign in to the QnA portal.

Step 2: Create an Azure Cognitive multi-service resource:

Microsoft Azure

Microsoft

Sign in
to continue to Microsoft Azure

Email, phone, or Skype

No account? [Create one!](#)

[Can't access your account?](#)

Next

Step 3: On the Create page, provide the following information.

Name: Text12345678 -

Create Cognitive Services ...



Basics Tags Review + create

Get access to Vision, Language, Search, and Speech Cognitive Services with a single API key. Quickly connect services together to achieve more insights into your content and easily integrate with other services like Azure Search. [Learn more](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ

Resource group * ⓘ

[Create new](#)

Instance details

Region * ⓘ



Location specifies the region only for included regional services. This does not specify a region for included non-regional services. [Click here for more details.](#)

Name * ⓘ

Pricing tier * ⓘ

[View full pricing details](#)

By checking this box, I certify that use of this service is not by or for a police department in the United States. ☐

I confirm I have read and understood the notice below. ☐

Review + create

< Previous

Next : Tags >

Step 4: Configure additional settings for your resource as needed, read and accept the conditions (as applicable), and then select Review + create.

Step 5: Navigate to the Azure portal. Then locate and select The Text Analytics service resource Text12345678 (which you created in Step 4).

Step 6: Next, from the left-hand navigation menu, locate Monitoring and select Diagnostic settings. This screen contains all previously created diagnostic settings for this resource.

Step 7: Select + Add diagnostic setting.

Step 8: When prompted to configure, select the storage account and OMS workspace that you'd like to use to store your diagnostic logs.

Note: If you don't have a storage account or OMS workspace, follow the prompts to create one.

Step 9: Select Audit, RequestResponse, and AllMetrics. Then set the retention period for your diagnostic log data. If a retention policy is set to zero, events for that log category are stored indefinitely.

Step 10: Click Save.

It can take up to two hours before logging data is available to query and analyze. So don't worry if you don't see anything right away.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/cognitive-services-apis-create-account> <https://docs.microsoft.com/en-us/azure/cognitive-services/diagnostic-logging>

Discussions

write your answer...

SEND

0 / 1000

Question 42

HOTSPOT

You are building an app that will automatically translate speech from English to French, German, and Spanish by using Azure AI service.


You need to define the output languages and configure the Azure AI Speech service.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area


```
speech_key, service_region = os.environ['SPEECH_SERVICE_KEY'], os.environ['SPEECH_SERVICE_REGION']

languages = 

def translate_speech_to_text():
    translation_config = speechsdk.translation.SpeechTranslationConfig(subscription=speech_key, region=service_region)

    for lang in languages:
        translation_config.add_target_language(lang)

    for lang in languages:
        translation_config.add_target_language(lang)

    recognizer = speechsdk.translation. (translation_config=translation_config)
    ...
```


Hide Answer

Mark Question: ☐

Answer:

Answer Area


```
speech_key, service_region = os.environ['SPEECH_SERVICE_KEY'], os.environ['SPEECH_SERVICE_REGION']

languages = 

def translate_speech_to_text():
    translation_config = speechsdk.translation.SpeechTranslationConfig(subscription=speech_key, region=service_region)

    for lang in languages:
        translation_config.add_target_language(lang)

    for lang in languages:
        translation_config.add_target_language(lang)

    recognizer = speechsdk.translation. (translation_config=translation_config)
    ...
```

Discussions

write your answer...

SEND

0 / 1000

Question 43

DRAG DROP

You have a question answering project in Azure Cognitive Service for Language.

You need to move the project to a Language service instance in a different Azure region.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- From the new Language service instance, train and publish the project.
- From the new Language service instance, import the project file.
- From the new Language service instance, enable custom text classification.
- From the original Language service instance, export the existing project.
- From the new Language service instance, regenerate the keys.
- From the original Language service instance, train and publish the model.

Answer Area



Hide Answer

Mark Question: ☐

Answer:

Answer Area

- From the original Language service instance, export the existing project.
- From the new Language service instance, import the project file.
- From the new Language service instance, train and publish the project.

Discussions

write your answer...

SEND

0 / 1000

Question 44

You are building a solution in Azure that will use Azure Cognitive Service for Language to process sensitive customer data.

You need to ensure that only specific Azure processes can access the Language service. The solution must minimize administrative effort.

What should you include in the solution?

- A. IPsec rules
- B. Azure Application Gateway
- C. a virtual network gateway
- D. virtual network rules

Show Answer

Mark Question: ☐

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☒ thank you

write your answer...

SEND

0 / 1000

Question 45

HOTSPOT

You have an Azure subscription that contains an Azure AI Document Intelligence resource named DI1.

You build an app named App1 that analyzes PDF files for handwritten content by using DI1.

You need to ensure that App1 will recognize the handwritten content.

How should you complete the code? To answer, select the appropriate options in the answer area.

Answer Area

```
Uri fileUri = new Uri("<fileUri>");  
AnalyzeDocumentOperation operation = await client.AnalyzeDocumentFromUriAsync(WaitUntil.Completed,  
AnalyzeResult result = operation.Value;  
foreach (DocumentStyle style in result.Styles)  
{  
    bool isHandwritten = style.IsHandwritten.HasValue && style.IsHandwritten == true;  
    if (isHandwritten && style.Confidence > )  
    {  
        Console.WriteLine($"Handwritten content found:");  
        foreach (DocumentSpan span in style.Spans)
```

▼
"prebuilt-document",
"prebuilt-contract",
"prebuilt-read",

▼
0.1
0.75
1.0

Hide Answer

Mark Question: ☐

Answer:

Answer Area

```
Uri fileUri = new Uri("<fileUri>");  
AnalyzeDocumentOperation operation = await client.AnalyzeDocumentFromUriAsync(WaitUntil.Completed, fileUri)  
AnalyzeResult result = operation.Value;  
foreach (DocumentStyle style in result.Styles)  
{  
    bool isHandwritten = style.IsHandwritten.HasValue && style.IsHandwritten == true;  
    if (isHandwritten && style.Confidence > )  
    {  
        Console.WriteLine($"Handwritten content found:");  
        foreach (DocumentSpan span in style.Spans)
```

▼
"prebuilt-document",
"prebuilt-contract",
"prebuilt-read",

▼
0.1
0.75
1.0

Discussions

write your answer...

SEND

0 / 1000

Question 46

HOTSPOT

You are building an app that will answer customer calls about the status of an order. The app will query a database for the order details and provide the customers with a spoken response.

You need to identify which Azure AI service APIs to use. The solution must minimize development effort.

Which object should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Convert customer calls into text queries:

SpeechRecognizer
SpeechSynthesizer
TranslationRecognizer
VoiceProfileClient

Provide customers with the order details:

SpeechRecognizer
SpeechSynthesizer
TranslationRecognizer
VoiceProfileClient

Hide Answer

Mark Question: ☐

Answer:

Answer Area

Convert customer calls into text queries:

SpeechRecognizer
SpeechSynthesizer
TranslationRecognizer
VoiceProfileClient

Provide customers with the order details:

SpeechRecognizer
SpeechSynthesizer
TranslationRecognizer
VoiceProfileClient

Discussions

write your answer...

SEND

0 / 1000

Question 47

HOTSPOT You are building an app that will enable users to upload images. The solution must meet the following requirements:

- * Automatically suggest alt text for the images.
- * Detect inappropriate images and block them.
- * Minimize development effort.

You need to recommend a computer vision endpoint for each requirement.

What should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Generate alt text:

```
https://westus.api.cognitive.microsoft.com/contentmoderator/moderate/v1.0/ProcessImage/Evaluate
https://westus.api.cognitive.microsoft.com/customvision/v3.1/prediction/projectId/classify/iterations/publishedName/
https://westus.api.cognitive.microsoft.com/vision/v3.2/analyze/?visualFeatures=Adult,Description
```

Detect inappropriate content:

```
https://westus.api.cognitive.microsoft.com/contentmoderator/moderate/v1.0/ProcessImage/Evaluate
https://westus.api.cognitive.microsoft.com/customvision/v3.1/prediction/projectId/classify/iterations/publishedName/
https://westus.api.cognitive.microsoft.com/vision/v3.2/analyze/?visualFeatures=Adult,Description
https://westus.api.cognitive.microsoft.com/vision/v3.2/describe?maxCandidates=1
```

Hide Answer

Mark Question: ☐

Answer:

Answer Area

Generate alt text:

```
https://westus.api.cognitive.microsoft.com/contentmoderator/moderate/v1.0/ProcessImage/Evaluate
https://westus.api.cognitive.microsoft.com/customvision/v3.1/prediction/projectId/classify/iterations/publishedName/i
https://westus.api.cognitive.microsoft.com/vision/v3.2/analyze/?visualFeatures=Adult,Description
```

Detect inappropriate content:

```
https://westus.api.cognitive.microsoft.com/contentmoderator/moderate/v1.0/ProcessImage/Evaluate
https://westus.api.cognitive.microsoft.com/customvision/v3.1/prediction/projectId/classify/iterations/publishedName/i
https://westus.api.cognitive.microsoft.com/vision/v3.2/analyze/?visualFeatures=Adult,Description
https://westus.api.cognitive.microsoft.com/vision/v3.2/describe?maxCandidates=1
```

Box 1:

<https://westus.api.cognitive.microsoft.com/customvision/v3.1/prediction/projectid/classify/iterations/put>

Box 2: <https://westus.api.cognitive.microsoft.com/vision/v3.2/analyze/?visualFeatures=Adult,Description>

Computer Vision can detect adult material in images so that developers can restrict the display of these images in their software. Content flags are applied with a score between zero and one so developers can interpret the results according to their own preferences.

You can detect adult content with the Analyze Image API. When you add the value of Adult to the visualFeatures query parameter

Incorrect:

Use the Image Moderation API in Azure Content Moderator to scan image content. The moderation job scans your content for profanity, and compares it against custom and shared blocklists.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/concept-detecting-adult-content> <https://docs.microsoft.com/en-us/azure/cognitive-services/content-moderator/try-image-api>
<https://docs.microsoft.com/en-us/legal/cognitive-services/custom-vision/custom-vision-cvs-transparency-note>

Discussions

write your answer...

SEND

0 / 1000

Question 48

DRAG DROP You are building a Language Understanding model for purchasing tickets.

You have the following utterance for an intent named PurchaseAndSendTickets.

Purchase [2 audit business] tickets to [Paris] [next Monday] and send tickets to [email@domain.com]

You need to select the entity types. The solution must use built-in entity types to minimize training data whenever possible.

Which entity type should you use for each label? To answer, drag the appropriate entity types to the correct labels. Each entity type may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

Select and Place:

Entity Types

Answer Area

Email
List
Regex
GeographyV2
Machine learned

Paris:

email@domain.com:

2 audit business:

Hide Answer

Mark Question: ☐

Answer:

Entity Types

Answer Area

Email
List
Regex
GeographyV2
Machine learned

Paris:

GeographyV2

email@domain.com:

Email

2 audit business:

Machine learned

Box 1: GeographyV2 -

The prebuilt geographyV2 entity detects places. Because this entity is already trained, you do not need to add example utterances containing GeographyV2 to the application intents.

Box 2: Email -

Email prebuilt entity for a LUIS app: Email extraction includes the entire email address from an utterance. Because this entity is already trained,

you do not need to add example utterances containing email to the application intents.

Box 3: Machine learned -

The machine-learning entity is the preferred entity for building LUIS applications.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-reference-prebuilt-geographyv2> <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-reference-prebuilt-email> <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/reference-entity-machine-learned-entity>

Discussions

write your answer...

SEND

0 / 1000

Question 49

You use the Microsoft Bot Framework Composer to build a chatbot that enables users to purchase items.

You need to ensure that the users can cancel in-progress transactions.

The solution must minimize development effort.

What should you add to the bot?

A. a language generator

B. a custom event

C. a dialog trigger

D. a conversation activity

Hide Answer

Mark Question: ☐

Answer:

D

Handling interruptions is an important aspect of a robust bot. Users will not always follow your defined conversation flow, step by step. They may try to ask a question in the middle of the process, or simply want to cancel it instead of completing it.

Example:

If the user types cancel, it calls `CancelAllDialogsAsync` on its inner dialog context, which clears its dialog stack and causes it to exit with a canceled status and no result value. To the `MainDialog` (shown later on), it will appear that the booking dialog ended and returned null, similar to when the user chooses not to confirm their booking.

```
private async Task<DialogTurnResult> InterruptAsync(DialogContext innerDc, Cancellation_token cancellationToken)
```

```
{
    if (innerDc.Context.Activity.Type == ActivityTypes.Message)
    {
        var text = innerDc.Context.Activity.Text.ToLowerInvariant();
        switch (text)
        {
            case "cancel":
            case "quit":
```

```
var cancelMessage = MessageFactory.Text(CancelMsgText,
CancelMsgText, InputHints.IgnoringInput); await
innerDc.Context.SendActivityAsync(cancelMessage, cancellationToken);
return await innerDc.CancelAllDialogsAsync(cancellationToken);
}
}
return null;
}
```

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-handle-user-interrupt>

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☐ B ☐ C ☒ D ☐ thank you

write your answer...

SEND

0 / 1000

Question 50

HOTSPOT

You are building a chatbot.

You need to use the Content Moderator service to identify messages that contain sexually explicit language.

Which section in the response from the service will contain the category score, and which category will be assigned to the message? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Section:

Classification
pii
Terms

Category:

1
2
3

Hide Answer

Mark Question: ☐

Answer:

Answer Area

Section:

Classification
pii
Terms

Category:

1
2
3

Discussions

write your answer...

SEND

0 / 1000

To page 4

To page 6

[Terms](#)

[Privacy](#)

[Facebook](#)

[Twitter](#)

[YouTube](#)

[Reddit](#)

[Pinterest](#)

info@examgo.com