

Microsoft Ai-102 Practice Test

designing and implementing a microsoft azure ai solution

Last exam update: Sep 28, 2025

Page 7 out of 29. Viewing questions 61-70 out of 284

⚙️ Change Exam Settings



💎 Upgrade to Premium

📋 View Marked Questions

Question 61

You have an Azure subscription that contains an AI enrichment pipeline in Azure Cognitive Search and an Azure Storage account that has 10 GB of scanned documents and images.

You need to index the documents and images in the storage account. The solution must minimize how long it takes to build the index.

What should you do?

- A.** From the Azure portal, configure parallel indexing.
- B.** From the Azure portal, configure scheduled indexing.
- C.** Configure field mappings by using the REST API.
- D.** Create a text-based indexer by using the REST API.

Hide Answer

Mark Question: ☐

Answer:

A

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐

write your answer...

SEND

0 / 1000

Question 62

HOTSPOT

You are building a language learning solution.

You need to recommend which Azure services can be used to perform the following tasks:

Analyze lesson plans submitted by teachers and extract key fields, such as lesson times and required texts.

Analyze learning content and provide students with pictures that represent commonly used words or phrases in the text.

The solution must minimize development effort.

Which Azure service should you recommend for each task? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Analyze lesson plans:

☐ Azure Cognitive Search

☐ Azure AI Custom Vision

☐ Azure AI Document Intelligence

☐ Immersive Reader

Analyze learning content:

☐ Azure Cognitive Search

☐ Azure AI Custom Vision

☐ Azure AI Document Intelligence

☐ Immersive Reader

Hide Answer

Mark Question: ☐

Answer:

Answer Area

Analyze lesson plans:

Azure Cognitive Search
Azure AI Custom Vision
Azure AI Document Intelligence
Immersive Reader

Analyze learning content:

Azure Cognitive Search
Azure AI Custom Vision
Azure AI Document Intelligence
Immersive Reader

Discussions

write your answer...

SEND

0 / 1000

Question 63

You are developing a method for an application that uses the Translator API.

The method will receive the content of a webpage, and then translate the content into Greek (el). The result will also contain a transliteration that uses the Roman alphabet.

You need to create the URI for the call to the Translator API.

You have the following URI.

<https://api.cognitive.microsofttranslator.com/translate?api-version=3.0>

Which three additional query parameters should you include in the URI?

Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. toScript=Cyrl

B. from=el

C. textType=html

D. to=el

E. textType=plain

F. toScript=Latn

Hide Answer

Mark Question: ☐

Answer:

CDF

C: textType is an optional parameter. It defines whether the text being translated is plain text or HTML text (used for web pages).

D: to is a required parameter. It specifies the language of the output text. The target language must be one of the supported languages included in the translation scope.

F: toScript is an optional parameter. It specifies the script of the

translated text.

We use Latin (Roman alphabet) script.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/translator/reference/v3-0-translate>

User Votes:

A 0%

B 0%

C 0%

D 0%

E 0%

F 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐ E ☐ F ☐

write your answer...

SEND

0 / 1000

Question 64

You need to build a chatbot that meets the following requirements:

Supports chit-chat, knowledge base, and multilingual models

Performs sentiment analysis on user messages

Selects the best language model automatically

What should you integrate into the chatbot?

A. QnA Maker, Language Understanding, and Dispatch

B. Translator, Speech, and Dispatch

C. Language Understanding, Text Analytics, and QnA Maker

D. Text Analytics, Translator, and Dispatch

Hide Answer

Mark Question: ☐

Answer:

C

Language Understanding: An AI service that allows users to interact with your applications, bots, and IoT devices by using natural language. QnA Maker is a cloud-based Natural Language Processing (NLP) service that allows you to create a natural conversational layer over your data. It is used to find the most appropriate answer for any input from your custom knowledge base (KB) of information.

Text Analytics: Mine insights in unstructured text using natural language processing (NLP)no machine learning expertise required. Gain a deeper understanding of customer opinions with sentiment analysis. The Language Detection feature of the Azure Text Analytics REST API evaluates text input

Incorrect Answers:

A, B, D: Dispatch uses sample utterances for each of your bot's different tasks (LUIS, QnA Maker, or custom), and builds a model that can be used to properly route your user's request to the right task, even across multiple bots.

Reference:

<https://azure.microsoft.com/en-us/services/cognitive-services/text-analytics/> <https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/overview/overview>

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐

write your answer...

SEND

0 / 1000

Question 65

DRAG DROP

You build a bot by using the Microsoft Bot Framework SDK.

You need to test the bot interactively on a local machine.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Open the Bot Framework Composer.

Connect to the bot endpoint.

Register the bot with the Azure Bot Service.

Build and run the bot.

Open the Bot Framework Emulator.



Answer Area

1

2

3

Hide Answer

Mark Question: ☐

Answer:

- 1 Build and run the bot.
- 2 Open the Bot Framework Emulator.
- 3 Connect to the bot endpoint.

Discussions

write your answer...

SEND

0 / 1000

Question 66

You are building an app that will use the Speech service.

You need to ensure that the app can authenticate to the service by using a Microsoft Azure Active Directory (Azure AD), part of Microsoft Entra, token.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Enable a virtual network service endpoint.

B. Configure a custom subdomain.

C. Request an X.509 certificate.

D. Create a private endpoint.

E. Create a Conditional Access policy.

Hide Answer

Mark Question: ☐

Answer:

CE

User Votes:

A 0%

B 0%

C 0%

D 0%

E 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐ E ☐

write your answer...

SEND

0 / 1000

Question 67

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review

screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1. You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet.

Solution: You deploy service1 and a private endpoint to vnet1.

Does this meet the goal?

A. Yes

B. No

Hide Answer

Mark Question: ☐

Answer:

A

A private endpoint is a network interface that uses a private IP address from your virtual network. This network interface connects you privately and securely to a service powered by Azure Private Link. By enabling a private endpoint, you're bringing the service into your virtual network. The service could be an Azure service such as:

Azure Storage

Azure Cosmos DB

Azure SQL Database

Your own service using a Private Link Service.

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-endpoint-overview>

User Votes:

A 0%

B 0%

Discussions

vote your answer: A ☐ B ☐

write your answer...

SEND

0 / 1000

Question 68

HOTSPOT You are developing an application that includes language translation.

The application will translate text retrieved by using a function named getTextToBeTranslated. The text can be in one of many languages. The content of the text must remain within the Americas Azure geography. You need to develop code to translate the text to a single language.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
...  
var endpoint =  
    "https://api.cognitive.microsofttranslator.com/translate"  
    "https://api.cognitive.microsofttranslator.com/transliterate"  
    "https://api-apc.cognitive.microsofttranslator.com/detect"  
    "https://api-nam.cognitive.microsofttranslator.com/detect"  
    "https://api-nam.cognitive.microsofttranslator.com/translate"  
  
var apiKey = "FF956C68B83B21B38691ABD200A4C606";  
var text = getTextToBeTranslated();  
var body = '[{"Text":"' + text + '"}]';  
var client = new HttpClient();  
client.DefaultRequestHeaders.Add("Ocp-Apim-Subscription-Key", apiKey);  
  
var uri = endpoint + "?from=en";  
var uri = endpoint + "?suggestedFrom=en";  
var uri = endpoint + "?to=en";  
  
HttpResponseMessage response;  
var content = new StringContent(body, Encoding.UTF8, "application/json");  
var response = await client.PutAsync(uri, content);  
...
```

Hide Answer

Mark Question: ☐

Answer:

Answer Area

```
...  
var endpoint =  
    "https://api.cognitive.microsofttranslator.com/translate"  
    "https://api.cognitive.microsofttranslator.com/transliterate"  
    "https://api-apc.cognitive.microsofttranslator.com/detect"  
    "https://api-nam.cognitive.microsofttranslator.com/detect"  
    "https://api-nam.cognitive.microsofttranslator.com/translate"  
  
var apiKey = "FF956C68B83B21B38691ABD200A4C606";  
var text = getTextToBeTranslated();  
var body = '[{"Text":"' + text + '"}]';  
var client = new HttpClient();  
client.DefaultRequestHeaders.Add("Ocp-Apim-Subscription-Key", apiKey);  
  
var uri = endpoint + "?from=en";  
var uri = endpoint + "?suggestedFrom=en";  
var uri = endpoint + "?to=en";  
  
HttpResponseMessage response;  
var content = new StringContent(body, Encoding.UTF8, "application/json");  
var response = await client.PutAsync(uri, content);  
...
```

Discussions

write your answer...

SEND

Question 69

You are training a Language Understanding model for a user support system.

You create the first intent named GetContactDetails and add 200 examples.

You need to decrease the likelihood of a false positive.

What should you do?

- A. Enable active learning.
- B. Add a machine learned entity.
- C. Add additional examples to the GetContactDetails intent.
- D. Add examples to the None intent.

Show Answer

Mark Question: ☐

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐

write your answer...

SEND

0 / 1000

Question 70

HOTSPOT

You are developing a streaming Speech to Text solution that will use the Speech SDK and MP3 encoding.

You need to develop a method to convert speech to text for streaming MP3 data.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
audio_format = speechsdk.audio.  
stream = speechsdk.audio.PullAudioInputStream(stream_format=audio_format, pull_stream_callback=callback)  
speech_config = speechsdk.SpeechConfig("18c51a87-3a69-47a8-aedc-a54745f708a1", "westus")  
audio_config = speechsdk.audio.AudioConfig(stream=stream)  
recognizer = speechsdk.  
result = recognizer.recognize_once()  
text = result.text
```

(compressed_stream_format=speechsdk.AudioStreamContaine

AudioConfig.SetProperty
AudioStreamFormat
GetWaveFormatPCM
PullAudioInputStream

KeywordRecognizer
SpeakerRecognizer
SpeechRecognizer
SpeechSynthesizer

[Hide Answer](#)Mark Question: ☐**Answer:****Answer Area**

```
audio_format = speechsdk.audio.

▼  
AudioConfig.SetProperty  
AudioStreamFormat  
GetWaveFormatPCM  
PullAudioInputStream

 (compressed_stream_format=speechsdk.AudioStreamContainerFormat.MP3)  
  
stream = speechsdk.audio.PullAudioInputStream(stream_format=audio_format, pull_stream_callback=callback)  
speech_config = speechsdk.SpeechConfig("18c51a87-3a69-47a8-aedc-a54745f708a1", "westus")  
audio_config = speechsdk.audio.AudioConfig(stream=stream)  
recognizer = speechsdk.

▼  
KeywordRecognizer  
OnnxRecognizer  
SpeechRecognizer  
SpeechSynthesizer

 (speech_config=speech_config, audio_config=audio_config)  
  
result = recognizer.recognize_once()  
text = result.text
```

Discussions**SEND**

0 / 1000

[To page 6](#)[To page 8](#)[Terms](#)[Privacy](#)[Facebook](#)[Twitter](#)[YouTube](#)[Reddit](#)[Pinterest](#)info@examgo.com