ES6 Features of JS

Variable Declr :-

var, let, const

var :- var data = 216.52

- When we declr the variable with var then they have
  1) global scope
  2) fun° scope
- They have reinitialize in same scope as well as in different scope.
- They have redeclr in same scope as well as in diff° scope.

let :- scope of let variable is a block scope.

→ We can reinitialize in same scope as well as in dif scope.

→ But redeclr is allowed in different scope only.

const → scope is same as a let type variable

→ But reinitialize is not possible in same scope as well as in different scope.

→ same for redeclr.

How to run internally JS program

```
var data=20
console.log(data)
function add()
{
    var num=10
    console.log(data+num)
}
add()
```

— Two phases Program

{ 1) Memory allocation phase
  2) Execution phase } Global Execution Content

execute

gec

Mem Alloc


Execution phase

Fun^n execution content

Memory Allocation Phase	Execution Phase
data : undefined add : `function add(){ var num=10 console.log(data+num) }`	data : 20 c.log(data) ⇒ 20 add() → ec data ? **Memory A. ph:** num : undefined **Execution phase:** num : 10 ← data? x c.log(data + num) ⇒ 30 (20 + 10)

```
F1()
{
}
F()
F2()
{
}
```






call stack

```
console.log(data) // undefined
var data="India"
console.log(data) //india
```

Memory Allocation Ph.	Execution Phase
data : undefined	c.log(data) ⟶ undefined data : india c.log(data) ⟶ India



Call stack

Hoisting :- We lift the declr of var variable at top of the prog before their initialize.

```
console.log(data)
let data="India"
console.log(data)
```

Memory Allocation Phase	Execution phase
data : undefined	c.log(data) x ⟹ error data : India c.log(data) ⟶ India

Temporal dead zone ⟹ Until it's initialize

let, const ⟹ ES6 Features

Can we performed the hoisting for let & const? ⟹ Yes, they are present in TDZ.