```
git config --global user.name "name"
git config --global user.email "       "

git config --global --list
```

JS ES6 Operator :-

Spread Operator :-

Symbol :- ...

Array →

1) concat

e.g. let $arr_1 = [2, 1, 4, 7, 5]$

let $arr_2 = [12, 9, 5, 11]$

let join_arr_1 = arr_1.concat(arr_2) // [2, 1, 4, 7, 5, 12 9, 5, 11]

let join_arr_2 = [... arr_1 , ... arr_2]

= [2, 1, 4, 7, 5, 12, 9, 5, 11]

Rest Parameter / Rest Param / Rest Operator :-

Symbol :- ...

where we are ? ⇒ Spread op / Rest param

↓

Array joining
object copy / Array copy

as a parameter for the fun?

Fun^n arguments

Shallow Copy & Deep Copy :-

e.g. let obj1 = { name : "Ramesh",
role : " SDE",
contact : " ramesh@gmail.com",
city : "Pune"
}


Copy obj1 → obj2

1) let obj2 = obj1

c.log(obj1)
c.log(obj2)

obj2.city = "Mumbai"

c.log(obj1) ✓
c.log(obj2) ✓



Soln

Spread Operator

let obj2 = {...obj1}

Shallow Copy

Problem with shallow copy ?

Deep Copy :-

1) let obj2 = structureClone(obj1)

OR

2) let obj2 = JSON.parse(JSON.stringify(obj1))

***

Destructuring :-

A) Destructure Array
B) Destructure object