React

Topics :-

1) How to create react project?
2) How to create react arrow fun? default component? (snippest rafce)
3) Different type of Fun? in Js?
4) Export & Import in Js
5) How to render any component on html?
6) what is use of bundler → vite
7) JSX – what is JSX?
8) Multiple component How to create that?
9) How to pass the data to components → parent to child → props
10) What is props?
11) what is props drilling?
12) what is state?
13) Different betn props & state?

14) How to pass the data from child to parent ?

15) what is state lifting ?

16) what is the use of useState hook ? What is useState hook ?

17) what is hook ?

18) Syntax for useState hook ?

19) what is condn rendering ?

20) How to handle the different type of events in react ?


21) what is use of useEffect hook ?


Hooks
1) useState → manage the state of the component
2) useEffect → manage the same effect after some op.

useContent Hook

Props :- First of all we need to understand the props
- hold the info & pass from parent to child

App.jsx
↳ <Child, user = 'xyz' />
↳ <Child2 user = 'xyz' />






Not a efficient technique

Soln :-

useContent

useContent




#1) Create content →

in parent component:

2) Create data & pass the data

3) provide content

children component → 4) consume the content



App.jsx

↳ < >

< UserContent.Provider >

< Child A /> ✓

↳ < Child B /> ✓ } X Consume


↳ < Child C /> ✓ Content Consumer

</ UserContent.Provider >

</>

Appl^n of useContent :-

```
< Navbar >
  → < Home data={user} />
  → < About data={user} />
  → < Contact data={user} />
</ Navbar >
```




```
const Navbar = () => {
return (
    <UserContent.provider user={data}>
        <Home />
        <Content />
        <About />
    </UserContent.provider>
)
}
```

H.O

Parent App.jsx — Theme Content — theme = 'light'

light ==

dark ==



Light / Dark