

# Research plan

### Lab meeting

Andrea Pierré

May 20, 2024
Brown University

#### Outline

1. Context ?

2. Experiments & expected results 🕹 🖎

3. Roadmap 🕰

#### Outline

1. Context ?

2. Experiments & expected results 🕹 🖎

3. Roadmap 🕰

- Posit: You understand a system if you can simulate it
   What I cannot create, I do not understand.
   –Richard Feynman
- If you have a good enough model you may uncover mechanisms that explain a phenomena
  - Without a model → you're limited to describe the how
  - $\cdot$  With a model o you may be able to explain the why
- Test hypothesis
- Abstraction of the system: makes you think of the parameters/inputs/outputs
- Find out what is needed to reproduce experimental results, what explains those results

- Posit: You understand a system if you can simulate it What I cannot create, I do not understand.
   -Richard Feynman
- If you have a good enough model you may uncover mechanisms that explain a phenomena
  - Without a model → you're limited to describe thee how
  - $\cdot$  With a model o you may be able to explain the why
- Test hypothesis
- Abstraction of the system: makes you think of the parameters/inputs/outputs
- Find out what is needed to reproduce experimental results, what explains those results

- Posit: You understand a system if you can simulate it What I cannot create, I do not understand.
   -Richard Feynman
- If you have a good enough model you may uncover mechanisms that explain a phenomena
  - Without a model  $\rightarrow$  you're limited to describe the how
  - $\cdot$  With a model o you may be able to explain the why
- Test hypothesis
- Abstraction of the system: makes you think of the parameters/inputs/outputs
- Find out what is needed to reproduce experimental results, what explains those results

- Posit: You understand a system if you can simulate it What I cannot create, I do not understand.
   -Richard Feynman
- If you have a good enough model you may uncover mechanisms that explain a phenomena
  - Without a model  $\rightarrow$  you're limited to describe the how
  - $\cdot$  With a model o you may be able to explain the why
- Test hypothesis
- Abstraction of the system: makes you think of the parameters/inputs/outputs
- Find out what is needed to reproduce experimental results, what explains those results


- Posit: You understand a system if you can simulate it What I cannot create, I do not understand.
   -Richard Feynman
- If you have a good enough model you may uncover mechanisms that explain a phenomena
  - Without a model  $\rightarrow$  you're limited to describe the how
  - $\cdot$  With a model o you may be able to explain the why
- Test hypothesis
- Abstraction of the system: makes you think of the parameters/inputs/outputs
- Find out what is needed to reproduce experimental results, what explains those results


- Posit: You understand a system if you can simulate it What I cannot create, I do not understand.
   -Richard Feynman
- If you have a good enough model you may uncover mechanisms that explain a phenomena
  - Without a model  $\rightarrow$  you're limited to describe the how
  - With a model  $\rightarrow$  you may be able to explain the why
- Test hypothesis
- Abstraction of the system: makes you think of the parameters/inputs/outputs
- Find out what is needed to reproduce experimental results, what explains those results

- Posit: You understand a system if you can simulate it What I cannot create, I do not understand.
   -Richard Feynman
- If you have a good enough model you may uncover mechanisms that explain a phenomena
  - Without a model  $\rightarrow$  you're limited to describe the how
  - With a model  $\rightarrow$  you may be able to explain the why
- Test hypothesis
- Abstraction of the system: makes you think of the parameters/inputs/outputs
- Find out what is needed to reproduce experimental results, what explains those results

- Posit: You understand a system if you can simulate it
   What I cannot create, I do not understand.
   -Richard Feynman
- If you have a good enough model you may uncover mechanisms that explain a phenomena
  - Without a model  $\rightarrow$  you're limited to describe the how
  - With a model  $\rightarrow$  you may be able to explain the why
- Test hypothesis
- Abstraction of the system: makes you think of the parameters/inputs/outputs
- Find out what is needed to reproduce experimental results, what explains those results

# Recap of previous episodes: it's converging! ©





- · Lights cues in the state?
- Start training once replay buffer is full (5000 transitions) instead of when there are enough transitions for a batch (32 transitions)
- Soft update of the networks weights (instead of sharp transition)
- Huber loss instead of mean squared error → should be less sensible to outliers
- · Remove ReLU on output layer!


- · Lights cues in the state?
- Start training once replay buffer is full (5000 transitions) instead of when there are enough transitions for a batch (32 transitions)
- Soft update of the networks weights (instead of sharp transition)
- Huber loss instead of mean squared error → should be less sensible to outliers
- · Remove ReLU on output layer!

- · Lights cues in the state?
- Start training once replay buffer is full (5000 transitions) instead of when there are enough transitions for a batch (32 transitions)
- Soft update of the networks weights (instead of sharp transition)
- Huber loss instead of mean squared error → should be less sensible to outliers
- · Remove ReLU on output layer!

- · Lights cues in the state?
- Start training once replay buffer is full (5000 transitions) instead of when there are enough transitions for a batch (32 transitions)
- Soft update of the networks weights (instead of sharp transition)
- Huber loss instead of mean squared error  $\rightarrow$  should be less sensible to outliers
- · Remove ReLU on output layer!

- · Lights cues in the state?
- Start training once replay buffer is full (5000 transitions) instead of when there are enough transitions for a batch (32 transitions)
- Soft update of the networks weights (instead of sharp transition)
- Huber loss instead of mean squared error → should be less sensible to outliers
- · Remove ReLU on output layer!

#### What did it learn?



#### What do we want to know?

- Understand what the network learns → What function does it learns?
- How the constrains of the task affect learning & the representations learned?
- Does the network learn something related to the real neurons? (million \$\$\$ question)

#### What do we want to know?

- Understand what the network learns → What function does it learns?
- How the constrains of the task affect learning & the representations learned?
- Does the network learn something related to the real neurons? (million \$\$\$ question)


#### What do we want to know?

- Understand what the network learns → What function does it learns?
- How the constrains of the task affect learning & the representations learned?
- Does the network learn something related to the real neurons? (million \$\$\$ question)


- Does the network learn a generalizable policy?
  - $\rightarrow$  How to test it?
    - From indexed locations (current) to coordinate system
    - Merged actions space

- Does the network learn a generalizable policy?
  - $\rightarrow$  How to test it?
    - From indexed locations (current) to coordinate system
    - Merged actions space


- · Does the network learn a generalizable policy?
  - $\rightarrow$  How to test it?
    - From indexed locations (current) to coordinate system
    - Merged actions space



## **Implementation**



# Example episode



#### Outline

1. Context 😯


2. Experiments & expected results 🕹 🖎


3. Roadmap 🕰

- Feed both coordinates information (Cartesian & polar) to the input layer (+ merge actions spaces in a common one)
- Train on left/right task → we expect the weights are close to zero on Cartesian representation?
- Train on east/west task → we expect the weights are close to zero on polar representation?

- Feed both coordinates information (Cartesian & polar) to the input layer (+ merge actions spaces in a common one)
- Train on left/right task → we expect the weights are close to zero on Cartesian representation?
- Train on east/west task → we expect the weights are close to zero on polar representation?

- Feed both coordinates information (Cartesian & polar) to the input layer (+ merge actions spaces in a common one)
- Train on left/right task → we expect the weights are close to zero on Cartesian representation?
- Train on east/west task → we expect the weights are close to zero on polar representation?






- After training, move the population of agents in a translated coordinate system → we expect the population of agents to be able to solve the task with zero shot learning
- Train with both coordinates information (Cartesian 8 polar), after training feed incorrect polar angles
  - On the left/right task → we expect the population of agents still solves the task consistently
    - On the east/west task → we expect the network
      won't converge to a stable policy (i.e. all the agent
      - don't solve the task consistently)

- After training, move the population of agents in a translated coordinate system → we expect the population of agents to be able to solve the task with zero shot learning
- 2. Train with both coordinates information (Cartesian & polar), after training feed incorrect polar angles
  - On the left/right task → we expect the population of agents still solves the task consistently
  - On the east/west task → we expect the network won't converge to a stable policy (i.e all the agents don't solve the task consistently)


- After training, move the population of agents in a translated coordinate system → we expect the population of agents to be able to solve the task with zero shot learning
- 2. Train with both coordinates information (Cartesian & polar), after training feed incorrect polar angles
  - On the left/right task → we expect the population of agents still solves the task consistently
  - On the east/west task → we expect the network won't converge to a stable policy (i.e all the agents don't solve the task consistently)

- After training, move the population of agents in a translated coordinate system → we expect the population of agents to be able to solve the task with zero shot learning
- 2. Train with both coordinates information (Cartesian & polar), after training feed incorrect polar angles
  - On the left/right task → we expect the population of agents still solves the task consistently
  - On the east/west task → we expect the network won't converge to a stable policy (i.e all the agents don't solve the task consistently)

#### 2) Does the network learn a coordinate system?



# 2) Does the network learn a coordinate system?



#### Outline

1. Context 😯

2. Experiments & expected results 🕹 🖎

3. Roadmap 🕰

# Experiments table

Experiment	Agents	Training estimation [hours]
left/right Cartesian coordinates from center arena	20	6
left/right Cartesian coordinates from 3 ports	20	6
east/west polar coordinates from center arena	20	6
east/west polar coordinates from 3 ports	20	6
No translation	20	6
Cartesian translated	20	6
Polar translated	20	6
left/right correct angle	20	6
left/right incorrect angle	20	6
east/west correct angle	20	6
east/west incorrect angle	20	6
Total	220	66

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing)[~1 week]
  - 1.3 Bugs? [~1 week]
  - 1.4 Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲

    [1 week − 1 month]
- 2. Experiments
  - 2.1 Task code **1∩**2☆ [~1 week]
  - 2.2 Training ★★☆▲ [~2 week]
  - 2.3 Analysis code 1 1 1 1 2 week

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
  - 1.4 Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲

    [1 week − 1 month]
- 2. Experiments
  - 2.1 Task code **1n**2n2 [~1 week]
  - 2.2 Training ★ A [~2 week]
  - 2.3 Analysis code 1 1 1 (~2 week)

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
  - 1.4 Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲

    [1 week − 1 month]
- 2. Experiments
  - 2.1 Task code and [~1 week]
  - 2.2 Training In h☆ A [~2 week]
  - 2.3 Analysis code 1.1 (2 week)

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
  - 1.4 Baseline training on new environment (convergence hyperparameter tweaking, etc.) ★★★▲[1 week 1 month]
- 2. Experiments
  - 2.1 Task code 1 1 (~1 week]
  - 2.2 Training ★ A [~2 week]
  - 2.3 Analysis code in ☆ [~2 week]

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing)[~1 week]
  - 1.3 Bugs? [~1 week]
  - 1.4 Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲[1 week 1 month]
- 2. Experiments
  - 2.1 Task code ★☆☆ [~1 week]
  - 2.2 Training 1.1 (~2 week)
  - 2.3 Analysis code 17. 2 week

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing)[~1 week]
  - 1.3 Bugs? [~1 week]
  - 1.4 Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲[1 week 1 month]
- 2. Experiments
  - 2.1 Task code ★☆☆ [~1 week]
  - 2.2 Training ★★☆▲ [~2 week]
  - 2.3 Analysis code ★★☆ [~2 week]

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
  - 1.4 Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲[1 week 1 month]
- 2. Experiments
  - 2.1 Task code ★☆☆ [~1 week]
  - 2.2 Training ★★☆▲ [~2 week]
  - 2.3 Analysis code ★★☆ [~2 week]

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
  - 1.4 Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲[1 week 1 month]
- 2. Experiments
  - 2.1 Task code ★☆☆ [~1 week]
  - 2.2 Training ★★☆▲ [~2 week]
  - 2.3 Analysis code \*\*\* [~2 week]

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
  - 1.4 Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲[1 week 1 month]
- 2. Experiments
  - 2.1 Task code ★☆☆ [~1 week]
  - 2.2 Training ★★☆▲ [~2 week]
  - 2.3 Analysis code ★★☆ [~2 week]

# Planning

