

Lab meeting

*Robust representations for olfactory-spatial
association learning*

Andrea Pierré

March 11, 2025

Outline


1. Project recap
2. Cartesian/polar duplicated coordinates experiment
3. What does the network learn?

Outline




1. Project recap
2. Cartesian/polar duplicated coordinates experiment
3. What does the network learn?

The LEC is key to sensory associations and spatial memory


- Piriform Cortex encodes olfactory information
- Hippocampus encodes spatial information
- Lateral Entorhinal Cortex (LEC) encodes both olfactory & spatial information




Half triangle task for olfactory-spatial association learning



Deep Reinforcement Learning model



Cartesian/polar duplicated coordinates experiment



- 3 actions: \Leftarrow \Uparrow \Rightarrow
- Duplicated coordinates inputs:
 - Cartesian coordinates from north & south port
 - Polar coordinates from north & south port

Questions & Hypothesis

Questions

- What **function** does the network learn?
- How the constraints of the task affect learning & the representations learned?
- How do the representations learned compare between the *in vivo* and the *in silico* neurons?

Hypothesis

- The network will use the most efficient coordinate information based on the task
- The structure of the network's weights will reflect this prioritization of information

Questions & Hypothesis


Questions

- What **function** does the network learn?
- How the constraints of the task affect learning & the representations learned?
- How do the representations learned compare between the *in vivo* and the *in silico* neurons?

Hypothesis

- The network will use the most efficient coordinate information based on the task
- The structure of the network's weights will reflect this prioritization of information

Looking back...




1. Try to define the Olivia's experiment as a Markov Decision Process (MDP) in Julia
2. 2D gridworld in Python/NumPy
3. Duplicated coordinates in Python/PyTorch

Outline



1. Project recap
2. Cartesian/polar duplicated coordinates experiment
3. What does the network learn?

State space & network architecture





Training





East/West







Left/Right









Training checks - East/West



Training checks - Left/Right




Agent behavior




Outline

1. Project recap
2. Cartesian/polar duplicated coordinates experiment
3. What does the network learn?

Activations learned - East/West



Activations learned - Left/Right



Cluster by action space

Other clustering method

Use the behavior as proxy – Perturbation experiment

- Perturb the Cartesian/polar part of the input on a trained agent and look at how the agent behaves (x4 experiments)
- Expectation:
 - Left/right task
 - East/west task

Use the behavior as proxy – Perturbation experiment

- Perturb the Cartesian/polar part of the input on a trained agent and look at how the agent behaves (x4 experiments)
- Expectation:
 - Left/right task:
 - With the Cartesian inputs perturbed → agent's performance unchanged
 - With the polar inputs perturbed → agent's performance degrades
 - East/west task:
 - With the polar inputs perturbed → agent's performance unchanged
 - With the Cartesian inputs perturbed → agent's performance degrades

Use the behavior as proxy – Perturbation experiment

- Perturb the Cartesian/polar part of the input on a trained agent and look at how the agent behaves (x4 experiments)
- Expectation:
 - Left/right task:
 - With the Cartesian inputs perturbed → agent's performance unchanged
 - With the polar inputs perturbed → agent's performance degrades
 - East/west task:
 - With the polar inputs perturbed → agent's performance unchanged
 - With the Cartesian inputs perturbed → agent's performance degrades

Use the behavior as proxy – Perturbation experiment

- Perturb the Cartesian/polar part of the input on a trained agent and look at how the agent behaves (x4 experiments)
- Expectation:
 - Left/right task:
 - With the **Cartesian** inputs perturbed → agent's performance unchanged
 - With the **polar** inputs perturbed → agent's performance degrades
 - East/west task:
 - With the **polar** inputs perturbed → agent's performance unchanged
 - With the **Cartesian** inputs perturbed → agent's performance degrades

Use the behavior as proxy – Perturbation experiment

- Perturb the Cartesian/polar part of the input on a trained agent and look at how the agent behaves (x4 experiments)
- Expectation:
 - Left/right task:
 - With the **Cartesian** inputs perturbed → agent's performance unchanged
 - With the **polar** inputs perturbed → agent's performance degrades
 - East/west task:
 - With the **polar** inputs perturbed → agent's performance unchanged
 - With the **Cartesian** inputs perturbed → agent's performance degrades

Use the behavior as proxy – Perturbation experiment

- Perturb the Cartesian/polar part of the input on a trained agent and look at how the agent behaves (x4 experiments)
- Expectation:
 - Left/right task:
 - With the **Cartesian** inputs perturbed → agent's performance unchanged
 - With the **polar** inputs perturbed → agent's performance degrades
 - East/west task:
 - With the **polar** inputs perturbed → agent's performance unchanged
 - With the **Cartesian** inputs perturbed → agent's performance degrades

Use the behavior as proxy – Perturbation experiment

- Perturb the Cartesian/polar part of the input on a trained agent and look at how the agent behaves (x4 experiments)
- Expectation:
 - Left/right task:
 - With the **Cartesian** inputs perturbed → agent's performance unchanged
 - With the **polar** inputs perturbed → agent's performance degrades
 - East/west task:
 - With the **polar** inputs perturbed → agent's performance unchanged
 - With the **Cartesian** inputs perturbed → agent's performance degrades

Use the behavior as proxy – Perturbation experiment

- Perturb the Cartesian/polar part of the input on a trained agent and look at how the agent behaves (x4 experiments)
- Expectation:
 - Left/right task:
 - With the **Cartesian** inputs perturbed → agent's performance unchanged
 - With the **polar** inputs perturbed → agent's performance degrades
 - East/west task:
 - With the **polar** inputs perturbed → agent's performance unchanged
 - With the **Cartesian** inputs perturbed → agent's performance degrades

Use the behavior as proxy – Perturbation experiment

- Cartesian perturbation
- Polar perturbation
 - Simulation does not end → haven't figured out why yet

Use the behavior as proxy – Perturbation experiment

- Cartesian perturbation
- Polar perturbation
 - Simulation does not end → haven't figured out why yet

Use the behavior as proxy – Perturbation experiment

- Cartesian perturbation
- Polar perturbation
 - Simulation does not end → haven't figured out why yet

Next steps

Questions ?