

# Research plan

#### Fleischmann – Nassar joint meeting

Andrea Pierré

May 17, 2024

Brown University

#### Outline

1. Hypothesis & directions ?

2. Experiments & expected results 🌽 📐

3. Roadmap 🕰

#### Outline

1. Hypothesis & directions ?

2. Experiments & expected results 🌽 🕍

3. Roadmap 🕰

#### What do we want to know?

- Understand what the network learns → What function does it learns?
- How the constrains of the task affect learning & the representations learned?
- Does the network learn something related to the real neurons? (million \$\$\$ question)

#### What do we want to know?

- Understand what the network learns → What function does it learns?
- How the constrains of the task affect learning & the representations learned?
- Does the network learn something related to the real neurons? (million \$\$\$ question)


#### What do we want to know?

- Understand what the network learns → What function does it learns?
- How the constrains of the task affect learning & the representations learned?
- Does the network learn something related to the real neurons? (million \$\$\$ question)


- Does the network learn a generalizable policy?
  - $\rightarrow$  How to test it?
    - From indexed locations (current) to coordinate system
    - Merged actions space

- Does the network learn a generalizable policy?
  - $\rightarrow$  How to test it?
    - From indexed locations (current) to coordinate system
    - Merged actions space

- · Does the network learn a generalizable policy?
  - $\rightarrow$  How to test it?
    - From indexed locations (current) to coordinate system
    - Merged actions space



## **Implementation**



#### Outline

1. Hypothesis & directions ?

2. Experiments & expected results 🌽 🕍


3. Roadmap 🕰


- Feed both coordinates information (Cartesian & polar) to the input layer (+ merge actions spaces in a common one)
- Train on left/right task → we expect the weights are close to zero on Cartesian representation?
- Train on east/west task → we expect the weights are close to zero on polar representation?
- Not clear to me how to extract/define which neurons belong/contribute to Cartesian/polar representation

- Feed both coordinates information (Cartesian & polar) to the input layer (+ merge actions spaces in a common one)
- Train on left/right task → we expect the weights are close to zero on Cartesian representation?
- Train on east/west task → we expect the weights are close to zero on polar representation?
- Not clear to me how to extract/define which neurons belong/contribute to Cartesian/polar representation

- Feed both coordinates information (Cartesian & polar) to the input layer (+ merge actions spaces in a common one)
- Train on left/right task → we expect the weights are close to zero on Cartesian representation?
- Train on east/west task → we expect the weights are close to zero on polar representation?
- Not clear to me how to extract/define which neurons belong/contribute to Cartesian/polar representation

- Feed both coordinates information (Cartesian & polar) to the input layer (+ merge actions spaces in a common one)
- Train on left/right task → we expect the weights are close to zero on Cartesian representation?
- Train on east/west task → we expect the weights are close to zero on polar representation?
- Not clear to me how to extract/define which neurons belong/contribute to Cartesian/polar representation






- After training, move the population of agents in a translated coordinate system → we expect the population of agents to be able to solve the task with zero shot learning
- 2. Train with both coordinates information (Cartesian 8 polar), after training feed incorrect polar angles
  - On the left/right task → we expect the population of agents still solves the task consistently
  - On the east/west task → we expect the network won't converge to a stable policy (i.e all the agen
    - don't solve the task consistently)

- After training, move the population of agents in a translated coordinate system → we expect the population of agents to be able to solve the task with zero shot learning
- 2. Train with both coordinates information (Cartesian & polar), after training feed incorrect polar angles
  - On the left/right task → we expect the population of agents still solves the task consistently
  - On the east/west task → we expect the network won't converge to a stable policy (i.e all the agents don't solve the task consistently)


- After training, move the population of agents in a translated coordinate system → we expect the population of agents to be able to solve the task with zero shot learning
- 2. Train with both coordinates information (Cartesian & polar), after training feed incorrect polar angles
  - On the left/right task → we expect the population of agents still solves the task consistently
  - On the east/west task → we expect the network won't converge to a stable policy (i.e all the agents don't solve the task consistently)

- After training, move the population of agents in a translated coordinate system → we expect the population of agents to be able to solve the task with zero shot learning
- 2. Train with both coordinates information (Cartesian & polar), after training feed incorrect polar angles
  - On the left/right task → we expect the population of agents still solves the task consistently
  - On the east/west task → we expect the network won't converge to a stable policy (i.e all the agents don't solve the task consistently)




# 3) Conjunctive odor-place coding

- Train a population of agents, then after training, flip odor A and odor B in the task
- In general we expect to find a population of conjunctive neurons that get active with the combination of both odor and specific location
- Do the conjunctive cells get conserved or remapped?
  (Not clear to me, I'd expect they get remapped)




## 3) Conjunctive odor-place coding

- Train a population of agents, then after training, flip odor A and odor B in the task
- In general we expect to find a population of conjunctive neurons that get active with the combination of both odor and specific location
- Do the conjunctive cells get conserved or remapped?
  (Not clear to me, I'd expect they get remapped)



## 3) Conjunctive odor-place coding

- Train a population of agents, then after training, flip odor A and odor B in the task
- In general we expect to find a population of conjunctive neurons that get active with the combination of both odor and specific location
- Do the conjunctive cells get conserved or remapped?
  (Not clear to me, I'd expect they get remapped)



#### Outline

1. Hypothesis & directions ?

2. Experiments & expected results 🌽 🕍

3. Roadmap 🕰

- Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
- 2. Baseline training on new environment (convergence hyperparameter tweaking, etc.)
- 3. Experiments
  - 3.1 Task code 1000 [~1 week]

  - 3.3 Analysis code ★★★ [~2 week]

- Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing)[~1 week]
  - 1.3 Bugs? [~1 week]
- 2. Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲[1 week 1 month]
- 3. Experiments
  - 3.1 Task code 1.2 [~1 week]
  - 3.2 Training 1 1 1 1 1 1 1 1 1 2 week]
  - 3.3 Analysis code ★★★ [~2 week]

- Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing)[~1 week]
  - 1.3 Bugs? [~1 week]
- 2. Baseline training on new environment (convergence hyperparameter tweaking, etc.)
- 3. Experiments
  - 3.1 Task code 🏫☆☆ [~1 week]
  - 3.2 Training 1 1 1 1 1 1 1 1 2 week
  - 3.3 Analysis code ★★★ L~2 week]

- Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
- 2. Baseline training on new environment (convergence hyperparameter tweaking, etc.)
- 3. Experiments
  - 3.1 Task code 🏫☆☆ [~1 week]
  - 3.2 Training 1 1 1 1 1 1 1 1 2 week
  - 3.3 Analysis code 1.1.1 (~2 week)

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
- 2. Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲[1 week 1 month]
- 3. Experiments
  - 3.1 Task code 🏫 🚾 [~1 week]
  - 3.2 Training ★★☆▲ [~2 week]
  - 3.3 Analysis code 1 1 1 1 2 week]

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
- 2. Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲[1 week 1 month]
- 3. Experiments
  - 3.1 Task code ★☆☆ [~1 week]
  - 3.2 Training ★★☆▲ [~2 week]
  - 3.3 Analysis code ★★☆ [~2 week]

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
- Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲
  [1 week 1 month]
- 3. Experiments
  - 3.1 Task code ★☆☆ [~1 week]
  - 3.2 Training ★★☆▲ [~2 week]
  - 3.3 Analysis code ★★☆ [~2 week]

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
- 2. Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲[1 week 1 month]
- 3. Experiments
  - 3.1 Task code ★☆☆ [~1 week]
  - 3.2 Training ★★☆▲ [~2 week]
  - 3.3 Analysis code ★★☆ [~2 week]

- 1. Rewrite the environment(s) ★★☆
  - 1.1 Code logic for new environment [~1 week]
  - 1.2 Check everything works as expected (unit testing) [~1 week]
  - 1.3 Bugs? [~1 week]
- 2. Baseline training on new environment (convergence, hyperparameter tweaking, etc.) ★★★▲[1 week 1 month]
- 3. Experiments
  - 3.1 Task code ★☆☆ [~1 week]
  - 3.2 Training ★★☆▲ [~2 week]
  - 3.3 Analysis code ★★☆ [~2 week]

