



LUND
UNIVERSITY

Instrumental Variables and regression discontinuity designs


Nils Droste

2021 ClimBEco course



Instrumental Variables

Instrumental Variable (IV)



Using exogenous variation in instrument to close back-door. Image source: [Huntington-Klein 2018](#)



Instrumental Variables

An exemplary study

The Impact of the Women's March on the U.S. House Election*

Magdalena Larrebourg

Felipe González

April 10, 2021

Three million people participated in the Women's March against discrimination in 2017, the largest single-day protest in U.S. history. We show that protesters in the March increased political preferences for women and people from ethnic minorities in the following federal election, the 2018 House of Representatives Election. Using **daily weather** shocks as exogenous drivers of attendance at the March, we show that protesters increased turnout at the Election and the vote shares obtained by minorities, particularly women, irrespective of their party affiliation. We conclude that protests can help to empower historically underrepresented groups through changes in local political preferences.

Larrebourg and González 2021

2021 ClimBEco course

Causal Inference

3/33



Introduction

Instrumental Variables

intuition

formalities

technicalities

Regression
Discontinuity

intuition

notation

examples

References

Instrumental Variables

Introduction

Instrumental Variables

intuition

formalities

technicalities

Regression Discontinuity

intuition

notation

examples

References



Two-Stage Least Square (2SLS) estimator

1. stage: regress Z on X :

$$X_i = \alpha_1 + \beta_1 Z_i + \gamma_1 W_i + \varepsilon_{1,i} \quad (1)$$

and predict the variation in X
explained by Z : $\hat{X} = \beta_1 Z_i$.

2. stage: plug in \hat{X} to estimate the
variation in Y not explained by
confounder W :

$$Y_i = \alpha_2 + \beta_2 \hat{X}_i + \gamma_2 W_i + \varepsilon_{2,i} \quad (2)$$

conditions

Introduction

Instrumental Variables

intuition

formalities

technicalities

Regression Discontinuity

intuition

notation

examples

References

There are important conditions to consider

- *relevance* of instrument for predicting $Y \rightarrow E((\hat{X}_i|Z = 1) - (\hat{X}_i|Z = 0)) \neq 0$, aka Z is correlated with X , and thus with Y .



conditions

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

There are important conditions to consider

- *relevance* of instrument for predicting $Y \rightarrow E((\hat{X}_i|Z=1) - (\hat{X}_i|Z=0)) \neq 0$, aka Z is correlated with X , and thus with Y .
- *exclusion* restriction of Z being independent of Y : $E(\epsilon_i, Z_i|W_i) = 0$, aka no backdoor $Z \rightarrow Y$ or endogeneity, i.e. no relation with omitted variables.



conditions

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

There are important conditions to consider

- *relevance* of instrument for predicting $Y \rightarrow E((\hat{X}_i|Z=1) - (\hat{X}_i|Z=0)) \neq 0$, aka Z is correlated with X , and thus with Y .
- *exclusion* restriction of Z being independent of Y : $E(\epsilon_i, Z_i|W_i) = 0$, aka no backdoor $Z \rightarrow Y$ or endogeneity, i.e. no relation with omitted variables.

Now, let us see how to formulate this in the potential outcome notation.



conditions

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



There are important conditions to consider

- *relevance* of instrument for predicting $Y \rightarrow E((\hat{X}_i|Z = 1) - (\hat{X}_i|Z = 0)) \neq 0$, aka Z is correlated with X , and thus with Y .
- *exclusion* restriction of Z being independent of Y : $E(\epsilon_i, Z_i|W_i) = 0$, aka no backdoor $Z \rightarrow Y$ or endogeneity, i.e. no relation with omitted variables.

Now, let us see how to formulate this in the potential outcome notation.

For this let treatment or participation again be denoted by D , now as a function of the instrument $\rightarrow D_i(Z_i)$, the *intention to treat*.

notation

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

Step by step

- Imbens and Angrist (1994) formulate local average treatment effect (LATE)
 - for the *subpopulation* responding to instrument Z ,
that is those who participate $P(1)$ in treatment D



notation

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

Step by step

- Imbens and Angrist (1994) formulate local average treatment effect (LATE)
 - for the *subpopulation* responding to instrument Z ,
that is those who participate $P(1)$ in treatment D

$$E(Y_i | Z_i = 1) - E(Y_i | Z_i = 0) \quad (3)$$



notation

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

Step by step

- Imbens and Angrist (1994) formulate local average treatment effect (LATE)
 - for the *subpopulation* responding to instrument Z ,
that is those who participate $P(1)$ in treatment D

$$E(Y_i | Z_i = 1) - E(Y_i | Z_i = 0) \quad (3)$$

- here the LATE is given by $P(1) \cdot E[Y_i(1) - Y_i(0) | D_i(1) = 1]$



notation

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

Step by step

- Imbens and Angrist (1994) formulate local average treatment effect (LATE)
 - for the *subpopulation* responding to instrument Z ,
that is those who participate $P(1)$ in treatment D

$$E(Y_i | Z_i = 1) - E(Y_i | Z_i = 0) \quad (3)$$

- here the LATE is given by $P(1) \cdot E[Y_i(1) - Y_i(0) | D_i(1) = 1]$
- as long as participation $P(1) > P(0)$ and $D_i(1) \geq D_i(0) \forall i$, aka monotonic (or \leq , respectively)



notation

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



Step by step

- Imbens and Angrist (1994) formulate local average treatment effect (LATE)
 - for the *subpopulation* responding to instrument Z , that is those who participate $P(1)$ in treatment D

$$E(Y_i | Z_i = 1) - E(Y_i | Z_i = 0) \quad (3)$$

- here the LATE is given by $P(1) \cdot E[Y_i(1) - Y_i(0) | D_i(1) = 1]$
- as long as participation $P(1) > P(0)$ and $D_i(1) \geq D_i(0) \forall i$, aka monotonic (or \leq , respectively)

Why?

Who's gonna be "treated"

Consider Angrist, Imbens and Rubin (1996)

		$Z_i = 0$	
		$D_i(0) = 0$	$D_i(0) = 1$
$Z_i = 1$	$D_i(1) = 0$	Nevertaker	Defier
	$D_i(1) = 1$	Complier	Always-taker

Introduction

Instrumental Variables

intuition

formalities

technicalities

Regression

Discontinuity

intuition

notation

examples

References



Who's gonna be "treated"

Consider Angrist, Imbens and Rubin (1996)

		$Z_i = 0$	
		$D_i(0) = 0$	$D_i(0) = 1$
$Z_i = 1$	$D_i(1) = 0$	Nevertaker	Defier
	$D_i(1) = 1$	Complier	Always-taker

- *"if people are more likely, on average, to participate given $Z = w$ than given $Z = z$, then anyone who would participate given $Z = z$ must also participate given $Z = w$ " (Guido W Imbens and Angrist 1994)*



Who's gonna be "treated"

Consider Angrist, Imbens and Rubin (1996)

		$Z_i = 0$	
		$D_i(0) = 0$	$D_i(0) = 1$
$Z_i = 1$	$D_i(1) = 0$	Nevertaker	Defier
	$D_i(1) = 1$	Complier	Always-taker

- *"if people are more likely, on average, to participate given $Z = w$ than given $Z = z$, then anyone who would participate given $Z = z$ must also participate given $Z = w$ " (Guido W Imbens and Angrist 1994)*

→ assumes existence of only one of compliers or defiers, e.g. *no one* defies



Who's gonna be "treated"

Consider Angrist, Imbens and Rubin (1996)

		$Z_i = 0$	
		$D_i(0) = 0$	$D_i(0) = 1$
$Z_i = 1$	$D_i(1) = 0$	Nevertaker	Defier
	$D_i(1) = 1$	Complier	Always-taker

- *"if people are more likely, on average, to participate given $Z = w$ than given $Z = z$, then anyone who would participate given $Z = z$ must also participate given $Z = w$ " (Guido W Imbens and Angrist 1994)*
 - assumes existence of only one of compliers or defiers, e.g. *no one* defies
- allows valid estimate of LATE, but may not always be realistic



Relaxing monotonicity assumption

de Chaisemartin (2017) shows IVs can be valid without strong monotonicity

- *"If there are defiers in the population, we only know that 2SLS estimates a weighted difference between the effect of the treatment among compliers and defiers"*

Introduction

Instrumental Variables

intuition

formalities

technicalities

Regression Discontinuity

intuition

notation

examples

References



Relaxing monotonicity assumption

de Chaisemartin (2017) shows IVs can be valid without strong monotonicity

- *"If there are defiers in the population, we only know that 2SLS estimates a weighted difference between the effect of the treatment among compliers and defiers"*
- a weak solution: $P(C_F) = P(F)$ and $E(Y(1) - Y(0)|C_F) = E(Y(1) - Y(0)|F)$

Introduction

Instrumental Variables

intuition

formalities

technicalities

Regression

Discontinuity

intuition

notation

examples

References



Relaxing monotonicity assumption

de Chaisemartin (2017) shows IVs can be valid without strong monotonicity

- *"If there are defiers in the population, we only know that 2SLS estimates a weighted difference between the effect of the treatment among compliers and defiers"*
- a weak solution: $P(C_F) = P(F)$ and $E(Y(1) - Y(0)|C_F) = E(Y(1) - Y(0)|F)$
- *"is satisfied if a subgroup of compliers accounts for the same percentage of the population as defiers and has the same LATE"*

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



Relaxing monotonicity assumption

de Chaisemartin (2017) shows IVs can be valid without strong monotonicity

- *"If there are defiers in the population, we only know that 2SLS estimates a weighted difference between the effect of the treatment among compliers and defiers"*
- a weak solution: $P(C_F) = P(F)$ and $E(Y(1) - Y(0)|C_F) = E(Y(1) - Y(0)|F)$
- *"is satisfied if a subgroup of compliers accounts for the same percentage of the population as defiers and has the same LATE"*
- I believe this can be approached with matching, too. See Murray et al. (2021) who suggest to estimate the intention to treat $D(Z)$ with logistic regression, providing leeway for a propensity score or other matching approach (cf. Hirano, Guido W Imbens and Ridder 2003; Rosenbaum and Donald B. Rubin 1984).

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



Weak instruments

Introduction

Instrumental Variables

intuition

formalities

technicalities

Regression

Discontinuity

intuition

notation

examples

References



When instruments are only weakly correlated with treatment, reconsider

$$Y_i = \alpha_2 + \beta_2 D_i + \gamma_2 W_i + \varepsilon_i \quad (4)$$

$$X_i = \alpha_1 + \beta_1 Z_i + \gamma_1 W_i + v_i \quad (5)$$

A condition was relevance, i.e. $E((D_i|Z = 1) - (D_i|Z = 0)) \neq 0$, or

$$\text{Cov}(Z_i, D_i|W_i) \neq 0$$

- to estimate IV, $\hat{\beta}_2 = \frac{\text{Cov}(Y_i, Z_i)}{\text{Cov}(Z_i, D_i|W_i)}$
- problematic when $\text{Cov}(Z_i, D_i|W_i) \rightarrow 0$ as $\Delta\beta_2$ grows large even for small variations

Weak instruments

Introduction

Instrumental Variables

- intuition
- formalities
- technicalities

Regression Discontinuity

- intuition
- notation
- examples

References

A range of techniques for robust parameter estimation in weak IV 2SLS

- F-test for strong enough instruments (Stock and Yogo 2005)



Weak instruments

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



A range of techniques for robust parameter estimation in weak IV 2SLS

- F-test for strong enough instruments (Stock and Yogo 2005)
- heteroskedasticity and autocorrelation robust for just identified models (Chernozhukov and Hansen 2008)

Weak instruments

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



A range of techniques for robust parameter estimation in weak IV 2SLS

- F-test for strong enough instruments (Stock and Yogo 2005)
- heteroskedasticity and autocorrelation robust for just identified models (Chernozhukov and Hansen 2008)
- heteroskedasticity, autocorrelation and cluster robust in a more general setting (Montiel Olea and Pflueger 2013)

Weak instruments

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



A range of techniques for robust parameter estimation in weak IV 2SLS

- F-test for strong enough instruments (Stock and Yogo 2005)
- heteroskedasticity and autocorrelation robust for just identified models (Chernozhukov and Hansen 2008)
- heteroskedasticity, autocorrelation and cluster robust in a more general setting (Montiel Olea and Pflueger 2013)
- a more powerful test with t-ratio critical value adjustments for significance testing (Lee et al. 2020)

Weak instruments

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



A range of techniques for robust parameter estimation in weak IV 2SLS

- F-test for strong enough instruments (Stock and Yogo 2005)
- heteroskedasticity and autocorrelation robust for just identified models (Chernozhukov and Hansen 2008)
- heteroskedasticity, autocorrelation and cluster robust in a more general setting (Montiel Olea and Pflueger 2013)
- a more powerful test with t-ratio critical value adjustments for significance testing (Lee et al. 2020)

→ We will look into some (basic) testing in the seminar.

intermediate summary

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

Instrumental variables allow us to

- isolate a treatment effect by looking at the outcomes of exogeneously caused variation
- it is considered a very robust causal inference, but assumptions are somewhat crucial
- mainly it is theory and reason that make a "valid instrument"
- there is loads of tests, I do not think they alone suffice



Intuition

Suppose we believe there is an effect for which assignment is non-random, but the cut-off at which treatment is assigned is quasi-random (cf. Thistlewaite et al. n.d.).

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity


intuition
notation
examples

References



Intuition

Suppose we believe there is an effect for which assignment is non-random, but the cut-off at which treatment is assigned is quasi-random (cf. Thistlewaite et al. n.d.).



concept

Introduction


Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



The RDD concept and the effect of bin size choice. Image source: Cattaneo and Vazquez-Bare 2016

Introduction

Instrumental Variables

intuition
formalities
technicalities


Regression Discontinuity

intuition
notation
examples

References




Regression-Discontinuity-Design (RDD)



Focussing on effects just around the cutoff value. Image source: [Huntington-Klein 2018](#)

DAGs

Regression-Discontinuity-Design (RDD)



Focussing on effects just around the cutoff value. Image source: [Huntington-Klein 2018](#) *rigtharrow* Do you see the IV in RDD?



notation

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

Let us formulate in the potential outcomes notation. Suppose there is a outcome $(Y(1), Y(0))$ that depends on treatment D and covariate X .



notation

Introduction

Instrumental Variables

- intuition
- formalities
- technicalities

Regression Discontinuity

- intuition
- notation
- examples

References

Let us formulate in the potential outcomes notation. Suppose there is a outcome $(Y(1), Y(0))$ that depends on treatment D and covariate X .

While $Y(X)$ is assumed to be continuous, treatment D kicks in at a quasi-random threshold of \bar{x} , such that



notation

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



Let us formulate in the potential outcomes notation. Suppose there is a outcome $(Y(1), Y(0))$ that depends on treatment D and covariate X .

While $Y(X)$ is assumed to be continuous, treatment D kicks in at a quasi-random threshold of \bar{x} , such that

$$D_i = \begin{cases} 1 & \text{if } x_i \geq \bar{x} \\ 0 & \text{if } x_i < \bar{x} \end{cases} \quad (6)$$

notation

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



Let us formulate in the potential outcomes notation. Suppose there is a outcome $(Y(1), Y(0))$ that depends on treatment D and covariate X .

While $Y(X)$ is assumed to be continuous, treatment D kicks in at a quasi-random threshold of \bar{x} , such that

$$D_i = \begin{cases} 1 & \text{if } x_i \geq \bar{x} \\ 0 & \text{if } x_i < \bar{x} \end{cases} \quad (6)$$

The identifying assumption is again that treatment assignment is independent of outcomes $E(Y(1) - Y(0) \perp D | X = \bar{x})$.

Sharp RDD

The cutcoff at \bar{x} can be **sharp**

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



Sharp RDD

The cutcoff at \bar{x} can be **sharp**

- in which case there is no overlap on both sides of \bar{x}

Introduction

Instrumental Variables

intuition

formalities

technicalities

Regression Discontinuity

intuition

notation

examples


References



Sharp RDD

The cutoff at \bar{x} can be **sharp**

- in which case there is no overlap on both sides of \bar{x}
- we assume the outcomes would have been smooth in the absence of treatment (aka extrapolate a "bin" beyond the threshold)



Guido W. Imbens and Lemieux 2008

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples


References



Sharp RDD

The cutoff at \bar{x} can be **sharp**

- in which case there is no overlap on both sides of \bar{x}
- we assume the outcomes would have been smooth in the absence of treatment (aka extrapolate a "bin" beyond the threshold)



Guido W. Imbens and Lemieux 2008


- and measure $\tau_{srd} = \lim_{x \rightarrow \bar{x}} E[Y(1)|X = x] - \lim_{x \leftarrow \bar{x}} E[Y(0)|X = x]$



Sharp RDD

The cutoff at \bar{x} can be **sharp**

- in which case there is no overlap on both sides of \bar{x}
- we assume the outcomes would have been smooth in the absence of treatment (aka extrapolate a "bin" beyond the threshold)



Guido W. Imbens and Lemieux 2008

- and measure $\tau_{srd} = \lim_{x \rightarrow \bar{x}} E[Y(1)|X = x] - \lim_{x \leftarrow \bar{x}} E[Y(0)|X = x]$
- D is not just correlated but a deterministic function of x (once we know x and \bar{x} , we know D)



estimator

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



estimator

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



RDD estimation

$$Y_i = \alpha_i + \beta X_{it} + \gamma t_i + \varepsilon_{it} \quad (7)$$


where t indicates treatment cutoff values \bar{x} :

$$t_i = \begin{cases} 1 & \text{if } x_i \geq \bar{x} \\ 0 & \text{if } x_i < \bar{x} \end{cases} \quad (8)$$

This would often include polynomial terms to allow for non-linear functional forms (but should not, cf. Gelman and Guido W Imbens 2019). Another typical approach is a local linear regression (which is displayed in the animation) or smoothing functions.

fuzzy RDD

Suppose the data did **not** look like this



fuzzy RDD

but rather looked like this




Heiss 2020

2021 ClimBEco course



fuzzy RDD

So we need to evaluate



Heiss 2020



fuzzy RDD

So we need to evaluate



Heiss 2020

This is literally an IV setting where a different probability on two sides of the cutoff predicts participation.



Fuzzy RDD

The cutcoff at \bar{x} is be **fuzzy**

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



Fuzzy RDD

The cutoff at \bar{x} is be **fuzzy**

- because of deniers or nevertakers etc, there is overlap on both sides of \bar{x}

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples


References



Fuzzy RDD

The cutoff at \bar{x} is be **fuzzy**

- because of deniers or nevertakers etc, there is overlap on both sides of \bar{x}
- probabilities differ: $\lim_{x \rightarrow \bar{x}} Pr(Y(1)|X = x) \neq \lim_{x \leftarrow \bar{x}} Pr(Y(0)|X = x)$




Guido W. Imbens and Lemieux 2008



Fuzzy RDD

The cutoff at \bar{x} is be **fuzzy**

- because of deniers or nevertakers etc, there is overlap on both sides of \bar{x}
- probabilities differ: $\lim_{x \rightarrow \bar{x}} Pr(Y(1)|X = x) \neq \lim_{x \leftarrow \bar{x}} Pr(Y(0)|X = x)$



Guido W. Imbens and Lemieux 2008


- if unconfounded, $\tau_{frdd} = E[Y(1)|D = 1, X = \bar{x}] - E[Y(0)|D = 1, X = \bar{x}]$



Fuzzy RDD

The cutoff at \bar{x} is be **fuzzy**

- because of deniers or nevertakers etc, there is overlap on both sides of \bar{x}
- probabilities differ: $\lim_{x \rightarrow \bar{x}} Pr(Y(1)|X = x) \neq \lim_{x \leftarrow \bar{x}} Pr(Y(0)|X = x)$



Guido W. Imbens and Lemieux 2008

- if unconfounded, $\tau_{frdd} = E[Y(1)|D = 1, X = \bar{x}] - E[Y(0)|D = 1, X = \bar{x}]$
- which we can estimate with 2SLS, predicting D in first stage, plugging estimates into second stage

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity


intuition
notation
examples

References



examples

There are discontinuities in space



Wuepper, Le Clech et al. 2020



examples

There are discontinuities in space

Introduction


Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



Regression discontinuities in covariates but not in vegetation potential, Wuepper, Le Clech et al. 2020

examples

Time

Introduction


Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



Hausman and Rapson 2018



examples

Rules

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

The Causal Effect of Radical Right Success on Mainstream Parties' Policy Positions: A Regression Discontinuity Approach

TARIK ABOU-CHADI AND WERNER KRAUSE*

This article investigates how the success of radical right parties affects the policy positions of mainstream parties. We do this using a regression discontinuity approach that allows us to causally attribute mainstream parties' positional changes to radical right strength independent of public opinion as a potential confounder. Making use of exogenous variation created through differences in electoral thresholds, we empirically demonstrate that radical right success, indeed, causally affects mainstream parties' positions. This is true for mainstream left as well as mainstream right parties. These findings make an important contribution to the broader literature on party competition as they indicate that other parties' behavior and not only public opinion plays a crucial role in explaining parties' policy shift.

Keywords: radical right; party competition; immigration.

Abou-Chadi and Krause 2018



examples

Rules

Introduction


Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References




Hotelling-Downs Model of 2 Party Competition. Image Source: [Daniel Corradi Stevens](#)



examples

Rules




Mainstream party position on cultural position. Image source: Abou-Chadi and Krause 2018



examples

There can be kinks, aka slope shifts




Ganong and Jäger 2018



examples

Multiple breaks



Angrist and Lay 1999
2021 ClimBEco course

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression
Discontinuity


intuition
notation
examples

References



examples

Multiple breaks



Angrist and Lavy 1999



software

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

available packages

- rdd
- rdrobust
- rdlocrand
- rddensity
- rdmulti
- rdpower



intermediate summary

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

Regression discontinuity designs

- identify a causal effect at a (quasi-)randomly occurring break point that introduces treatment
- are the youngest "classical" causal inference methods and seen as favorable
- use breaks that can occur in space, time, institutions, etc. pp.



References I

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References



- Abou-Chadi, Tarik and Werner Krause (2018). 'The Causal Effect of Radical Right Success on Mainstream Parties' Policy Positions: A Regression Discontinuity Approach'. In: *British Journal of Political Science*, pp. 1–19. DOI: 10.1017/S0007123418000029.
- Angrist, Joshua D, Guido W Imbens and Donald B Rubin (1996). 'Identification of Causal Effects Using Instrumental Variables'. In: *Journal of the American Statistical Association* 91.434, pp. 444–455. ISSN: 1537274X. DOI: 10.1080/01621459.1996.10476902.
- Angrist, Joshua D and Victor Lavy (1999). 'Using Maimonides' rule to estimate the effect of class size on scholastic achievement'. In: *The Quarterly Journal of Economics* 114.2, pp. 533–575.
- Cattaneo, Matias D and Gonzalo Vazquez-Bare (2016). 'The choice of neighborhood in regression discontinuity designs'. In: *Observational Studies* 2.134, A146.
- Chaisemartin, Clément de (2017). 'Tolerating defiance? Local average treatment effects without monotonicity'. In: *Quantitative Economics* 8.2, pp. 367–396. ISSN: 1759-7323. DOI: 10.3982/qe601.
- Chernozhukov, Victor and Christian Hansen (2008). 'The reduced form: A simple approach to inference with weak instruments'. In: *Economics Letters* 100.1, pp. 68–71. DOI: 10.1016/j.econlet.2007.11.012.
- Ganong, Peter and Simon Jäger (2018). 'A Permutation Test for the Regression Kink Design'. In: *Journal of the American Statistical Association* 113.522, pp. 494–504. ISSN: 1537274X. DOI: 10.1080/01621459.2017.1328356.

References II

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

- Gelman, Andrew and Guido W Imbens (2019). 'Why High-Order Polynomials Should Not Be Used in Regression Discontinuity Designs'. In: *Journal of Business and Economic Statistics* 37.3, pp. 447–456. DOI: 10.1080/07350015.2017.1366909.
- Hausman, Catherine and David S. Rapson (2018). 'Regression Discontinuity in Time: Considerations for Empirical Applications'. In: *Annual Review of Resource Economics* 10, pp. 533–552. ISSN: 19411359. DOI: 10.1146/annurev-resource-121517-033306.
- Hirano, Keisuke, Guido W Imbens and Geert Ridder (2003). 'Efficient estimation of average treatment effects using the estimated propensity score'. In: *Econometrica* 71.4, pp. 1161–1189. DOI: 10.1111/1468-0262.00442.
- Imbens, Guido W. and Thomas Lemieux (2008). 'Regression discontinuity designs: A guide to practice'. In: *Journal of Econometrics* 142.2, pp. 615–635.
- Imbens, Guido W and Joshua D Angrist (1994). 'Identification and Estimation of Local Average Treatment Effects'. In: *Econometrica* 62.2, p. 467. ISSN: 00129682. DOI: 10.2307/2951620.
- Larreboure, Magdalena and Felipe González (2021). 'The Impact of the Women's March on the U.S. House Election'. In: URL: <https://fagonza4.github.io/womenmarch.pdf>.
- Lee, David S. et al. (2020). 'Valid t-ratio Inference for IV'. In: *arXiv*. URL: <https://arxiv.org/pdf/2010.05058.pdf>.



References III

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

- Mellon, Jonathan (2020). 'Rain, Rain, Go Away: 137 Potential Exclusion-Restriction Violations for Studies Using Weather as an Instrumental Variable'. In: *SSRN Electronic Journal*, pp. 1–111. DOI: 10.2139/ssrn.3715610.
- Montiel Olea, José Luis and Carolin E. Pflueger (2013). 'A robust test for weak instruments'. URL: https://www.carolinpflueger.com/MOP%7B%5C_%7DFINAL%7B%5C_%7DMay14.pdf.
- Murray, Eleanor J, Ellen C Caniglia and Lucia C Petito (2021). 'Causal survival analysis: A guide to estimating intention-to-treat and per-protocol effects from randomized clinical trials with non-adherence'. In: *Research Methods in Medicine & Health Sciences* 2.1, pp. 39–49. ISSN: 2632-0843. DOI: 10.1177/2632084320961043.
- Rosenbaum, Paul R. and Donald B. Rubin (1984). 'Reducing bias in observational studies using subclassification on the propensity score'. In: *Journal of the American Statistical Association* 79.387, pp. 516–524. DOI: 10.1080/01621459.1984.10478078.
- Stock, James H and Motohiro Yogo (2005). 'Testing for weak instruments in linear IV regression (Book Chapter: 6. Asymptotic Distributions of Instrumental Variables Statistics with Many Instruments)'. In: *Identification and Inference for Econometric Models: Essays in Honor of Thomas Rothenberg*. Ed. by DWK Andrews. Cambridge University Press, pp. 80–108.



References IV

Introduction

Instrumental Variables

intuition
formalities
technicalities

Regression Discontinuity

intuition
notation
examples

References

- Thistlewaite, Donald L et al. (n.d.). 'Reprint "Regression-Discontinuity Analysis: An Alternative to the Ex-Post Facto Experiment" and Comments'. In: *Observational Studies 2* (), pp. 124–240. URL: <https://obsstudies.org/reprint-regression-discontinuity-analysis-an-alternative-to-the-ex-post-facto-experiment/>.
- Wuepper, David, Pasquale Borrelli and Robert Finger (Jan. 2020). 'Countries and the global rate of soil erosion'. In: *Nature Sustainability* 3.1, pp. 51–55. DOI: 10.1038/s41893-019-0438-4.
- Wuepper, David, Solen Le Clech et al. (2020). 'Countries influence the trade-off between crop yields and nitrogen pollution'. In: *Nature Food* 1.11, pp. 713–719. DOI: 10.1038/s43016-020-00185-6.

