



LUND
UNIVERSITY

Machine learning, Bayes and & structural models

Nils Droste

2021 ClimBEco course



introduction

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References

Today, we will talk about

- machine learning techniques
- structural equation models
- Bayesian inference

and their relation to causal inference



introduction

"There is no hierarchy in causal inference"



Moritz Poll2021



introduction

"There is no hierarchy in causal inference"

machine learning

causal trees
estimation
matching


Bayesian inference

Structural Models

why structural

further reads

References



Kareem Carr 2021

introduction

”There is no hierarchy in causal inference”

Level (Symbol)	Typical Activity	Typical Questions	Examples
1. Association $P(y x)$	Seeing	What is? How would seeing X change my belief in Y ?	What does a symptom tell me about a disease? What does a survey tell us about the election results?
2. Intervention $P(y do(x), z)$	Doing, Intervening	What if? What if I do X ?	What if I take aspirin, will my headache be cured? What if we ban cigarettes?
3. Counterfactuals $P(y_x x', y')$	Imagining, Retrospection	Why? Was it X that caused Y ? What if I had acted differently?	Was it the aspirin that stopped my headache? Would Kennedy be alive had Oswald not shot him? What if I had not been smoking the past two years?

The causal hierarchy. Source: Pearl 2019

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References



causal trees

machine learning

causal trees

estimation

matching

Bayesian inference

Structural Models

why structural

further reads

References

Recall, the conditional average treatment effect (cf. citeAthey2016)


$$CATE = E(Y_i(1) - Z - i(0) | X_i = x) \quad (1)$$

→ we could look at average differences between treated and untreadted groups within partitions of the observed



causal trees

We could use covariates X_i to identify clusters within the observed, e.g. by recursive binary splitting





Source: Athey and Imbens 2019

2021 ClimBEco course



causal trees

We could use covariates X_i to identify clusters within the observed, e.g. by recursive binary splitting




datacamp 2021



causal trees

We could use covariates X_i to identify clusters within the observed, e.g. by recursive binary splitting



McDermott 2021

2021 ClimBEco course



causal trees

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References

We can use classification and regression trees to estimate

$$\hat{\tau}(x) = \frac{1}{|\{i : D_i = 1, X_i \in L\}|} \sum_{\{i: D_i=1, X_i \in L\}} Y_i - \frac{1}{|\{i : D_i = 0, X_i \in L\}|} \sum_{\{i: D_i=0, X_i \in L\}} Y_i \quad (2)$$

by "recursively splitting the feature space ... into a set of leaves L " (Wager and Athey 2018)



causal trees

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References



We can use classification and regression trees to estimate

$$\hat{\tau}(x) = \frac{1}{|\{i : D_i = 1, X_i \in L\}|} \sum_{\{i: D_i=1, X_i \in L\}} Y_i - \frac{1}{|\{i : D_i = 0, X_i \in L\}|} \sum_{\{i: D_i=0, X_i \in L\}} Y_i \quad (2)$$

by "recursively splitting the feature space ... into a set of leaves L " (Wager and Athey 2018)

and repeat to build an ensemble of trees \rightarrow random forests. This particularly well suited for heterogeneous treatment effects. Athey and Imbens (2016) suggest a sort of cross validation procedure for robust causal inference.

estimation techniques

Instead of ordinary least squares

$$\hat{\beta}^{ols} = \arg \min_{\beta} \sum_{i=1}^N (Y_i - \beta X_i)^2 \quad (3)$$

we can also use machine learning techniques (aka sequential updates / iterative estimation / optimization of parameter values) to estimate

machine learning

causal trees

estimation

matching

Bayesian inference

Structural Models

why structural

further reads

References



estimation techniques

machine learning

causal trees

estimation

matching

Bayesian inference

Structural Models

why structural

further reads

References

Instead of ordinary least squares

$$\hat{\beta}^{ols} = \arg \min_{\beta} \sum_{i=1}^N (Y_i - \beta X_i)^2 \quad (3)$$

we can also use machine learning techniques (aka sequential updates / iterative estimation / optimization of parameter values) to estimate

$$\hat{\beta}^{ml} = \arg \min_{\beta} \sum_{i=1}^N (Y_i - \beta X_i)^2 + \lambda (\|\beta\|_q)^{1/q} \quad (4)$$



estimation techniques

Instead of ordinary least squares

$$\hat{\beta}^{ols} = \arg \min_{\beta} \sum_{i=1}^N (Y_i - \beta X_i)^2 \quad (3)$$

we can also use machine learning techniques (aka sequential updates / iterative estimation / optimization of parameter values) to estimate

with a regularizing penalty term that results in sparse models, $q = 1$ for Lasso, $q = 2$ ridge regression, and $q \rightarrow 0$ for best subset regression, or hybrids such as elastic nets (cf. Athey and Imbens 2019) and posterior choice of λ by (n-fold) cross-validation.

machine learning

causal trees

estimation

matching

Bayesian inference

Structural Models

why structural

further reads

References



estimation techniques

Or we use neural networks, where we transform

$$Z_{ik}^{(1)} = \sum_{j=1}^K \beta_{kj}(1) X_{ij} \quad \text{for } k = 1, \dots, K_1 \quad (5)$$

with K covariates (aka features) and latent (aka unobserved / hidden node) variable Z_{jk} , e.g. into a rectified linear function $g(z) = z1_{z>0}$.

machine learning

causal trees

estimation

matching

Bayesian inference

Structural Models

why structural

further reads

References




estimation techniques

Or we use neural networks, where we transform

$$Z_{ik}^{(1)} = \sum_{j=1}^K \beta_{kj}(1) X_{ij} \quad \text{for } k = 1, \dots, K_1 \quad (5)$$

with K covariates (aka features) and latent (aka unobserved / hidden node) variable Z_{jk} , e.g. into a rectified linear function $g(z) = z1_{z>0}$. which allows us to formulate a neural network



$$Y_i = \sum_{k=1}^{K_1} \beta_{k(2)} g[Z_{ik}^2] + \varepsilon_i \quad (6)$$

with a single layer K_1 , and a non-linear transformation $g(\cdot)$ (cf. Athey and Imbens 2019; Farrell, Liang and Misra 2021).

machine learning

causal trees

estimation

matching

Bayesian inference

Structural Models

why structural

further reads

References



causal trees

Or, we can use machine learning methods for matching or synthetic control (Doudchenko and Imbens 2020)

e.g to estimate weights w and intercept μ for simulating counterfactual

$$\hat{Y}_{t,post}(0) = \mu + \sum_{i=1}^N w_i Y_{i,T}^{obs} \quad (7)$$

by

$$(\hat{\mu}^{ols}, \hat{w}^{ols}) = \arg \min_{\mu, w} \sum_{s=1}^{T_0} \left(Y_{0, T_0-s+1}^{obs} - \mu - \sum_{i=1}^N w_i \cdot Y_{0, T_0-s+1}^{obs} \right)^2 + \underbrace{\lambda \left(\frac{1-\alpha}{2} \|w\|_2^2 + \alpha \|w\|_1 \right)}_{penaltyfunction} \quad (8)$$

machine learning

causal trees

estimation

matching

Bayesian inference

Structural Models

why structural


further reads

References




matching

We can also use unsupervised machine learning, such as e.g. latent dirichlet allocation, to use text as data (Gentzkow, Kelly and Taddy 2019) for matching a treated with an untreated population (aka matching on similar content)



(a) Full Data Set



(b) Topic Matched

Topical Inverse regression matching (TIRM). Source: Roberts, Stewart and Nielsen 2020



100

causal trees
estimation
matching

Structural Models


why structural

further reads

References



We can also use unsupervised machine learning, such as e.g. latent dirichlet allocation, to use text as data (Gentzkow, Kelly and Taddy 2019) for matching a treated with an untreated population (aka matching on similar content)



Topical Inverse regression matching (TIRM). Source: Roberts, Stewart and Nielsen 2020

Bayes theorem

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References



$$p(y|x) = \frac{p(x|y)p(y)}{p(x)} \quad (9)$$

Bayesian inference

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References

Now that we talked about sequential parameter optimization, model ensembles (aka model averaging), and posteriors, ...



Bayesian inference

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References

Now that we talked about sequential parameter optimization, model ensembles (aka model averaging), and posteriors, ...

we are close to talk about a Bayesian approach. Suppose we formulate econometric model



Bayesian inference

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References

Now that we talked about sequential parameter optimization, model ensembles (aka model averaging), and posteriors, ...

we are close to talk about a Bayesian approach. Suppose we formulate econometric model

$$p(\theta|y) = \frac{p(y|\theta)p(\theta)}{p(y)} \propto p(y|\theta)p(\theta) \quad (10)$$



Bayesian inference

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References



Now that we talked about sequential parameter optimization, model ensembles (aka model averaging), and posteriors, ...

we are close to talk about a Bayesian approach. Suppose we formulate econometric model

$$p(\theta|y) = \frac{p(y|\theta)p(\theta)}{p(y)} \propto p(y|\theta)p(\theta) \quad (10)$$

with *prior* parameter probability $p(\theta)$ and the *posterior* probability (aka conditional probability) $p(y|\theta)$, the likelihood of observables given the parameter.

Bayesian inference

This framework can be used to estimate literally all types of models that we have been discussing, e.g.

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References



Bayesian inference

This framework can be used to estimate literally all types of models that we have been discussing, e.g.

- Bayesian linear regression (and thus Bayesian 2SLS)

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References



Bayesian inference

This framework can be used to estimate literally all types of models that we have been discussing, e.g.

- Bayesian linear regression (and thus Bayesian 2SLS)
- Panel data (Ning, Ghosal and Thomas 2019)

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References



Bayesian inference

This framework can be used to estimate literally all types of models that we have been discussing, e.g.

- Bayesian linear regression (and thus Bayesian 2SLS)
- Panel data (Ning, Ghosal and Thomas 2019)
- Regression discontinuity (Hinne, Van Gerven and Ambrogioni 2020)
- Ridge and Lasso regressions for matching have their interpretation already (cf. Athey and Imbens 2019)

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References



Bayesian inference

This framework can be used to estimate literally all types of models that we have been discussing, e.g.

- Bayesian linear regression (and thus Bayesian 2SLS)
- Panel data (Ning, Ghosal and Thomas 2019)
- Regression discontinuity (Hinne, Van Gerven and Ambrogioni 2020)
- Ridge and Lasso regressions for matching have their interpretation already (cf. Athey and Imbens 2019)
- Simulating a synthetic control by Bayesian structural time series analysis (Brodersen et al. 2015)
- Bayesian random forests (Hill 2011; Hahn, Murray and Carvalho 2020)

It has the merit of being explicit of prior beliefs about distributions (or probabilities of parameters) and thus uncertainties

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References



A far greater uncertainty

machine learning

- causal trees
- estimation
- matching

Bayesian inference

Structural Models

- why structural

further reads

References



What do we really now about the world. Image source: [Studio Binder 2020](#)

A far greater uncertainty

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References



Black Box Models. Source: Zhao and Hastie 2021



We need a theory of change

machine learning

causal trees
estimation
matching


Bayesian inference

Structural Models

why structural

further reads

References



Directed Graph Model. Source: [Stanford Encyclopedia of Philosophy 2018](#)

structural models

machine learning

- causal trees
- estimation
- matching

Bayesian inference

Structural Models

- why structural

further reads


References

"[G]raphical representations of structural causal models do not require the learner – whether artificial or human – to impose any distributional or functional-form restrictions on the underlying causal mechanisms under study. The approach remains fully nonparametric, a characteristic it shares with the potential outcomes framework. At the same time, however, crucial identification assumptions, such as ignorability, are derived from the properties of the underlying structural model, rather than being assumed to hold a priori. Causal graphical models thus combine the accessibility and flexibility of potential outcomes with the preciseness and analytical rigor of structural econometrics" (Hünernmund and Bareinboim 2021)



structural models

Parameters of a probabilistic structural model can be estimated with a Bayesian network approach.



Bayesian network. Source: Melendez et al. 2019

Or, through double debiased machine learning Chernozhukov et al. 2018;
Jung, Tian and Bareinboim 2021



The do-calculus

machine learning

causal trees
estimation
matching


Bayesian inference

Structural Models

why structural

further reads

References



The causal hierarchy. Source: Bareinboim et al. 2020

Sources

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References

- James, Witten, Hastie and Tibshirani (2013)
 - introduction to statistical learning ([edX](#))
- Boehmke and Greenwell (2020)
 - [Hands-On Machine Learning with R](#)
- Causal trees
 - [Generalized Random Forests](#)



References I

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References

- Athey, Susan and Guido W Imbens (2016). 'Recursive partitioning for heterogeneous causal effects'. In: *Proceedings of the National Academy of Sciences of the United States of America* 113.27, pp. 7353–7360. ISSN: 10916490. DOI: 10.1073/pnas.1510489113. arXiv: 1504.01132.
- (2019). 'Machine learning methods economists should know about'. In: *Annual Review of Economics* 11, pp. 685–725. DOI: 10.1146/annurev-economics-080217-053433.
- Bareinboim, Elias et al. (2020). 'On Pearl's Hierarchy and the Foundations of Causal Inference'. In: *Probabilistic and Causal Inference: The Works of Judea Pearl*, pp. 1–62. URL: <https://causalai.net/r60.pdf>.
- Brodersen, Kay H. et al. (2015). 'Inferring causal impact using Bayesian structural time-series models'. In: *The Annals of Applied Statistics* 9.1, pp. 247–274. ISSN: 1932-6157. DOI: 10.1214/14-AOAS788. URL: <http://projecteuclid.org/euclid.aoas/1430226092>.
- Chernozhukov, Victor et al. (2018). 'Generic Machine Learning Inference on Heterogeneous Treatment Effects in Randomized Experiments, With an Application To Immunization in India'. URL: <http://www.nber.org/papers/w24678>.
- Doudchenko, Nikolay and Guido W Imbens (2020). 'Balancing, Regression, Difference-In-Differences and Synthetic Control Methods: A Synthesis'. URL: <http://arxiv-export-lb.library.cornell.edu/pdf/1610.07748>.



References II

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References

- Farrell, Max H., Tengyuan Liang and Sanjog Misra (2021). 'Deep Neural Networks for Estimation and Inference'. In: *Econometrica* 89.1, pp. 181–213. ISSN: 0012-9682. DOI: 10.3982/ecta16901. arXiv: 1809.09953.
- Gentzkow, Matthew, Bryan Kelly and Matt Taddy (2019). 'Text as data'. In: *Journal of Economic Literature* 57.3, pp. 535–574. ISSN: 00220515. DOI: 10.1257/jel.20181020.
- Hahn, P. Richard, Jared S. Murray and Carlos M. Carvalho (2020). 'Bayesian regression tree models for causal inference: Regularization, confounding, and heterogeneous effects (with discussion)'. In: *Bayesian Analysis* 15.3, pp. 965–1056. ISSN: 19316690. DOI: 10.1214/19-BA1195.
- Hill, Jennifer L. (2011). 'Bayesian nonparametric modeling for causal inference'. In: *Journal of Computational and Graphical Statistics* 20.1, pp. 217–240. ISSN: 10618600. DOI: 10.1198/jcgs.2010.08162. URL: <https://doi.org/10.1198/jcgs.2010.08162>.
- Hinne, Max, Marcel A.J. Van Gerven and Luca Ambrogioni (2020). 'Causal inference using Bayesian non-parametric quasi-experimental design'. In: *arXiv*. URL: <https://arxiv.org/pdf/1911.06722.pdf>.
- Hünermund, Paul and Elias Bareinboim (2021). 'Causal Inference and Data-Fusion in Econometrics'. In: *arXiv*, pp. 1–62. ISSN: 23318422. arXiv: 1912.09104.
- James, Gareth et al. (2013). *An introduction to statistical learning*. Springer.
- Jung, Yonghan, Jin Tian and Elias Bareinboim (2021). 'Estimating Identifiable Causal Effects through Double Machine Learning'. In: 3.MI. URL: www.aaai.org.



References III

machine learning

causal trees
estimation
matching

Bayesian inference

Structural Models

why structural

further reads

References

- Melendez, J. A. et al. (Apr. 2019). 'Quantifying Correlated Truncation Errors in Effective Field Theory'. In: DOI: 10.1103/PhysRevC.100.044001. arXiv: 1904.10581. URL: <http://arxiv.org/abs/1904.10581><http://dx.doi.org/10.1103/PhysRevC.100.044001>.
- Ning, Bo, Subhashis Ghosal and Jewell Thomas (2019). 'Bayesian method for causal inference in spatially-correlated multivariate time series'. In: *Bayesian Analysis* 14, pp. 1–28. DOI: 10.1214/18-BA1102. arXiv: 1801.06282. URL: <http://arxiv.org/abs/1801.06282><https://projecteuclid.org/euclid.ba/1522202634>.
- Pearl, Judea (2019). 'The seven tools of causal inference, with reflections on machine learning'. In: *Communications of the ACM* 62.3, pp. 54–60. ISSN: 15577317. DOI: 10.1145/3241036.
- Roberts, Margaret E., Brandon M. Stewart and Richard A. Nielsen (2020). 'Adjusting for Confounding with Text Matching'. In: *American Journal of Political Science* 64.4, pp. 887–903. DOI: 10.1111/ajps.12526.
- Wager, Stefan and Susan Athey (2018). 'Estimation and Inference of Heterogeneous Treatment Effects using Random Forests'. In: *Journal of the American Statistical Association* 113.523, pp. 1228–1242. ISSN: 1537274X. DOI: 10.1080/01621459.2017.1319839. arXiv: 1510.04342.
- Zhao, Qingyuan and Trevor Hastie (2021). 'Causal Interpretations of Black-Box Models'. In: *Journal of Business and Economic Statistics* 39.1, pp. 272–281. ISSN: 15372707. DOI: 10.1080/07350015.2019.1624293. URL: <https://doi.org/10.1080/07350015.2019.1624293>.

