UK Competitor Price Comparison

17 March 2026 | 244 products across 4 UK competitors | All prices in EUR/m³

SL Hardwoods: 12 products, avg TIM diff: -22.4% (11 compared)
UK Timber: 204 products, avg TIM diff: -35.6% (204 compared)
Timber Source: 11 products, avg TIM diff: -47.7% (11 compared)
Fiximer: 17 products, avg TIM diff: -26.2% (17 compared)

Source	Species	Type	Qual	Thick	Width	Length	EUR/m³	TIM €/m³	Diff %
SL Hardwoods	Oak	FS	AB	9	600	1800	15556	-	-
SL Hardwoods	Oak	FS	AB	12	600	2400	9834	8120	-17.4%
SL Hardwoods	Oak	FS	AB	15	600	2400	8116	8120	+0.1%
SL Hardwoods	Oak	FS	AB	18	600	1500	6025	4900	-18.7%
SL Hardwoods	Oak	FS	AB	18	600	2300	6524	6200	-5.0%
SL Hardwoods	Oak	FS	AB	18	600	2700	7605	7000	-8.0%
SL Hardwoods	Oak	FS	AB	18	600	3000	7605	7000	-8.0%
SL Hardwoods	Oak	FS	AB	23	600	2400	7217	6200	-14.1%
SL Hardwoods	Oak	FS	AB	24	600	1800	6294	5200	-17.4%
SL Hardwoods	Oak	FS	AB	30	915	1830	11456	5200	-54.6%
SL Hardwoods	Oak	FS	AB	40	915	1830	11787	5200	-55.9%
SL Hardwoods	Oak	FS	AB	40	915	2440	11773	6200	-47.3%
UK Timber	Oak	FS	AB	16	300	900	11572	5320	-54.0%
UK Timber	Oak	FS	AB	16	300	1200	11572	5880	-49.2%
UK Timber	Oak	FS	AB	16	300	1500	10801	6300	-41.7%
UK Timber	Oak	FS	AB	16	300	1800	10673	6720	-37.0%
UK Timber	Oak	FS	AB	16	300	2100	10471	8120	-22.4%
UK Timber	Oak	FS	AB	16	300	2400	10512	8120	-22.8%
UK Timber	Oak	FS	AB	16	600	900	10287	5320	-48.3%
UK Timber	Oak	FS	AB	16	600	1200	9065	5880	-35.1%
UK Timber	Oak	FS	AB	16	600	1500	10184	6300	-38.1%
UK Timber	Oak	FS	AB	16	600	1800	10095	6720	-33.4%
UK Timber	Oak	FS	AB	16	600	2100	10030	8120	-19.1%
UK Timber	Oak	FS	AB	16	600	2400	10079	8120	-19.4%
UK Timber	Oak	FS	AB	20	300	900	9257	4200	-54.6%
UK Timber	Oak	FS	AB	20	300	1200	9258	4600	-50.3%
UK Timber	Oak	FS	AB	20	300	1500	8641	4900	-43.3%

Source	Species	Type	Qual	Thick	Width	Length	EUR/m³	TIM €/m³	Diff %
UK Timber	Oak	FS	AB	20	300	1800	8538	5200	-39.1%
UK Timber	Oak	FS	AB	20	300	2100	8377	6200	-26.0%
UK Timber	Oak	FS	AB	20	300	2400	8410	6200	-26.3%
UK Timber	Oak	FS	AB	20	600	900	8229	4200	-49.0%
UK Timber	Oak	FS	AB	20	600	1200	8178	4600	-43.8%
UK Timber	Oak	FS	AB	20	600	1500	8148	4900	-39.9%
UK Timber	Oak	FS	AB	20	600	1800	8076	5200	-35.6%
UK Timber	Oak	FS	AB	20	600	2100	8024	6200	-22.7%
UK Timber	Oak	FS	AB	20	600	2400	8063	6200	-23.1%
UK Timber	Oak	FS	AB	25	300	900	8229	4200	-49.0%
UK Timber	Oak	FS	AB	25	300	1200	8147	4600	-43.5%
UK Timber	Oak	FS	AB	25	300	1500	7604	4900	-35.6%
UK Timber	Oak	FS	AB	25	300	1800	7571	5200	-31.3%
UK Timber	Oak	FS	AB	25	300	2100	7407	6200	-16.3%
UK Timber	Oak	FS	AB	25	300	2400	7407	6200	-16.3%
UK Timber	Oak	FS	AB	25	600	900	7242	4200	-42.0%
UK Timber	Oak	FS	AB	25	600	1200	7222	4600	-36.3%
UK Timber	Oak	FS	AB	25	600	1500	7160	4900	-31.6%
UK Timber	Oak	FS	AB	25	600	1800	7119	5200	-27.0%
UK Timber	Oak	FS	AB	25	600	2100	7054	6200	-12.1%
UK Timber	Oak	FS	AB	25	600	2400	7098	6200	-12.7%
UK Timber	Oak	FS	AB	36	300	900	8229	4200	-49.0%
UK Timber	Oak	FS	AB	36	300	1200	8230	4600	-44.1%
UK Timber	Oak	FS	AB	36	300	1500	7681	4900	-36.2%
UK Timber	Oak	FS	AB	36	300	1800	7601	5200	-31.6%
UK Timber	Oak	FS	AB	36	300	2100	7446	6200	-16.7%
UK Timber	Oak	FS	AB	36	300	2400	7458	6200	-16.9%
UK Timber	Oak	FS	AB	36	600	900	7315	4200	-42.6%
UK Timber	Oak	FS	AB	36	600	1200	7244	4600	-36.5%
UK Timber	Oak	FS	AB	36	600	1500	7236	4900	-32.3%
UK Timber	Oak	FS	AB	36	600	1800	7173	5200	-27.5%
UK Timber	Oak	FS	AB	36	600	2100	7103	6200	-12.7%
UK Timber	Oak	FS	AB	36	600	2400	7137	6200	-13.1%

Source	Species	Type	Qual	Thick	Width	Length	EUR/m³	TIM €/m³	Diff %
UK Timber	Oak	FS	BC	16	300	900	9257	3040	-67.2%
UK Timber	Oak	FS	BC	16	300	1200	9257	3360	-63.7%
UK Timber	Oak	FS	BC	16	300	1500	8640	3600	-58.3%
UK Timber	Oak	FS	BC	16	300	1800	8615	3840	-55.4%
UK Timber	Oak	FS	BC	16	300	2100	8376	4640	-44.6%
UK Timber	Oak	FS	BC	16	300	2400	8487	4640	-45.3%
UK Timber	Oak	FS	BC	16	600	900	8229	3040	-63.1%
UK Timber	Oak	FS	BC	16	600	1200	7329	3360	-54.2%
UK Timber	Oak	FS	BC	16	600	1500	8178	3600	-56.0%
UK Timber	Oak	FS	BC	16	600	1800	8101	3840	-52.6%
UK Timber	Oak	FS	BC	16	600	2100	8046	4640	-42.3%
UK Timber	Oak	FS	BC	16	600	2400	8101	4640	-42.7%
UK Timber	Oak	FS	BC	20	300	900	7405	3040	-59.0%
UK Timber	Oak	FS	BC	20	300	1200	7406	3360	-54.6%
UK Timber	Oak	FS	BC	20	300	1500	6912	3600	-47.9%
UK Timber	Oak	FS	BC	20	300	1800	6892	3840	-44.3%
UK Timber	Oak	FS	BC	20	300	2100	6701	4640	-30.8%
UK Timber	Oak	FS	BC	20	300	2400	6789	4640	-31.7%
UK Timber	Oak	FS	BC	20	600	900	6583	3040	-53.8%
UK Timber	Oak	FS	BC	20	600	1200	6558	3360	-48.8%
UK Timber	Oak	FS	BC	20	600	1500	6543	3600	-45.0%
UK Timber	Oak	FS	BC	20	600	1800	6481	3840	-40.8%
UK Timber	Oak	FS	BC	20	600	2100	6437	4640	-27.9%
UK Timber	Oak	FS	BC	20	600	2400	6481	4640	-28.4%
UK Timber	Oak	FS	BC	25	300	900	6583	3040	-53.8%
UK Timber	Oak	FS	BC	25	300	1200	6542	3360	-48.6%
UK Timber	Oak	FS	BC	25	300	1500	6122	3600	-41.2%
UK Timber	Oak	FS	BC	25	300	1800	6090	3840	-36.9%
UK Timber	Oak	FS	BC	25	300	2100	5925	4640	-21.7%
UK Timber	Oak	FS	BC	25	300	2400	5925	4640	-21.7%
UK Timber	Oak	FS	BC	25	600	900	5843	3040	-48.0%
UK Timber	Oak	FS	BC	25	600	1200	5802	3360	-42.1%
UK Timber	Oak	FS	BC	25	600	1500	5728	3600	-37.1%

Source	Species	Type	Qual	Thick	Width	Length	EUR/m³	TIM €/m³	Diff %
UK Timber	Oak	FS	BC	25	600	1800	5720	3840	-32.9%
UK Timber	Oak	FS	BC	25	600	2100	5643	4640	-17.8%
UK Timber	Oak	FS	BC	25	600	2400	5679	4640	-18.3%
UK Timber	Oak	FS	BC	36	300	900	6629	3040	-54.1%
UK Timber	Oak	FS	BC	36	300	1200	6601	3360	-49.1%
UK Timber	Oak	FS	BC	36	300	1500	6172	3600	-41.7%
UK Timber	Oak	FS	BC	36	300	1800	6115	3840	-37.2%
UK Timber	Oak	FS	BC	36	300	2100	5976	4640	-22.4%
UK Timber	Oak	FS	BC	36	300	2400	6001	4640	-22.7%
UK Timber	Oak	FS	BC	36	600	900	5886	3040	-48.4%
UK Timber	Oak	FS	BC	36	600	1200	5829	3360	-42.4%
UK Timber	Oak	FS	BC	36	600	1500	5795	3600	-37.9%
UK Timber	Oak	FS	BC	36	600	1800	5744	3840	-33.1%
UK Timber	Oak	FS	BC	36	600	2100	5683	4640	-18.4%
UK Timber	Oak	FS	BC	36	600	2400	5723	4640	-18.9%
UK Timber	Oak	FS	Rustic	16	300	900	8485	3040	-64.2%
UK Timber	Oak	FS	Rustic	16	300	1200	8293	3360	-59.5%
UK Timber	Oak	FS	Rustic	16	300	1500	7715	3600	-53.3%
UK Timber	Oak	FS	Rustic	16	300	1800	7715	3840	-50.2%
UK Timber	Oak	FS	Rustic	16	300	2100	7494	4640	-38.1%
UK Timber	Oak	FS	Rustic	16	300	2400	7522	4640	-38.3%
UK Timber	Oak	FS	Rustic	16	600	900	7458	3040	-59.2%
UK Timber	Oak	FS	Rustic	16	600	1200	6558	3360	-48.8%
UK Timber	Oak	FS	Rustic	16	600	1500	7329	3600	-50.9%
UK Timber	Oak	FS	Rustic	16	600	1800	7265	3840	-47.1%
UK Timber	Oak	FS	Rustic	16	600	2100	7164	4640	-35.2%
UK Timber	Oak	FS	Rustic	16	600	2400	7233	4640	-35.9%
UK Timber	Oak	FS	Rustic	20	300	900	6788	3040	-55.2%
UK Timber	Oak	FS	Rustic	20	300	1200	6634	3360	-49.4%
UK Timber	Oak	FS	Rustic	20	300	1500	6172	3600	-41.7%
UK Timber	Oak	FS	Rustic	20	300	1800	6172	3840	-37.8%
UK Timber	Oak	FS	Rustic	20	300	2100	5996	4640	-22.6%
UK Timber	Oak	FS	Rustic	20	300	2400	6018	4640	-22.9%

Source	Species	Type	Qual	Thick	Width	Length	EUR/m³	TIM €/m³	Diff %
UK Timber	Oak	FS	Rustic	20	600	900	5966	3040	-49.0%
UK Timber	Oak	FS	Rustic	20	600	1200	5863	3360	-42.7%
UK Timber	Oak	FS	Rustic	20	600	1500	5864	3600	-38.6%
UK Timber	Oak	FS	Rustic	20	600	1800	5812	3840	-33.9%
UK Timber	Oak	FS	Rustic	20	600	2100	5731	4640	-19.0%
UK Timber	Oak	FS	Rustic	20	600	2400	5787	4640	-19.8%
UK Timber	Oak	FS	Rustic	25	300	900	5924	3040	-48.7%
UK Timber	Oak	FS	Rustic	25	300	1200	5925	3360	-43.3%
UK Timber	Oak	FS	Rustic	25	300	1500	5431	3600	-33.7%
UK Timber	Oak	FS	Rustic	25	300	1800	5431	3840	-29.3%
UK Timber	Oak	FS	Rustic	25	300	2100	5290	4640	-12.3%
UK Timber	Oak	FS	Rustic	25	300	2400	5308	4640	-12.6%
UK Timber	Oak	FS	Rustic	25	600	900	5184	3040	-41.4%
UK Timber	Oak	FS	Rustic	25	600	1200	5185	3360	-35.2%
UK Timber	Oak	FS	Rustic	25	600	1500	5135	3600	-29.9%
UK Timber	Oak	FS	Rustic	25	600	1800	5102	3840	-24.7%
UK Timber	Oak	FS	Rustic	25	600	2100	5044	4640	-8.0%
UK Timber	Oak	FS	Rustic	25	600	2400	5092	4640	-8.9%
UK Timber	Oak	FS	Rustic	36	300	900	5943	3040	-48.9%
UK Timber	Oak	FS	Rustic	36	300	1200	5915	3360	-43.2%
UK Timber	Oak	FS	Rustic	36	300	1500	5486	3600	-34.4%
UK Timber	Oak	FS	Rustic	36	300	1800	5429	3840	-29.3%
UK Timber	Oak	FS	Rustic	36	300	2100	5340	4640	-13.1%
UK Timber	Oak	FS	Rustic	36	300	2400	5358	4640	-13.4%
UK Timber	Oak	FS	Rustic	36	600	900	5258	3040	-42.2%
UK Timber	Oak	FS	Rustic	36	600	1200	5186	3360	-35.2%
UK Timber	Oak	FS	Rustic	36	600	1500	5178	3600	-30.5%
UK Timber	Oak	FS	Rustic	36	600	1800	5144	3840	-25.4%
UK Timber	Oak	FS	Rustic	36	600	2100	5095	4640	-8.9%
UK Timber	Oak	FS	Rustic	36	600	2400	5101	4640	-9.0%
UK Timber	Oak American	FS	AB	22	300	900	9351	4200	-55.1%
UK Timber	Oak American	FS	AB	22	300	1200	9258	4600	-50.3%
UK Timber	Oak American	FS	AB	22	300	1500	8641	4900	-43.3%

Source	Species	Type	Qual	Thick	Width	Length	EUR/m³	TIM €/m³	Diff %
UK Timber	Oak American	FS	AB	22	300	1800	8604	5200	-39.6%
UK Timber	Oak American	FS	AB	22	300	2100	8417	6200	-26.3%
UK Timber	Oak American	FS	AB	22	300	2400	8417	6200	-26.3%
UK Timber	Oak American	FS	AB	22	600	900	8230	4200	-49.0%
UK Timber	Oak American	FS	AB	22	600	1200	8206	4600	-44.0%
UK Timber	Oak American	FS	AB	22	600	1500	8136	4900	-39.8%
UK Timber	Oak American	FS	AB	22	600	1800	8090	5200	-35.7%
UK Timber	Oak American	FS	AB	22	600	2100	8016	6200	-22.7%
UK Timber	Oak American	FS	AB	22	600	2400	8066	6200	-23.1%
UK Timber	Oak American	FS	BC	22	300	900	7480	3040	-59.4%
UK Timber	Oak American	FS	BC	22	300	1200	7434	3360	-54.8%
UK Timber	Oak American	FS	BC	22	300	1500	6957	3600	-48.3%
UK Timber	Oak American	FS	BC	22	300	1800	6920	3840	-44.5%
UK Timber	Oak American	FS	BC	22	300	2100	6733	4640	-31.1%
UK Timber	Oak American	FS	BC	22	300	2400	6733	4640	-31.1%
UK Timber	Oak American	FS	BC	22	600	900	6640	3040	-54.2%
UK Timber	Oak American	FS	BC	22	600	1200	6593	3360	-49.0%
UK Timber	Oak American	FS	BC	22	600	1500	6509	3600	-44.7%
UK Timber	Oak American	FS	BC	22	600	1800	6500	3840	-40.9%
UK Timber	Oak American	FS	BC	22	600	2100	6413	4640	-27.6%
UK Timber	Oak American	FS	BC	22	600	2400	6453	4640	-28.1%
UK Timber	Oak Red	FS	AB	22	300	900	7480	4200	-43.9%
UK Timber	Oak Red	FS	AB	22	300	1200	7434	4600	-38.1%
UK Timber	Oak Red	FS	AB	22	300	1500	6957	4900	-29.6%
UK Timber	Oak Red	FS	AB	22	300	1800	6920	5200	-24.9%
UK Timber	Oak Red	FS	AB	22	300	2100	6733	6200	-7.9%
UK Timber	Oak Red	FS	AB	22	300	2400	6733	6200	-7.9%
UK Timber	Oak Red	FS	AB	22	600	900	6640	4200	-36.7%
UK Timber	Oak Red	FS	AB	22	600	1200	6593	4600	-30.2%
UK Timber	Oak Red	FS	AB	22	600	1500	6509	4900	-24.7%
UK Timber	Oak Red	FS	AB	22	600	1800	6500	5200	-20.0%
UK Timber	Oak Red	FS	AB	22	600	2100	6413	6200	-3.3%
UK Timber	Oak Red	FS	AB	22	600	2400	6453	6200	-3.9%

Source	Species	Type	Qual	Thick	Width	Length	EUR/m³	TIM €/m³	Diff %
UK Timber	Oak Red	FS	BC	20	300	900	7405	3040	-59.0%
UK Timber	Oak Red	FS	BC	20	300	1200	7406	3360	-54.6%
UK Timber	Oak Red	FS	BC	20	300	1500	6912	3600	-47.9%
UK Timber	Oak Red	FS	BC	20	300	1800	6892	3840	-44.3%
UK Timber	Oak Red	FS	BC	20	300	2100	6701	4640	-30.8%
UK Timber	Oak Red	FS	BC	20	300	2400	6789	4640	-31.7%
UK Timber	Oak Red	FS	BC	20	600	900	6583	3040	-53.8%
UK Timber	Oak Red	FS	BC	20	600	1200	6558	3360	-48.8%
UK Timber	Oak Red	FS	BC	20	600	1500	6543	3600	-45.0%
UK Timber	Oak Red	FS	BC	20	600	1800	6481	3840	-40.8%
UK Timber	Oak Red	FS	BC	20	600	2100	6437	4640	-27.9%
UK Timber	Oak Red	FS	BC	20	600	2400	6481	4640	-28.4%
UK Timber	Oak Red	FS	Rustic	22	300	900	5423	3040	-43.9%
UK Timber	Oak Red	FS	Rustic	22	300	1200	5330	3360	-37.0%
UK Timber	Oak Red	FS	Rustic	22	300	1500	5049	3600	-28.7%
UK Timber	Oak Red	FS	Rustic	22	300	1800	4956	3840	-22.5%
UK Timber	Oak Red	FS	Rustic	22	300	2100	4809	4640	-3.5%
UK Timber	Oak Red	FS	Rustic	22	300	2400	4839	4640	-4.1%
UK Timber	Oak Red	FS	Rustic	22	600	900	4769	3040	-36.3%
UK Timber	Oak Red	FS	Rustic	22	600	1200	4769	3360	-29.6%
UK Timber	Oak Red	FS	Rustic	22	600	1500	4657	3600	-22.7%
UK Timber	Oak Red	FS	Rustic	22	600	1800	4676	3840	-17.9%
UK Timber	Oak Red	FS	Rustic	22	600	2100	4609	4640	+0.7%
UK Timber	Oak Red	FS	Rustic	22	600	2400	4629	4640	+0.2%
Timber Source	Oak	FS	AB	18	600	1800	10989	5200	-52.7%
Timber Source	Oak	FS	AB	18	600	2100	10989	6200	-43.6%
Timber Source	Oak	FS	AB	18	600	2400	10989	6200	-43.6%
Timber Source	Oak	FS	AB	18	600	2800	10989	7000	-36.3%
Timber Source	Oak	FS	AB	24	600	1500	10278	4900	-52.3%
Timber Source	Oak	FS	AB	24	600	1800	10278	5200	-49.4%
Timber Source	Oak	FS	AB	24	600	2000	10278	5200	-49.4%
Timber Source	Oak	FS	AB	24	600	2200	10278	6200	-39.7%
Timber Source	Oak	FS	AB	24	600	2800	10278	7000	-31.9%

Source	Species	Type	Qual	Thick	Width	Length	EUR/m³	TIM €/m³	Diff %
Timber Source	Oak	FS	AB	30	920	1500	13187	4900	-62.8%
Timber Source	Oak	FS	AB	30	920	1800	13963	5200	-62.8%
Fiximer	Oak	FJ	AB	20	620	900	3560	2800	-21.4%
Fiximer	Oak	FJ	AB	20	620	1000	3559	2800	-21.3%
Fiximer	Oak	FJ	AB	20	620	1300	3559	2800	-21.3%
Fiximer	Oak	FJ	AB	20	620	2000	3559	2800	-21.3%
Fiximer	Oak	FS	AB	20	650	900	5005	4200	-16.1%
Fiximer	Oak	FS	AB	20	650	1000	5003	4200	-16.1%
Fiximer	Oak	FS	AB	20	650	1100	5097	4200	-17.6%
Fiximer	Oak	FS	AB	20	650	1300	6151	4600	-25.2%
Fiximer	Oak	FS	AB	20	650	2000	7418	5200	-29.9%
Fiximer	Oak	FS	AB	20	650	2400	7418	6200	-16.4%
Fiximer	Oak	FS	AB	40	650	900	7679	4200	-45.3%
Fiximer	Oak	FS	Rustic	20	650	900	4310	3040	-29.5%
Fiximer	Oak	FS	Rustic	20	650	1000	4405	3040	-31.0%
Fiximer	Oak	FS	Rustic	20	650	1100	4406	3040	-31.0%
Fiximer	Oak	FS	Rustic	20	650	1300	5053	3360	-33.5%
Fiximer	Oak	FS	Rustic	20	650	2000	6294	3840	-39.0%
Fiximer	Oak	FS	Rustic	20	650	2400	6590	4640	-29.6%