

NO F42ALJRR	
ITEM	THE NUM PLATE
NO 1	ALJR00004
NO 2	ALJR00005
NO 3	ALJR00006
NO 4	F42ALCM12
NO 5	F42ALCM9
NO 6	F42ALSMFD

NO 7	F42ALSMFFL
NO 8	F42ALJRR
NO 9	F42ALJR12
NO 10	F42ALJR9
NO 11	F42ALTR12
NO 12	F42ALTR9

NO 13	F42ALHTI
NO 14	F42ALHT
NO 15	ALRH00025
NO 16	F42ALDFD

NO 17	MSRH00004
NO 18	MSRH00004.
NO 19	MSRH00075
NO 20	MSRH00037
NO 21	MSRH00030
NO 22	MSRH00026
NO 23	MSRH00089
NO 24	MSRH00022
NO 25	MSRH00015

NO 26	MSRH00035
NO 27	
NO 28	MSRH00018

[illegible]

EXTRUSION
NAME OF PLATE
ALJR-LOWER 6082 T6
ALJR-UPPER 6082 T6 17725 RIGID
ALJR-LOWER 6351 T6 RIGIDS
COAMING, EXTRUSION, 12 MTR, PETROL TANKER
COAMING, EXTRUSION, 9 MTR, PETROL TANKER
EXTRUSION-SKID PLATE MOUNT FLANGE-DRILLED

FLANGE MOUNT SKID PLATE FABRICATED

J RAIL REINFORCEMENT EXTRUSION

J RAIL, EXTRUSION, 12 METRE, PETROL TANKER

J RAIL, EXTRUSION, 9 METRE, PETROL TANKER

T RAIL, EXTRUSION, ALLOY 6082, TEMPER T5

T RAIL, EXTRUSION, ALLOY 6082, TEMPER T5

EXTRUSION HOSE-TROUGH & INTEGRATED MUDGUARD - INNER SIDE

EXTRUSION HOSE-TROUGH & INTEGRATED MUDGUARD

RHS Alum MF 6060 T5 125.00 x 40.00 x 3.00

PLATE SPACER 132X25X3650 LONG DRILLED ALUMINIUM LAMINATION FLANGE

RHS M/S PTD C350 LO 100.00 x 100.00 x 6.00

RHS M/S PTD C350 LO 100.00 x 100.00 x 6.00

RHS M/S UNC C350 LO 200.00 x 100.00 x 9.00

RHS M/S PTD C350 LO 100.00 x 50.00 x 6.00

RHS M/S PTD C350 LO 125.00 x 75.00 x 6.00

RHS M/S PTD C350 LO 75.00 x 75.00 x 5.00-8M

RHS M/S PTD C350 LO 200.00 x 100.00 x 6.00 - 8M

RHS M/S PTD C350 LO 100.00 x 50.00 x 5.00 - 8M

MSRH-PTD C350 LO 100.00 X 100.00 X 5.00

RHS M/S PTD C350 LO 100.00 x 100.00 x 4.00 - 8M

RHS M/S PTD C350 LO 100.00 x 50.00 x 4.00 - 8M

RHS M/S PTD C350 LO 150.00 x 100.00 x 6.00 - 8M

RHS M/S PTD C350 LO 100.00 x 75.00 x 6.00




RHS M/S PTD C350 LO 50.00 x 50.00 x 4.00



T-RAIL EXTRUSION 8mm THK. 11.8 MTR PETROL


T-RAIL EXTRUSION 8mm THK. 9.5 MTR PETROL


AEX ALI 6005A T5 TIEMAN RIGID INTERGRATED CHASSIS EXTRUSION

[illegible]

EXTRUDE LENGTH	IMAGE	QTY PER TANKER
LENGTH OF PLATE	HOW MUCH USE PER TANKER	
11.8 MTR		2
11.8 MTR		2
		2
11.8 MTR		2
9 MTR		2
9 MTR		0.5

10 MTR		0.5
9 MTR		0.5
11.8 MTR		2
9 MTR		2
11.8 MTR		2
9 MTR		2

9 MTR		1
9 MTR		1
6.5 MTR		2
3.65 MTR		

8 MTR		0.67625
12 MTR		0.67625
12 MTR		0.13975
8 MTR		0.1185
8 MTR		0.30625
8 MTR		
8 MTR		
8 MTR		
8 MTR		

8 MTR		
		

[illegible]

STOCK DATE	CURRENT QTY	REMARK
MONTHS		WHERE THE PLATE HAVE
6-May-26	47	this at behind anil side rack
	32	this at behind anil side up rack
	16	this at behind anil side at rack
	22	this at behind anil side down
	34	
	25	

	20	
	21	
	26	
	20	
	6	
	19	

	25	
	20	
	50	
	19	

	21	
	31	
	20	
	10	
	15	
	11	
	15	
	12	
	18	

	5	
	2	
	4	

[illegible]

[illegible]

NO	LINE NO
	ITEM ID
NO 1	AA00838
NO2	FPS819
NO 3	UTA3185/SC
NO 4	P030606
NO 5	AA00251
NO 6	FPS057-2-6 H09C08A
NO 7	STA4200 H04D01A
NO 8	STA4201 H04D03A
NO 9	510105 H04D02A
NO 10	510104 H04C01A
NO 11	FPS842 B04F01A
NO 12	J02F257
NO 13	L06133051 D05E06A
NO 14	J0252004563 D05C02A
NO 15	VBFKS100
NO 16	VBFHKS100 E05G03A
NO 17	L06UBW40 E03C06A
NO 18	L06TMW40 E03E06A
NO 19	L06TBN40
NO 20	VBFKS065 E05F04A
NO 21	VBFHKS065 E05G01A
NO 22	L06UBW25 E03C04A

NO 23	L06TMW25 E03E04A
NO 24	L06TBN25 E04C04A
NO 25	515035 B04F06A

DESCRIPTION	IMAGE
ITEM NAME	
Plate Stiffening-Ring HDEA Section	
PLATE STIFFENING RING-HDEA	
Chassis-Rail S/S 5 x 12000mm	
PLATE MANWAY NECK TOP ACCESS 316	
ASSEMBLY-LID,MANWAY,BASIC,TWO VENT	
ASSEMBLY STRONGBACK-MANWAY LID	
ASSEMBLY-HINGE PLATE-LID-MANWAY-STRONGBACK	
ASSEMBLY-LID-MANWAY HAND WHEEL-HINGE PLATE	
Bolt Lock to-suit Manway Lid Handwheel 5&1/2 Drawing FPS057-9	
Handwheel Manway Lid S/S #REFER TO DRW FPS057-8	
ASSEMBLY MECHANICAL PRESSURE/VACUUM VENT	
Actuator Keystone Normally Open	
Kit Blank Head w/Prox Switch Keystone 3 & 4"	
Coupling Keystone 3 inch	
FITTING-	
FITTING-KEYSTONE HANDLE 12SQ	
FITTING UNION-BSM-4"	
FITTING-UNION-BSM-4"-MALE	
Nut Hex Blank 4" 316 S/S	
Valve Butterfly Keystone 65mm	
FITTING-KEYSTONE HANDLE 8SQ	
Union BSM 2&1/2 316	

Part Male 2&1/2	
Nut Hex Blank 2&1/2	
Ball Spray 180 Deg Up 1.6mm Holes CD1B	

[illegible]

[illegible]

NO	PART NO	
	ITEM NAME	
NO 1	L08LPVV204	INWARDS
NO 2	L08LSLV5AR0Z	H10B03A
NO 3	L08LSLV521M	G01E04A

NO 4	L08LP1601	CAB
NO 5	L08LAPI496	H09B01A
NO 6	API490	
NO 7	L08LAVV075V	H06C01A
NO 8	AVV075VW	

NO 9	L08LAVV3012	
NO 10	L08LBF4SG25Z	CAB
NO 11	LIQBF4-SG-25S	CAB
NO 12	L08LBF3SG25VZ	CAB

NO 13	L08LDTS32200	L-RACK
NO 14	L08LFTB32000	
NO 15	L08LTS3X3	
NO 16	L08L0666	
NO 17	L08LG657V	H08C01A
NO 18	0200V	
NO 19	0661V	
NO 20	L08LG656V	

NO 21	0272V	
NO 22	L08LHLS101	INWARDS
NO 23	L08LLBV4VZ	
NO 24	L08LLBV3VZ	
NO 25	L08LVH3.5	B10C01A

NO 26	L08LSR100	B09B03A
NO 27	L08WTANK30	
NO 28	L08LVRB1	
NO 29	L08LLBV4VZ	

NO 30	L08LCL402RZ	H06B01A
NO 31	L08LDIP300	
NO 32	LIQCV300	H08D02A
NO 33	LIQDTA80M	

NO 34	LIQFTA80M	
NO 35	LIQGC301	
NO 36	LIQVOH-16M	
NO 37	LIQVOH200-5M	

NO 38	LIQVOH200-14M	
NO 39	LIQVOH450-15	H1C04A
NO 40	LIQVOH4516A8A0Z	
NO 41	L08LLW400S	

NO 42	SH451-AA-HV-PVV	
NO 43	PVV104	
NO 44	LIQVOH4516A8N0Z	
NO 45	LIQVOH-22M	
NO 46	LIQAVV3.0-10M	

NO 47	LIQDM104-4Z	
NO 48	LIQDM104-5Z	
NO 49	LIQSWIFT-M4	
NO 50	LIQSWIFT-M5	


NO 51

10.02.70/D163/5083/CV/LIQ


DESCRIPTION	IMAGE
ITEM NAME	
ASSEMBLY KIT ALUMINIUM PRESSURE & VACUUM VENT WITH NITRILE SEALS, AS2809 COMPLIANT, C/W NEO CORK GASKET (PART LIQ0658) AND MOUNTING HARDWARE	
ASSEMBLY KIT SLV5 AIR OPERATED BOTTOM VALVE, C/W 3MM THICK VITON A-SLV FLANGE GASKET & 3MM THICK VITON A-PIPE GASKET, LIQUIP PART NUMBER LIQSLV5-AROVZ	
FASTENER, STUD, ENGINEERING M8 X 42MM LONG - 16 MM THREAD LENGTH AT ENDS, Z/P, CLASS 4.6, LIQUIP PART NUMBER LIQSLV5-21M	

INDICATORS PRODUCT HEX STANDARD	
API490 SERIES-LOAD AND UNLOAD VALVE, C/W SIDE MOUNT SIGHT GLASS, AND 1/2" BSP BOTTOM DRAIN SOCKET, LIQUIP PART NUMBER LIQAPI496	
API490 Series API adaptors are a precisely engineered and built bottom loading and discharge adaptor that conforms to API RP 1004 and provides total interchangeability with all API loading valves	
ASSEMBLY KIT ALUMINIUM VENT VAPOUR, SEQUENTIAL AIR OPERATED, WITH VITON O-RINGS, C/W NEO CORK GASKET (PART LIQ3096) & 2x HOSE CLAMP SIZE No.5, LIQUIP PART NUMBER LIQAVV075V	
VENT VAPOUR	

Kit Louvre Poly	
ASSEMBLY KIT 100MM (4") X 25MM THICK FLANGED ACRYLIC SIGHTGLASS , C/W 4" VITON A-TTMA GASKET (PART LIQ0657V), LIQUIP PART NUMBER LIQBF4-SG-25VZ	
Sight Glass 25mm - Air Eliminator	
ASSEMBLY-SIGHT GLASS-80MM-25MM THK AND VITON GASKET	

TUBE DIP ALUM 80 X 2200MM	
Tube Fill 80 x 2200mm	
Tube Link 80 x 80mm	
Gasket Cork,Suit SLA4 flange	
FITTING, GASKET VITON A, 3MM THICK, SUIT 4" TTMA PIPE FLANGE, LIQUIP PART NUMBER LIQ0657V	
OD170MM X ID 115MM	
OD100 X 100 ID80	
OD145 X ID85	

OD240 X ID185	
Sign Hazchem Library Alum M/S Assy	
Valve Butterfly 100mm	
Valve Butterfly 80mm	
Hose Vapour Stub Mtr	

ASSEMBLY REEL-STATIC-30M CABLE	
TANK WATER 30LTR POLYETHYLENE BLACK,C/W SOAP HOLDER	
FITTING-WELD FLANGE-PVV204 VENT-LIQUIP	
ASSEMBLY 100MM BUTTERFLY VALVE	

ASSEMBLY KIT , MANUAL TOP OPERATOR FLANGE
MOUNTED, C/W NOE CORK GASKET (PART LIQ0673)
AND HARDWARE, LIQUIP PART NUMBER
LIQCL402RGZ



FITTING - STEADY - DIPTRONIC



PNEUMATIC INTERLOCK VALVE 3/2



ADAPTOR DIP TUBE 80 KIT METRIC



Adaptor Fill 80mm Kit Metric	
GATE ASSY VAPOUR NO AIR VALVE	
BLANK KIT VOH DIP & FILL POINT - METRIC FASTNERS	
LDP PROBE HOUSING KIT - METRIC FASTENERS	


Blank Kit VOH Probe Mount - Metric Fasteners	
COAMING AL WITH RIBBING SUIT VOH450	
MANHOLE ASSY KIT ALUM 452mm, PVV104M, SEAL & CLAMPBAND - METRIC THREADS	
Kit Lift Wire ITV S/S	

HATCH AL LID + COAMING + VITON SEAL C/W
PVV104



VOH450 Manway Assy c/w PVV Blank

FLANGE D & F MOUNT TO PVV204 METRIC
FASTENERS



Blanking Plate AVV Metric Suit VOH Hatch



MANIFOLD DM104 FOUR COMP KIT	
MANIFOLD DM104 FIVE COMP KIT	
Swift Mac Box 4 Comp	
SWIFT MAC BOX 5 COMP	

FLANGE ALUM 5083 EN AW SUIT PRESS BAL VALVE 4" C/W M10 STUDS /WASHERS/NUTS AND 10.01

QTY PER TANKER	STOCK DATE	
HOW MUCH USE PER TANK	MONTH	

[illegible]

..87/V VITON GASKET

CURRENT QTY	REMARK
	ROW AND RACK

[illegible]

NO	PART NO	
	ITEM ID	
NO 1	L08LDTG3-R	H08E01A
NO 2	L08LBF3	
NO 3	L08LBF4	CAB
NO 4	L08LMC41A	H09A03A
NO 5	L08LMC3V3	
NO 6	L08LMC4V4	
NO 7	L08LMC3V4A	
NO 8	L08LMC31A	
NO 9	L08SNA10018A	H07B02A
NO 10	L08LNA802A	H10A02A

NO 11	L08LNA802KA	
NO 12	L08LNA1002A	H09A04
NO 13	L08LPB3OA	
NO 14	L08LPB4OA	H07F01A
NO 15	L08LSLV511	MEZ
NO 16	L08LSLV521M	
NO 17	L08LSLA4	
NO 18	L08LDIP310Z	
NO 19	L08LBF3-1S	
NO 20	L08LAPIMC3	J08B04A
NO 21	L08LAPIMC100	H10A01A
NO 22	VRB3.5-1	

NO 23	9561-12	
NO 24	SSRHN2015	
NO 25	300605.6	
NO 26	ATS100-2	
NO 27	ZZ1090	
NO 28	ATS100-1	

NO 29	DFV130-MOUNTZ	
-------	---------------	--

DESCRIPTION
ITEM NAME
GUIDE DIP TUBE C/W BUFFER
FLANGE-PIPELINE-80MM
FLANGE PIPELINE 100MM TTMA
FITTING CAMLOCK MALE WELD-ON 100mm
Camlock 5 Deg 80mm Male - 80mm Valve
FITTING-CAMLOCK-100MM MALE TO 100MM VALVE
Camlock 10 Deg Male 75mm - 100mm Valve
Camlock Male Weld-On 80mm
FITTING - ADAPTOR CAMLOCK 100MM TO SQUARE FLANGE
DUST-CAP 80MM ALUM

Dust-Cap 80mm Alum-Lockable
FITTING DUST CAP ALUMINIUM 100MM (4"), C/W NITRILE SEAL (PART LIQ0433), LIQUIP PART NUMBER LIQNA100-2AW
PIPE-DONUT-80MM
DONUT PIPE 100mm DIAMETER FOR FABRICATED BEND WITH 109mm CENTRE RADIUS
FITTING, FLANGE, ADAPTOR, OUTLET TO SUIT 100OD ALUMINIUM TUBE, LIQUIP PART NUMBER LIQSLV5-110
FASTENER, STUD, ENGINEERING M8 X 42MM LONG - 16 MM THREAD LENGTH AT ENDS, Z/P, CLASS 4.6, LIQUIP PART NUMBER LIQSLV5-21M
FITTING-FLANGE-PIPELINE-SQUAT
FITTING FLANGE-WELD-DIPTRONIC-SINGLE
FLANGE 3" TTMA STAINLESS STEEL GRADE 304
ADAPTOR CAP API TO 3" MALE CAMLOCK BUNA SEAL
FITTING API-CAMLOCK COUPLING ADAPTOR, API TO 100mm (4") MALE CAMLOCK, 15 DEG DOWNWARD ANGLE, C/W NITRILE SEAL (PART LIQ0249), LIQUIP PART NUMBER LIQAPI-MC100
STUB VAPOUR AL OPEN 90MM

VALVE CHECK/NON-RET 1/2"(12MM)BSP S/S

NIPPLE HEX RED SS 20MM X 15MM (3/4" X 1/2")

FLANGE SUMP ALUMINIUM NORMEC

FLANGE WELD AL AVIATION TANK

TANK PAD FLANGE SUIT AVV075

SUMP AL FOR AVIATION TANK

MOUNT KIT WALKWAY - DFV 130 LEVEL GAUGE

IMAGE	QTY PER TANKER	STOCK DATE
	HOW MUCH USE PER TANK	MONTH
		
		
		
		
		
		
		
		
		
		






[illegible]

[illegible]

--	--

No	Part No	
	ITEM ID	
NO 1	3272629	
NO 2	3272630	
NO 3	3371246	
NO 4	3COMPOVERFILLA	
NO 5	4COMPOVERFILLA	
NO 6	5COMPOVERFILLA	
NO 7	07-3511-10S94	C04G01A
NO 8	AK24F	INWARDS
NO 9	AK24R	INWARDS
NO 10	AKD2R	INWARDS
NO 11	DB01	INWARDS
NO 12	GCES-338-897	
NO 13	K605CORE	A02C11A
NO 14	K6099250	C02D01A
NO 15	K60H16-720S	C02F04A
NO 16	K60H70-91009	
NO 17	K60H8363 ACX1273BL	C01G04A
NO 18	K60H8800	
NO 19	K60H8801	
NO 20	K60H8802	
NO 21	k60h8803	
NO 22	K60H8804	A02D05A
NO 23	K60H8807	A02D06A
NO 24	K60HBROWN	
NO 25	TKEBSEPWR9L	
NO 26	FT304A	

NO 27	FT150AU	
NO 28	FT155_ATEX	
NO 29	TBH03	INWARDS
NO 30	TBH04	INWARDS
NO 31	TBH05	INWARDS
NO 32	TKEBSESMT4	
NO 33	TTH04	INWARDS

Description	Image
ITEM NAME	
HARNESS 12M	
HARNESS 10M	
UPPER LIGHTING KIT	
3 COMPARTMENT OVERFILL KIT 2 WIRE AUST SPEC ALUM TRUCK PLUG SOCKET DIXON.	
4 COMPARTMENT OVERFILL KIT 2 WIRE AUST SPEC ALUM TRUCK PLUG SOCKET DIXON.	
5 COMPARTMENT OVERFILL KIT 2 WIRE AUST SPEC ALUM TRUCK PLUG SOCKET DIXON.	
LIGHT SWITCH FOR DG TANKERS - BARTEC - COMPLIES WITH AS60079.14	
Add on 24V Socket to Front 3370358	
Add on 24V Socket to REAR 3370360	
Add on Dual Rear Socket 3370357	
Rear Junction Box. (Dry Box equiv.)	
BUTTON EMERGENCY STOP 3/2 WAY G1/8 PORT	
Cable 5 Core 2mm Auto green, white,yellow,brown,red	
ELECTRICAL - BUZZER REVERSING - FLAME PROOF - 12V-24V - 102DBA (NARVA P/N 72608)	
SOCKET TRAILER 7 POLE E-MAX 16-720S	
Tubing Convolved Split Seam 7mm x 10Mtr	
Heat-Shrink Tubing Blk 4.8mm	
Cable Auto Black 3mm (30Mtr Roll)	
Cable Auto Red 3mm	
Cable Auto Green 3mm	
Cable Auto Yellow 3mm	
Cable Auto Blue 3mm (30Mtr Roll)	
Cable Auto White 3mm	
Cable Auto Brown 3mm (100Mtr Roll)	
EBS POWER CONFIRMATION RED/GREEN LIGHT	
(DIXON) SOCKET OPTIC 4J SLOT 10 PIN BLUE CAP FOR AUSTRALIA MARKET ONLY	

(DIXON) REPLACEMENT PROBE, THERMO-OPTIC 2 WIRE, 48" FOR DIXON ASIA PACIFIC		
(DIXON) THERMISTOR DUMMY , 5 COMPARMENT ATEX		
ARTIC 3 SIDE MARKER MAIN TANKER HARNESS		
ARTIC 4 Side Marker		
ARTIC 5 Side Marker		
TEBS SMARTBOARD & 6m CABLE DANGEROUS GDS		
PROBE LOOMS 4 Probe		

[illegible]

[illegible]

[illegible]

No	Part No	
	ITEM ID	
NO 1	9.HM4940	
NO 2	9.HM4954	
NO 3	9.HM4941	
NO 4	9.HM4955	
NO 5	AV-12T10	C01C01A
NO 6	K11C563/1	
NO 7	K11C563G1	C01G01A
NO 8	K12CABGU25	C01F05A

NO 9	WL0008	H-END
NO 10	WL0009	C01C04A
NO 11	WL0013	ALUM 02
NO 12	WL0014	ALUM 02
NO 13	WL0015	ALUM 02
NO 14	WL0016	ALUM 02
NO 15	WL0017	


NO 16	WL0018	
NO 17	WL0019	
NO 18	WL0020	
NO 19	WL0021	
NO 20	WL0022	ALUM 02
NO 21	WL0023	ALUM 02
NO 22	WL0024	

NO 23	WL0026	
NO 24	WL0029	A01C03A
NO 25	ACX1233	
NO 26	WL0036 ACX1234	C01D04A
NO 27	WL0038	
NO 28	WL0039	C01D01A
NO 29	WL0040	C01D02A

NO 30	WL0041 CO6F01A	C06F01A
NO 31	WL0043	
NO 32	WL0044	
NO 33	WL0045	
NO 34	WL0046	
NO 35	W226JB	C03B04A
NO 36	3270254	
NO 37	3270255	

NO 38	62311-3	
NO 39	1-96408076221	
NO 40	196408076222	
NO 41	136901002041	

Description	Image
ITEM NAME	
2-pin plug Male, 15pc per pack	
Terminal for socket, 100pc	
	
	
REDUCER ADPAPTOR NW12-NW10 IP68	
Connector Insulated 10 Amp	
Connector 30A Insulated (Box of 100)	
GLAND CABLE 11MM TO 17MM IP68 METAL	

Heat-Shrink E-Max Dual-wall 25mm ID 1.2Mtr Stick	 A black heat-shrink tube with white text that reads "STD TUBE (24/8)".
Heat-Shrink E-Max Dual-wall 19mm ID 1.2Mtr Stick	 A black heat-shrink tube with a white label. The label contains the following text: "WL0009", "Heat-Shrink E-Max Dual-wall 19mm ID 1.2Mtr Stick", "BIN: C01C04A", and "ASSY: TA6218".
Terminal E-Max Tab Super Seal 500	 Three silver-colored metal terminals with a tab, mounted on a black base.
Terminal E-Max Plug Super Seal (bag of 200)	 Three silver-colored metal terminals with a plug, mounted on a black base.
Seal E-Max Super Green 0.5mm ² - 1.5mm ² (Pkt of 500)	 A green, cylindrical, ribbed seal.
Seal E-Max Super Yellow (500 Pack)	 A yellow, cylindrical, ribbed seal.
Terminal E-Max Weather Pack Female (200 Pack)	 Three silver-colored metal terminals with a weather pack, mounted on a black base.

Terminal E-Max Weather Pack Male (200 Pack)	
Seal E-Max Weather Pack Wire Green (Pack 100)	
Connector E-Max 4-Pole Female Weather Pack Sq	
Connector E-Max 4-Pole W/P (50 Pack)	
Connector Tab E-Max 2 Pole Super Seal (Pack of 100)	
Plug Connector E-Max 2 Pole Super Seal (Pack of 50)	
Connector E-Max 3-Pole Tab Spr Seal	

Plug Connector E-Max 5 Pole Super Seal (Pack of 10)	
Conduit E-Max Dgoods Black Nylon 12mm Diam NW10	
CONVOLUTED TUBING FITTING Y-PIECE 10/12mm	
Y-Piece E-Max Nw12 to Nw10/Nw10 16mm to 12mm/12mm	
Tube E-Max Flame-Proof Nylon CVT NW12 (16mm)	
Adaptor E-Max Strght M16 to NW10 Conduit 12mm OD IP68	
Adaptor 90Deg M16 to NW10 Conduit 12mm OD IP68	

Clip E-Max Mounting NW10 (Bag of 50 Pcs)	
TEE-PIECE E-MAX 10MM C/W WEATHER SEAL & LOCK BAG 20	
Tube E-Max Flame-Proof Nylon CVT NW8 (10mm)	
Connector E-Max 2-Pole Weather Pack Male	
Connector Plug E-Max 3 P Super Seal (Pack of 10)	
JUNCTION BOX, WEATHER PROTECTED, WS SERIES WEATHER SHEILD, CLIPSAL IP67 RATED. 92X77X53MM	
12v omp - (1200mtr)	
24v omp -(12000mtr)	

OMP DUAL SOCKET ADAPTOT- 8PIN	
OMP HEAVY DUTY TRAILER SOCKET	
OMP 7 PIN TRAILER SOCKET	
69010-4 DT 8 WAY CAVITY PLUG	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

No	Part No	
	ITEM ID	
1	ASF0265/5	D08E08A
2	C10BLACKBRAKE1_4MM	A01B04A
3	C10CAP2	
4	C10CLEAR6MM	A01D04A
5	C10GREEN6MM	A01D06A
6	C10BLUE6MM	A01D01A
7	C10LGREEN6MM	A01D05A
8	C10RED6MM	A01D03A
9	C10YLW6MM	A01D02A
10	J01BLK6MM	A01C01A
11	C10HRAILPNEU	E09E01A
12	J0100200600	D03E04A

13	J01269NTA6X4	D08L01A
14	J01520017DOT	D01G01A
15	J01520034	D01G06A
16	J016510614	D01F03B
17	J0165226M5	D01F01A D03E04A
18	J0165406	D01F05A

19	J016560	D01F04A
20	J01ALRB12X8	D01E06A
22	J01ELBOWDOT	D01F01A
23	J01PNEUBOXKIT1	
24	J01PNEUBOXKIT2	
25	J01QSL1/4-6	D01F02B


26	J01QSL1/8-6	D01F02A
27	H10S241204	D01E07A
28	J01PNEUBOXKIT2	D02B02A
29		
30	J02RED1	D01F09A
31	H10S24-4	D01E05A

32	H10S241204	D01E07A
33	H10S24-4	D01E05A
34	H10S27-21	D08F05A
35	H10S571712	
36	H10S64-08	D03D07A
37	J022901	D03E09A
38	J02358913	

39	J02550019	D03E09B
40	J0257116	D01D01A
41	J02PR2WM	D01H01A
42	J02SC-3	D01H04A
43	J02SV2	D02F09A
44	P007053	D01H09A

45	R76033	D01G03A
46	R76034	D01G04A
47	R76221121	D01H06A
48	R76237705	D01H05A A- RACK
49	R76ABT6	D01H06A A- RACK
50	R76ABT6/E	A01B02A
51	R90108016	D03H06A



52		
53	P003102	D03H03A
54	D01G03A	
55	AST0100	
56		


Description	Image
ITEM NAME	
½ hose barb x 3/8 NPT 90 degree fitting	
TUBE,NYLON AIRBRAKE,1/4" BLACK,100 MTR ROLL	
ASSEMBLY VENTED 3" FUEL CAP 3" FILLER NECK (ALUMINIUM) & 1/4 NPT TANK BREATHER	
Tube 6mm Blue (100Mtr Roll)	
Tube 6mm Clear (100Mtr Roll)	
Tube 6mm Dark Green (100Mtr Roll)	
Tube 6mm Light Green (100Mtr Roll)	
Tube 6mm Red (100Mtr Roll)	
Tube 6mm Yellow (100Mtr Roll)	
Tube 6mm Black (25Mtr Roll)	
KIT HANDRAIL PNEUMATIC CYLINDER, 2x 63MM DIA x 320MM STROKE CYLINDERS, PUSH PULL CONTROL VALVE.Metal Work part number 1215630320CC	
Joiner 6mm	

FITTING-ELBOW SWIVEL-90DEG- BRASS-3/8 TUBE X 1/4 NPTF (DQ69DOTS0604)	
ELBOW SWIVEL PUSH FIT 1/4 BSP TO 3/8 OD DOT APPROVED	
FITTING-TEE CONNECTOR-P/FIT- 3/8-DQ64 DOT	
Adaptor 1/4 BSP - 6mm P/Fit	
Fitting Male M5 to 6mm Push-In	
Tee 6mm Push-In	

Joiner 'Y' Type 6mm	
BUSH REDUCING BRASS 3/4 MALE X 1/2 FEMALE	
ELBOW 90 DEG BRASS 3/8 P/FIT TO 1/8 BSP MALE. DOT FITTING	
Kit Pneumatic Rigid Tanker	
ASSEMBLY KIT-PNEUMATIC-ARTIC TANK-TANK MOUNTED	
FITTING-ELBOW-SWIVEL-G1/4 PORT-6MM TUBE	

FITTING-ELBOW-SWIVEL-G1/8 PORT-6MM TUBE	
FITTING-REDUCING BRASS 3/4 MALE X 1/2	
ASSEMBLY KIT-PNEUMATIC-ARTIC TANK-TANK MOUNTED	
	
Reducer Pneumatic 1/2 to 1/4"	
FITTING-REDUCING BUSH- 3/4"NPTM TO 1/2"NPTF	

3-REDUCING BUSH-3/4"NPTM TO 1/4"	
3-REDUCING BUSH-3/4"NPTM TO 1/4"	
NIPPLE 1/2 BSPM X 1/4 BSPM	
PIPE WELD ADAPTOR,1/16-3/4	
PLUG HYDRAULIC MALE 1/2 BSPT	
Silencer 1/4" BSP Button Type	
VALVE 5/2 PUSH/PULL PILOT KNOB VALVE	

FITTING-SILENCER-AIR-04-G1/8 PORT	
Actuator Pneumatic 12mm Bore 25mm Stroke	
VALVE-PR2-PRESSURE TO BE SET AT 60PSI-WILLIAMS AIR CONTROLS-WM778	
FITTING-VALVE-NON RETURN-SC 3- P/N 5003980	
VALVE SHUTTLE 04 G1/4	
PLUG TAPER HEX BRASS BSP	

SWIVEL ELBOW DOT 3/8 TUBE TO 1/2" BSP	
Fitting Straight DOT 3/8 Tube to 1/2" BSP	
DRAIN-COCK 1/4	
Drain-Cock 3/8	
Tube 3/8" Black Nylon 100Mtr Roll	
Tube 3/8" Red Brake Hose (1 Roll = 150m)	
STR BRASS AIRBRAKE 8MM TUBE X 16MM THREAD	

tube 3/8" blue	
PRESSURE SWITCH 30VDC/250VAC, C/W DIN PLUG	
1/2"ID SAE J1402 A RUBBER AIR HOSE- 1 ROLL=76M	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


[illegible]

No	Part No	
	ITEM ID	
1	ETA7055CASTSB	COUNTER
2	ETA7057CASTSB	COUNTER
3	K602307	
4	K60H2051	
6	K60H2053	C04B01A
7	K60H2054	C04D05A
8	K60H1563LED-RE	C08G02A
9	K60H1GA996588201	C08E01A
10	K60H2026	C05D02A

11	K60H2138	
12	K60H2317	
13	K60H2378	C07E01A
14	K60H2423	
15	K60H2559	C08E01A
16	P019544	C04F01A
17	K60H2430	C07D02A

18	K60H2377	
19	K60H1430H	

Description	Image
ITEM NAME	
LED Side Lamp Mount Small - Sand Blasted	
Casting LED Side Lamp Mount Large - Sand Blasting	
LAMP CLEARANCE LED RED HELLA	
ELECTRICAL-LAMP-FRONT END OUTLINE-LED-AMBER	
ELECTRICAL - LAMP SIDE MARKER - LED - AMBER/RED - HELLA P/No 2053 (CRN24743)	
ELECTRICAL LAMP-HELLA-FRONT END OUTLINE-WHITE-LED P/NO 2054 (CRN 25912)	
REVERSING LAMP-HELLA-LED-Q90 COMPACT	
HELLA WORK LIGHT NA OGR MD12-24 DT	
ELECTRICAL LAMP-HELLA-SIDE INDICATOR-AMBER-LED-CRN 50133	

LAMP-REAR-DIRECTIONAL-AMBER-LED-HELLA- CRN 23069	
LAMP REAR STOP/POSITION MULTIVOLT LED RED HELLA P/NO 2317 (ADR47CRN 2948 ADR49 CRN22513 ADR49 CRN22514)	
LAMP REAR STOP/POSITION/DIRECTION INDICATOR MULTIVOLT LED HELLA P/NO 2378 (CRN 45258, CRN 45259, CRN 45260)	
LAMP-HOUSING-LED-REAR-HELLA-TRIPLE COMBO	
ELECTRICAL - LAMP LICENCE PLATE - 10-33V - LED - WHITE - HELLA P/NO 2559 (CTA 041602)	
9.2053.07-HELLA-DURALED ANGLE MOUNTING SPACER	
JUMBO-S LED TRIPLE MODULE STOP/REAR POSITION/REAR DIRECTION INDICATOR LAMP	

LAMP REAR STOP/DIRECTION INDICATOR C/W REFLECTOR MULTIVOLT LED HELLA P/NO 2377	
LAMP REVERSING HORIZONTAL MULTIVOLT LED WHITE HELLA P/NO 1439-H (CRN 36417)	

[illegible]

[illegible]

[illegible]

[illegible]

No	Part No	
	ITEM ID	
1	81104	
2	88421	
3	515022	
4	515022B	B02G02A
5	515022C	B03A01A
6	32R40	
7	515014	C02C08A
8	59095	
9	98866-012	
10	ATA3169	
10A	P046147	B10A02A
11	ATA4286	COUNTER
12	AA03149	
13	C10ANTIL1	G01D05A
14	C10STI	G01B02A

15	C10STI5	G01H01A
16	DC19MM	
17	U3A107660	E02E04A
18	L021/4BSPSKT	E01C01A
19	L021/2BSPHN	
20	L08CSECT50	
21	R74LBP	
22	L0500337841	G01D07A
23	L07TAPEB	B08G01A
24	L08LOOP	B02F03A

25	L08BUTTON	B02F02A
26	L08CSECT50	COUNTER
27	MELFAB268	
29	P039479	
30	P010927	D04G01A
31	P019581	H10B08A
32	P024700	
33	P035891	
34	P044400	


35	P044432	
36	P045292	
37	PA09578	K06B01A
38	R30HE351	
39	R30RKTIE221	
40	R30RKTIE320	
41	R30RKTIE321	
42	R30RKTIE441	
43	R30YARDRK	
44	R74F100SS	E09D01A
45	R74LBP	
46		
47	R74FLEXG3	K06A01A

48	R74MFBKT1	I01B01A
49	R74MGBKT	
50	R74SS100	I01B02A
51	R74SSMG	
52	FGABC	
53	R21STRAPPOS3	
54	R21STRAPPOST	
55	R30002	


56	R30C50797	
57	R30HE351	D01H02A
58	STA6243	
59	SS11HTMC1100	
60	STCPSSSHORT	
61	SUPPMF330	I01A02A
62	SUPPMF450	I01A01A
63	SADDLES	
64	T6B04964207	G01EO2A


65	T6E04069005	G01E01A
66	T6ELW400-2	B02F01A
67	T6ESL430MM	MCA07B
68	T6ESL750MM	
69	T6ESL800MM	
70	T8DFEB1	D09B01A
71	T8DFEB2	
72	U1CKM1291	C02D06A
73	U3A1SSBV	
74	UTA3185/SC	
75	PA11635	


76	WT30LTBP	D10C01A
77		
78		
79		
80		
81		
82		
83		

Description	Image
ITEM NAME	
TOOLBOX POLYPROPYLENE - 600 X 415 X 460 - UES	
TOOLBOX BRACKET SET. COLD GALV. SUIT 81104 - UES	
Strap Flexi FHS9 230 to 285mm	
STRAP FLEXI FHS9 380mm - 475mm	
STRAP FLEXI FHS9 610mm - 765mm	
Grommet 32R40 6mm thickness slot	
GROMMET RUBBER # EG 47 31.8mm OD 5mm GROOVE	
SIGN STICKER P/S PI1200 SINGLE 'PREMIUM DIESEL'(GREEN/OLIVE)	
KIT-275/70522.5 HP BOLT O CAPS -HXL7	
FITTING - LIFTING LUG ALUMINIUM TANK	
FITTING - LIFTING LUG ALUMINIUM TANK	
COAMING CABLE COVER STRIP EXTRUSION-EPDM RUBBER 70+/-5 SHORE BLACK 50M LENGTH	
Stiffening-Ring Chem HDEB S/S Ring 3/4mm	
FITTING - ANTI-LUCE SCREWED - STAINLESS STEEL	
FITTING-CAP BLANKING 100X100	

Tube Square Insert 75 x 75 x 2.0 4.5	
FASTENER-TUBE/HOSE HOLDER DIAM. 19 MM	
Valve Ball Tap 1/2" BSP Thread Nickel Plated with hose end	
Socket BSP S/S 316 1/4" K2	
FITTING - NIPPLE HEX BSP 1/2" - STAINLESS STEEL 316	
INSULATOR CLAMP TUBE RUBBER C-SECTION 50MM	
PLATE-BACKING-LELOX-NO 1, SP1, SUITS STCPSS	
CLIP HUMPBACK (R-CLIP) M5 Z/P	
Tape Reflective 3M Blue Diamond Grade. 75mm wide x 45.7 Mtr roll	
LOOP COVER HOLD DOWN	

BUTTON COVER HOLD DOWN	
INSULATOR CLAMP TUBE RUBBER C-SECTION 50MM	
Ladder Ullrich Aluminium - 9 Steps	
ISOFLEX MOUNT-GPM7FSM10-60A-RED	
DOCUMENT HOLDER MAXUS - CA2250	
ASSEMBLY BRAKE AIRLINE FILTER MOUNT BRACKET	
FITTING 3/4" BSP THROUGH-WALL BULKHEAD NIPPLE-Z/P	
BOX PNEUM-METAL WORK-FUEL TANKER-NAIM-DRIVE AWAY-VR INTER LOCK-400X210X160MM	
BOX PNEUM-METAL WORK-FUEL TANKER-NAIM-DAP-VR INTER LOCK-INDIVIDUAL OUTLET CONTROL BUTTONS-400X210X160MM	

BOX PNEUM-METAL WORK-FUEL TANKER-NAIM-DAP-VR INTER LOCK- INDIVIDUAL OUTLET CONTROL BUTTONS-PUMP CONTROL- 400X210X160MM	
	
SAFETY SKIRT RUBBER LANDING-LEG CUT & DRILLED- 2490MM WIDE	
VALVE EXTENSION PVC TO SUIT ALCOA WHEELS	
2 AXLE TAG TRAILER EBS-E MV 2S/2M YR	
Brake-Kit Tri-Lead Trailer EBS E MV 4S/2M YR SARN 40384	
Brake-Kit Tri-Lead Trailer EBS E MV 2S/2M YR SARN 40384	
Kit Brake Ebs 4-Axle Dog RK TIE 441 Sarn # 40795	
ASSEMBLY-YARD RELEASE-SEALCO 17600 B-BPW	
Suppressant Spray 100mm 1.820Mtr Length	
PLATE-BACKING-LELOX-NO 1, SP1, SUITS STCPSS	
Flex-Guard w/out Bristles 660mm wide x 13mtr long	

BRACKET MUDFLAP TO SUIT 24IN W, CA5434, SUITS SUPPMF330, SUPPMF450	
BRACKET MUDGUARD SHORT SINGLE CURVED FOR METAL MUDGUARD	
SUPPRESSANT SPRAY ARCHED 100MM	
SAFETY-MUDGUARD-S/STEEL-1.2MM-SINGLE CURVED - LELOX POLISHED	
Bristles Complete	
Post Catch-Strap O/all L=150 Square Bit L=100mm	
Post Catch-Strap O/all L=120 Square Bit L=70mm	
FITTING WHEEL NUT INDICATOR, YELLOW WHEEL NUT, SIZE #33	

Bracket Coupling Trailer Air Lines	
VALVE EXTENSION PVC TO SUIT ALCOA WHEELS	
Channel Casing Support	
STAINLESS STEEL 1.1mm HALF TANDEM MUDGUARD, CURVED EDGE WITH GROOVES 630mm WIDTH X 1100mm LENGTH	
MOUNT-STRAIGHT CHASSIS PIPE-STAINLESS STEEL-LELOX-STCPSSSHORT	
MUDFLAP SPRAY SUPPRESENT 610MM X 330MM	
MUDFLAP SPRAY SUPPRESSANT 620 X 450MM	
BARREL TRANSPORT SADDLES	
CLIP DOG ROUND EYE NP 50/AS/S 1/2"	

RING KEY 32MM ID	
FASTENER - SHACKLE - STAINLESS STEEL - 20mm x 29mm - 3/16"	
FITTING-SLING-430MM-TYRE CARRIER	
FITTING-SLING-750MM-TYRE CARRIER	
Sling 800mm Tyre-Carrier	
SAFETY BRACKET MOUNTING 9KG FIRE EXTINGUISHER ,PADDED HINGE, QUICK RELEASE	
SAFETY BRACKET MOUNTING 4.5kg FIRE EXTINGUISHER ,PADDED HINGE CLAMP TYPE	
MOUNT RUBBER HOSE-TROUGH 1HOLE BLACK	
Valve Ball 1" S/S 1-Piece	
Chassis-Rail S/S 5 x 12000mm	
Plate Gusset Ring HDEB 4mm S/S 1118 Chassis	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

No	Part No	
	ITEM ID	
1	15990579	
2	98606-133	
3	98866-011	
4	98870-016	
5	AA04203-1	
6	AA04203-3	
7	ASN6774	

8	C10LLJ03	RE02A1A
9	C10LLJ09	
10	HW25TLC2H7G1-273	
11	HW25TLC2H7G2-273	
12	HW25TLC2H7G1-C81	
13	HW25TLC2H7G2-C81	
14	HW25TVC907P1-2K1	
15	HW25TVC907P1-2K7	
16	HW25TVC907P2-2K1	

17	HW25TVC907P2-2K7	
18	R30WELDABLE	
19	R30WELDABLEHEND	
20	R74JSK37C185W	
21	R30C51282	SIDE SHED
	RKLAV021T	
	S-24343	

Description	Image
ITEM NAME	
RINGFEDER COUPLING RF50 AUS MSD	
T/M - DRUM - CHAMBER MOUNT HCV (DUMP) BRACKET - WITH TANK - TRI (Dwg: 49441-417)	
Hubodometer Kit 11R22	
CHANNEL BRACE HANGERSUPPORT 15-16"	
ASSEMBLY SKID PLATE-HEAVY DUTY-50MM PIN-K HITCH-SUIT ALFTB	
ASSEMBLY SKID PLATE-HEAVY DUTY-50MM PIN-K HITCH-12MM-C/W OUTLET CUT-OUT	
STRAIGHT 3/8 PUH PULL WITH M22 THREADS	

ASSEMBLY LANDING LEG-JOST-MODUL 470MM-S FOOT	
ASSEMBLY LANDING LEG-JOST-MODUL 400MM (15") ROCKER FEET	
HW25, ADI HXL7 LIGHT WEIGHT DRUM, ABS, 10 STUD 285 PDC 15", TSE24/30 CHAMBERS	
HW25, ADI HXL7 LIGHT WEIGHT DRUM, NO SENSOR, 10 STUD 285 PDC 15", TSE 24/30 CHAMBERS	
HW25, HP ADI LIGHT WEIGHT DRUM,ABS,12"	
HW25, HP ADI LIGHT WEIGHT DRUM,ABS, NO SENSOR, 12"	
HW25, HP LDA HXL7 MAXX22T DISC, ABS, 13.5"	
HW25, MAXX22T HXL7 DISC, ABS, 10 STUD 285 PDC 17"	
HW25, HP LDA HXL7 MAXX22T DISC, NO SENSOR, 13.5"	

HW25, MAXX22T HXL7 DISC, NO SENSOR, 10 STUD 285 PDC 17"	
Weldables Axle as Specified (Set)	
Weldables Axle as Specified HENDRICKSON	
FIFTH WHEEL, JOST JSK37CZW 185MM O/A HEIGHT, GREASLESS, SUPPLIER PART#JSK37C185W, CRN#24286	
FITTING TANK-AIR DIA13IN-48LTR-4 PORT	
EBS Integrated Lift Axle Valve, MV, Twin Lift	
LIFT KIT - INTRAAX - TOPMOUNT -EBS lifting	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]