NIMA MOHAMMAD ZADEH

— AI AGENTS & TEAMS

Don’t copy your org chart into agents.

From Anthropic’s new guide on building agents.

NIMA MOHAMMAD ZADEH

— 01 — THE PATTERN

Each team gets its own subagent.

SUBAGENT	A helper agent the main one calls.
RESULT	The agents copy the org chart.

NIMA MOHAMMAD ZADEH

— 02 — CONWAY'S LAW

Systems copy the teams that build them.

So your agent design slowly becomes your org chart.

NIMA MOHAMMAD ZADEH

— 03 — ANTHROPIC'S ADVICE

Work toward one agent loop.


PLAN — Plans, then re-plans as results arrive.

SKILLS — Loads skills and tools only when needed.

NIMA MOHAMMAD ZADEH

— 04 — WHY IT MATTERS

Every handoff adds delay and loses context.



— 05 — THE EVIDENCE

With one loop: faster, leaner.

~2x faster runtime	ONE CUSTOMER
80%+ shorter prompt	CLAUDE CODE

— 06 — WHEN TO KEEP ONE

Keep a subagent when it earns it.

CONTEXT

Big side work that floods the context.

PARALLEL

Work that must run in parallel.

— 07 — HOW TO CHANGE SAFELY

Decide with tests, not taste.

- [x] One subagent at a time
- [x] Compare tests before and after
- [x] See which tasks broke

NIMA MOHAMMAD ZADEH

— 08 — MY LESSON AS A PM

Design for the customer’s job, not your teams.

01 Count every handoff in your agents.

02 Remove the ones that don’t earn it.