

How To Setup Kali Linux




HOW TO SETUP KALI LINUX ON VMWARE




1 DOWNLOAD KALI LINUX ISO


- Go to <https://www.kali.org/downloads/>
- Choose "Installer Images" → 64-bit.
- Download the latest Kali Linux ISO file.

2 OPEN VMWARE WORKSTATION


- Open VMware Workstation Pro.
- Click on "Create a New Virtual Machine".

3 CHOOSE INSTALLER DISC IMAGE


- Select "Installer disc image file (iso)".
- Click "Browse" and select the Kali Linux ISO file.
- Click "Next".

4 SELECT GUEST OPERATING SYSTEM


- Select "Linux" as the guest operating system.
- Version: Choose "Debian 12.x 64-bit".
- Click "Next".

5 NAME THE VIRTUAL MACHINE


- Enter a name for the virtual machine (e.g., Kali Linux).
- Choose a location to save the VM.
- Click "Next".

6 CONFIGURE DISK SIZE

- Set disk size (Recommended: 40 GB or more).
- Keep "Store virtual disk as a single file".
- Click "Next".

7 CUSTOMIZE HARDWARE (OPTIONAL)


- Adjust settings if needed:
 - Memory: 4 GB or more
 - Processors: 2 or more cores
- Click "Finish".

8 START THE VIRTUAL MACHINE

- Click "Power on this virtual machine".
- Kali Linux installer will start.

9 INSTALL KALI LINUX

- Choose "Graphical install".
- Follow the on-screen instructions:
 - Select language, location, keyboard, hostname
 - Set up users and password
 - Partition disk (Use entire disk or Manual)
- Click "Install" and wait for installation to complete.

10 REBOOT AND REMOVE ISO

- After installation, reboot the VM.
- In VMware: VM > Removable Devices > CD/DVD > Settings.
- Uncheck "Connect at power on" and click OK.
- Restart the VM.

11 LOGIN TO KALI LINUX

- Login with the username and password you created.
- You are now ready to use Kali Linux!

12 SETUP COMPLETE


Kali Linux is
Successfully Installed on VMware!

Happy Hacking! 🚀

To Setup Kali Linux


1. Download Kali Linux iso file



- Go to: <https://www.kali.org/get-kali/#kali-installer-images>



After we finished download.

2. Setup With VMware





New Virtual Machine Wizard

Select a Guest Operating System
Which operating system will be installed on this virtual machine?

Guest operating system

☐ Microsoft Windows

☒ Linux

☐ VMware ESX

☐ Other

Version

Debian 11.x 64-bit

Help < Back Next > Cancel

In this we can input others what you want:

New Virtual Machine Wizard

Name the Virtual Machine
What name would you like to use for this virtual machine?

Virtual machine name:

Kali-Linux

Location:

C:\Users\Nin Karong\Documents\Virtual Machines\Kali-Linux

Browse...

The default location can be changed at Edit > Preferences.

< Back Next > Cancel

New Virtual Machine Wizard

Specify Disk Capacity

How large do you want this disk to be?

The virtual machine's hard disk is stored as one or more files on the host computer's physical disk. These file(s) start small and become larger as you add applications, files, and data to your virtual machine.

Maximum disk size (GB):

Recommended size for Debian 11.x 64-bit: 20 GB

☐ Store virtual disk as a single file

☒ Split virtual disk into multiple files

Splitting the disk makes it easier to move the virtual machine to another computer but may reduce performance with very large disks.

Help

< Back

Next >

Cancel

New Virtual Machine Wizard

Ready to Create Virtual Machine

Click Finish to create the virtual machine. Then you can install Debian 11.x 64-bit.

The virtual machine will be created with the following settings:



Name:	Kali-Linux
Location:	C:\Users\Nin Kanong\Documents\Virtual Machines\Kali-...
Version:	Workstation 17.5 or later
Operating System:	Debian 11.x 64-bit
Hard Disk:	70 GB, Split
Memory:	2048 MB
Network Adapter:	NAT
Other Devices:	2 CPU cores, CD/DVD, USB Controller, Sound Card



Customize Hardware...

< Back


Finish

Cancel





After click Close -> Finish.





Select a language

Choose the language to be used for the installation process. The selected language will also be the default language for the installed system.

Language:

Chinese (Simplified)	-	中文(简体)
Chinese (Traditional)	-	中文(繁體)
Croatian	-	Hrvatski
Czech	-	Čeština
Danish	-	Dansk
Dutch	-	Nederlands
Dzongkha	-	ཇོངཀ་མ་གྲུབ་སྐད་ཀྱི་ཡི་ཁྱུར་
English	-	English
Esperanto	-	Esperanto
Estonian	-	Eesti
Finnish	-	Suomi
French	-	Français
Galician	-	Galego
Georgian	-	ქართული
German	-	Deutsch

Screenshot

Go Back

Continue



Select your location

The selected location will be used to set your time zone and also for example to help select the system locale. Normally this should be the country where you live.

This is a shortlist of locations based on the language you selected. Choose "other" if your location is not listed.

Country, territory or area:

India
Ireland
Israel
New Zealand
Nigeria
Philippines
Seychelles
Singapore
South Africa
United Kingdom
United States
Zambia
Zimbabwe
other

Screenshot

Go Back

Continue



Configure the keyboard

Keymap to use:

American English
Albanian
Arabic
Asturian
Bangladesh
Belarusian
Bengali
Belgian
Berber (Latin)
Bosnian
Brazilian
British English
Bulgarian (BDS layout)
Bulgarian (phonetic layout)
Burmese
Canadian French
Croatian
Czech
Danish
Debian
Dutch
English (UK)
Estonian
Finnish
French
Galician
German
Greek
Hebrew
Hindi
Indonesian
Italian
Japanese
Kannada
Korean
Latvian
Lithuanian
Malay
Malayalam
Maltese
Mandarin
Marathi
Nepali
Norwegian
Occitan
Persian
Punjabi
Romanian
Russian
Sanskrit
Serbian
Sinhala
Slovak
Slovenian
Spanish
Swedish
Tamil
Telugu
Thai
Turkish
Ukrainian
Urdu
Vietnamese
Welsh
Yiddish

[Screenshot](#) [Go Back](#) [Continue](#)


After wait a few minute:




Detect and mount installation media

Scanning installation media

Scanning /cdrom/pool/main/c...



If we see this it is a **common issue during Kali installation in VMware** - nothing is broken, but the installer couldn't get an IP address.





Configure the network

Please enter the hostname for this system.

The hostname is a single word that identifies your system to the network. If you don't know what your hostname should be, consult your network administrator. If you are setting up your own home network, you can make something up here.

Hostname:

kalij

Screenshot

Go Back

Continue



Set up users and passwords

A user account will be created for you to use instead of the root account for non-administrative activities.

Please enter the real name of this user. This information will be used for instance as default origin for emails sent by this user as well as any program which displays or uses the user's real name. Your full name is a reasonable choice.

Full name for the new user:

k4n0ng

Screenshot

Go Back

Continue

In this we can input others name that we want, and in this I used my name.



Set up users and passwords

Select a username for the new account. Your first name is a reasonable choice. The username should start with a lower-case letter, which can be followed by any combination of numbers and more lower-case letters.

Username for your account:

k4n0ng

Screenshot

Go Back

Continue

Also in this we can input others name.

After input password:



Set up users and passwords

Make sure to select a strong password that cannot be guessed.

Choose a password for the new user:

●●●●●●

☐ Show Password in Clear

Please enter the same user password again to verify you have typed it correctly.

Re-enter password to verify:

●●●●●●

☐ Show Password in Clear

Screenshot

Go Back

Continue

In this we can use password that we think we remember it and strong.



Configure the clock

If the desired time zone is not listed, then please go back to the step "Choose language" and select a country that uses the desired time zone (the country where you live or are located).
Select your time zone:

- Eastern
- Central
- Mountain
- Pacific
- Alaska
- Hawaii
- Arizona
- East Indiana
- Samoa

[Screenshot](#) [Go Back](#) [Continue](#)

After wait it a few minute:



Partition disks

Starting up the partitioner

Please wait...



Partition disks

The installer can guide you through partitioning a disk (using different standard schemes) or, if you prefer, you can do it manually. With guided partitioning you will still have a chance later to review and customise the results.

If you choose guided partitioning for an entire disk, you will next be asked which disk should be used.

Partitioning method:

Guided - use entire disk

Guided - use entire disk and set up LVM

Guided - use entire disk and set up encrypted LVM

Manual

Screenshot

Help

Go Back

Continue



Partition disks

Note that all data on the disk you select will be erased, but not before you have confirmed that you really want to make the changes.

Select disk to partition:

SCSI3 (0,0,0) (sda) - 75.2 GB VMware, VMware Virtual S

Screenshot

Go Back

Continue



Partition disks

Selected for partitioning:

SCSI3 (0,0,0) (sda) - VMware, VMware Virtual S: 75.2 GB

The disk can be partitioned using one of several different schemes. If you are unsure, choose the first one.

Partitioning scheme:

All files in one partition (recommended for new users)

Separate /home partition

Separate /home, /var, and /tmp partitions

Separate /var and /srv, swap < 1GB (for servers)

Small-disk (< 10GB) partitioning scheme

Screenshot

Help

Go Back

Continue



Partition disks

This is an overview of your currently configured partitions and mount points. Select a partition to modify its settings (file system, mount point, etc.), a free space to create partitions, or a device to initialize its partition table.

Guided partitioning

Configure software RAID

Configure the Logical Volume Manager

Configure encrypted volumes

Configure iSCSI volumes

SCSI3 (0,0,0) (sda) - 75.2 GB VMware, VMware Virtual S

>	#1	primary	71.3 GB	f	ext4	/
>	#5	logical	3.9 GB	f	swap	swap

Undo changes to partitions


Finish partitioning and write changes to disk

Screenshot


Help

Go Back

Continue



After wait a few minute:





Software selection

At the moment, only the core of the system is installed. The default selections below will install Kali Linux with its standard desktop environment and the default tools.

You can customize it by choosing a different desktop environment or a different collection of tools.

Choose software to install:

- ☒ Desktop environment [selecting this item has no effect]
 - ☒ ... Xfce (Kali's default desktop environment)
 - ☐ ... GNOME
 - ☐ ... KDE Plasma
- ☒ Collection of tools [selecting this item has no effect]
 - ☒ ... top10 -- the 10 most popular tools
 - ☒ ... default -- recommended tools (available in the live system)

Screenshot

Continue

GNOME / KDE → heavier, slower in VM (unless we have a powerful PC).

After wait it again:



Select and install software

Select and install software

Retrieving file 8 of 2641

After it finished and then:

KALI

Install the GRUB boot loader

It seems that this new installation is the only operating system on this computer. If so, it should be safe to install the GRUB boot loader to your primary drive (UEFI partition/boot record).

Warning: If your computer has another operating system that the installer failed to detect, this will make that operating system temporarily unbootable, though GRUB can be manually configured later to boot it.

Install the GRUB boot loader to your primary drive?

☐ No

☒ Yes

Screenshot

Go BackContinue

KALI

Install the GRUB boot loader

You need to make the newly installed system bootable, by installing the GRUB boot loader on a bootable device. The usual way to do this is to install GRUB to your primary drive (UEFI partition/boot record). You may instead install GRUB to a different drive (or partition), or to removable media.

Device for boot loader installation:


Enter device manually

/dev/sda


Screenshot

Go BackContinue

After wait it to install again:



After wait it a little bit it will reboot:



After login with Username and Password:




```
sudo apt update && sudo apt full-upgrade -y
```

[illegible]

[illegible][illegible]

After we finished to update and then reboot:

```
(k4n0ng@kali)-[~]  
$ sudo reboot
```

```
sudo apt install -y open-vm-tools-desktop
```




```
(k4n0ng@kali)-[~]
└─$ sudo apt install -y open-vm-tools-desktop
[sudo] password for k4n0ng:
open-vm-tools-desktop is already the newest version (2:13.0.10-1).
The following packages were automatically installed and are no longer required:
  libavc1394-0  libio-pty-perl  libpostal-data  libstdl2-classic  libsvtavcodec2  libunibreak6  openjdk-21-jre  postgresql-common-dev
  libicu76      libipc-run-perl  libpostal1     libsimdutf31    libteamdctl0  libxring3     openjdk-21-jre-headless  python3-pysnmp4
Use 'sudo apt autoremove' to remove them.

Summary:
Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 0
```

But somehow it's already installed.

4. Take Snapshot

After setting finished installing all then we need to snapshot, because if when we have an error on our Kali and then we use our snapshot to go back to our normal machine:



Now we finished our **Kali Linux** setup.

