

Практическая работа 3

Шаг 5

Curl

```
curl -X 'GET' \
  'https://localhost:7185/api/Products' \
  -H 'accept: */*'
```

Request URL

https://localhost:7185/api/Products

Server response

Code

Details

200

Response body

```
[
  {
    "id": 1,
    "name": "Laptop",
    "price": 350000
  },
  {
    "id": 2,
    "name": "Mouse",
    "price": 12000
  },
  {
    "id": 3,
    "name": "Keyboard",
    "price": 25000
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri, 25 Sep 2026 16:11:15 GMT
server: Kestrel
```

Responses

Code	Description	Links
200	OK	No links

Шаг 6

ProductsController.cs

```
1 using Microsoft.AspNetCore.Mvc;
2
3 [ApiController]
4 [Route("api/[controller]")]
5 public class ProductsController : ControllerBase
6 {
7     private readonly IProductService _service;
8
9     public ProductsController(IProductService service)
10     {
11         _service = service;
12     }
13 }
```

Swagger

Practice3 v1

Practice3 1.0 OAS 3.0

https://localhost:7185/swagger/v1/swagger.json

No operations defined in spec!

War 8

Responses

Curl

```
curl -X 'GET' \
'https://localhost:7185/api/Products' \
-H 'accept: */*'
```

Request URL

```
https://localhost:7185/api/Products
```

Server response

Code	Details
200	Response body <pre>{ "id": 1, "name": "Laptop", "price": 350000 }, { "id": 2, "name": "Mouse", "price": 12000 }, { "id": 3, "name": "Keyboard", "price": 25000 }]</pre> Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri, 25 Sep 2026 17:07:41 GMT
server: Kestrel
```

Responses

Code	Description	Links
200	OK	No links

War 9

id * required

integer(\$int32)

(path)

Execute

Responses

Curl

```
curl -X 'GET' \
'https://localhost:7185/api/Products/2' \
-H 'accept: */*'
```

Request URL

```
https://localhost:7185/api/Products/2
```

Server response

Code	Details
200	Response body <pre>{ "id": 2, "name": "Mouse", "price": 12000 }</pre> Response headers <pre>content-type: application/json; charset=utf-8 date: Fri, 25 Sep 2026 17:08:39 GMT server: Kestrel</pre>

Responses

Code	Description
200	OK

Шар 10-12

Curl

```
curl -X 'GET' \
'https://localhost:7185/api/Products' \
-H 'accept: */*'
```

Request URL

```
https://localhost:7185/api/Products
```

Server response

Code	Details
200	Response body <pre>{ { "id": 1, "name": "Laptop", "price": 350000 }, { "id": 2, "name": "Mouse", "price": 12000 }, { "id": 3, "name": "Keyboard", "price": 25000 } }</pre> Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri, 25 Sep 2026 17:10:57 GMT
server: Kestrel
```

Responses

Code	Description	Links
200	OK	No links

id * required

integer(\$int32)

(path)

2

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'https://localhost:7185/api/Products/2' \
-H 'accept: */*'
```

Request URL

```
https://localhost:7185/api/Products/2
```

Server response

Code	Details
200	Response body <pre>{ "id": 2, "name": "Mouse", "price": 12000 }</pre> Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri, 25 Sep 2026 17:11:56 GMT
server: Kestrel
```

Шаг 13

