

Практическая работа 5

GET /api/students

GET

/api/Students

^

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7001/api/Students' \
  -H 'accept: text/plain'
```

Request URL

```
https://localhost:7001/api/Students
```

Server response

Code

Details

200

Response body

```
{
  {
    "id": 1,
    "fullName": "Иван Иванов",
    "group": "SE-301",
    "course": 3,
    "email": "ivan@example.com"
  },
  {
    "id": 2,
    "fullName": "Анна Петрова",
    "group": "SE-302",
    "course": 3,
    "email": "anna@example.com"
  },
  {
    "id": 3,
    "fullName": "Максим Ким",
    "group": "SE-301",
    "course": 3,
    "email": "maxim@example.com"
  }
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sat, 03 Oct 2026 01:08:17 GMT
server: Kestrel
```

GET /api/students/ id = 2

GET

/api/Students/{id}

Parameters

Cancel

Name	Description
id * required	
Integer(\$int32)	2
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7001/api/Students/2' \
  -H 'accept: text/plain'
```

Request URL

https://localhost:7001/api/Students/2

Server response

Code	Details
200	Response body <pre>{ "id": 2, "fullName": "Анна Петрова", "group": "SE-302", "course": 3, "email": "anna@example.com" }</pre> Download Response headers <pre>content-type: application/json; charset=utf-8 date: Sat, 03 Oct 2026 01:08:26 GMT server: Kestrel</pre>

GET /api/students/ id = 99

GET

/api/Students/{id}

Parameters

Cancel

Name	Description
id * required	
integer(\$int32)	99
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'https://localhost:7001/api/Students/99' \
-H 'accept: text/plain'
```

Request URL

```
https://localhost:7001/api/Students/99
```

Server response

Code	Details
404	Error: response status is 404

Undocumented

Response body

```
{
  "type": "https://tools.ietf.org/html/rfc9110#section-15.5.5",
  "title": "Not Found",
  "status": 404,
  "traceId": "00-fca4de48912bbec2883ddcc44d3383da-bae58e6adfe6bbd0-00"
}
```

Download

Response headers

```
content-type: application/problem+json; charset=utf-8
date: Sat, 03 Oct 2026 01:08:29 GMT
server: Kestrel
```

POST /api/students

POST

/api/Students

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{
  "id": 0,
  "fullName": "Алия Сейтказы",
  "group": "SE-303",
  "course": 2,
  "email": "aliya@example.com"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:7001/api/Students' \
  -H 'accept: text/plain' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 0,
    "fullName": "Алия Сейтказы",
    "group": "SE-303",
    "course": 2,
    "email": "aliya@example.com"
  }'
```

Request URL

https://localhost:7001/api/Students

Server response

Code

Details

201

undocumented

Response body

```
{
  "id": 4,
  "fullName": "Алия Сейтказы",
  "group": "SE-303",
  "course": 2,
  "email": "aliya@example.com"
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sat, 03 Oct 2026 01:08:32 GMT
location: https://localhost:7001/api/Students/4
server: Kestrel
```

PUT /api/students/ id = 4

PUT

/api/Students/{id}

^

Parameters

Cancel

Reset

Name	Description
id * required	
integer(\$int32)	4
(path)	

Request body

application/json

```
{
  "id": 4,
  "fullName": "Алия Сейтказы",
  "group": "SE-304",
  "course": 3,
  "email": "aliya.s@example.com"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'https://localhost:7001/api/Students/4' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 4,
    "fullName": "Алия Сейтказы",
    "group": "SE-304",
    "course": 3,
    "email": "aliya.s@example.com"
  }'
```

Request URL

https://localhost:7001/api/Students/4

Server response

Code	Details
204	Response headers
undocumented	<pre>date: Sat,03 Oct 2026 01:08:45 GMT server: Kestrel</pre>

DELETE /api/students/ id = 3

DELETE /api/Students/{id}

Parameters

Cancel

Name	Description
id * required	
integer(\$int32)	3
(path)	

ExecuteClear

Responses

Curl

```
curl -X 'DELETE' \
'https://localhost:7001/api/Students/3' \
-H 'accept: */*'
```

Request URL

```
https://localhost:7001/api/Students/3
```

Server response

Code	Details
204	Response headers
Undocumented	<pre>date: Sat,03 Oct 2026 01:08:48 GMT server: Kestrel</pre>