

```
\documentclass{article}
```

```
\usepackage{amsmath}
```

```
\usepackage{amssymb}
```

```
\begin{document}
```

Fréchet bounds (or triangle inequality for correlations) is given by:

$$\begin{aligned} & \left[\right. \\ & \rho_{YZ} \in \\ & \left[\right. \\ & \rho_{XY} \cdot \rho_{XZ} - \\ & \sqrt{(1 - \rho_{XY}^2)(1 - \rho_{XZ}^2)} \;, \\ & \;, \\ & \rho_{XY} \cdot \rho_{XZ} + \\ & \sqrt{(1 - \rho_{XY}^2)(1 - \rho_{XZ}^2)} \\ & \left. \right] \\ & \end{aligned}$$

```
\noindent
```

where:

```
\begin{itemize}
```

- \item ρ_{XY} is the degree of association between variables X and Y ,

- \item ρ_{XZ} is the degree of association between variables X and Z ,

- \item ρ_{YZ} is the degree of association between variables Y and Z .

```
\end{itemize}
```

`\end{document}`

`\documentclass{article}`

`\usepackage{amsmath}`

`\begin{document}`

`\section*{Score Formulas}`

Let (S^{**}) denote the reduced search space.

`\subsection*{DoA of A with  $(\hat{Z})$ }`

`\[`

`\beta_{A\hat{Z}} = V(\chi^2_{A\hat{Z}})`

`\]`

`\subsection*{Score 1}`

Let cluster be $(\{A, B, C\})$

`\[`

`\text{DoA within the cluster of A} = \text{Avg}(\beta_{AA}, \beta_{AB}, \beta_{AC})`

`\]`

`\[`

`\text{Score of A} = \Pr(A \in \{A, B, C\}) \times (\text{DoA within the cluster of A}) \times (\text{DoA of A with } \hat{Z})`

`\]`

\subsection*{Score 2}

Let cluster be $\{A, B, C\}$

[

$\text{DoA outside the cluster of } A = \left(1 - \Pr(A \in \{A, B, C\})\right) \times \left[\sum_{J \in S^{**} \setminus \{A, B, C\}} \frac{\beta_{AJ}}{\text{cardinality of } (S^{**} \setminus \{A, B, C\})}\right]$

]

[

$\text{Score of } A = \frac{\text{DoA within the cluster of } A}{\text{DoA on outside the cluster of } A}$

]

\end{document}