DZ LEGAL ASSISTANT · DESIGN AND IMPLEMENTATION BRIEF 2

The Interactive Guide, the Law Library and the About Page

For Djihane (UI/UX design) and the AI coding agent she works with

الدليل التفاعلي، المكتبة القانونية، وصفحة «حول التطبيق»

Date: 30 October 2026 · **Version:** 1.0

Follows: brief 1, `docs/briefs/ONBOARDING-BRIEF.pdf` (Features 1 and 2, merged on 30 October).

Branch to work on: `djihane/guide`, created from the latest `claude/stoic-fermat-mi1gko`

Repository: `ninjatradercodes/dz-legal-assistant`

Also read: `AGENTS.md` at the root of the repository (the agent reads it automatically).

Contents

1. Where things stand
2. How to use this brief
3. Hard rules
4. What changed in the app since brief 1
5. Phase 0: finish the start screen (Feature 2)
6. Phase 1: the interactive guide (Feature 3)
7. Phase 2: the law library (Feature 4)
8. Phase 3: the About page (new)
9. What engineering provides, and when
10. Out of scope
11. Quality bar
12. Tests, screenshots and acceptance
13. Delivery and review

Appendix A: every new string · Appendix B: content of the help pages · Appendix C: the project map for this brief

1. Where things stand

Brief 1 asked for four features. Features 1 and 2 were built on `djihane/onboarding` and merged into the default branch on 30 October, with a few fixes (`docs/ONBOARDING-RELEASE.md`). Features 3 and 4 were not started. A review of the merged app against brief 1 found these gaps:

Feature (brief 1)	State	What is still missing
1. Profile and settings	**Done**	The workbench title bar has no way to open **Profile and settings**. Today it can only be reached from the start screen.
2. Start screen	**Mostly done**	• **The recent-cases list is never filled.** `RecentCasesStore.RecordOpened` and `RecordSaved` exist and are tested, but the app never calls them, so the list stays empty. • **A recent case cannot be opened.** `App.axaml.cs` creates `OnboardingWindow` without its `openRecentCase` argument, so `HomeWorkspace.OpenRecent` is null in the real app. • **No "Home" button in the workbench.** `HomeWindow` exists but nothing creates it. • The Sample, Tour, Help and Library buttons are disabled with «غير متاح بعد». They wait for Phases 1 and 2.
3. Interactive guide	**Not started**	The tour, the guided sample case and the help pages. The setup already has a `tourHandler` hook for the "Take a tour?" offer; it is not used yet.
4. Law library page	**Not started**	The library is now much larger than when brief 1 was written (section 4).

This brief: close the gaps (Phase 0), build Features 3 and 4 (Phases 1 and 2), and add an About page (Phase 3).

2. How to use this brief

- **Djihane decides the visual design:** layout, spacing, illustration, motion, the look of each screen. This brief fixes the **behaviour, data, wording and rules**.
  - Where a section says "design", the choice is hers.
  - Where it says "must", it is a requirement.
- **Give the agent this whole PDF and `AGENTS.md`** at the start of the session. Brief 1 stays valid where this brief does not change it; the agent may read it for background, but **this brief wins** where they differ.
- **Build the phases in order:** 0 → 1 → 2 → 3.
  - Each phase ends with a commit, a push, and the screenshots listed in section 12.
  - Never start the next phase with the app broken.
  - Phase 2 needs one small piece from engineering first (section 9). Phases 0 and 1 can start at once.
- **The Arabic wording in Appendices A and B is final.**
  - If the design needs a shorter or different text, write the proposal in the report; do not change it silently.
  - English wording may be adjusted for space.
- **If something in the code contradicts this brief, stop and write it in the report.** Do not work around the safety rules.

> **Prompt to start the agent with** (copy as is):
> "Read AGENTS.md and the attached brief completely before writing any code. Create the branch djihane/guide from the latest claude/stoic-fermat-mi1gko and work only on it. Build Phase 0 first. Follow the brief's rules, wording and acceptance checks exactly. After each phase: build with 0 warnings, run all tests, capture the screenshots listed in section 12, look at them, fix what is wrong, then commit and push. When unsure, ask me instead of guessing."

3. Hard rules

- **Git:**
  - work and push **only** on `djihane/guide`;
  - never commit to `claude/stoic-fermat-mi1gko` or to anyone else's branch;
  - no force-push, no rebase;
  - to bring in new work from the default branch, **merge** it, when asked.
- **Build and tests:** after every commit, `dotnet build -c Release` gives 0 warnings, and `dotnet test -c Release` passes completely (836 tests today). Never delete, skip or weaken a test. If a layout change legitimately changes what a rendering test sees, update that test so it still checks the same behaviour, and say so in the report.

- **Offline:**
  - nothing loads from the internet: no web fonts, CDNs, analytics, downloads or web views;
  - the only link that leaves the app is "Official source", opened in the browser **only when the lawyer clicks it** (the existing `OfficialLinks` and `IExternalLinks`);
  - new fonts, icons or illustrations are bundled with their licence file beside them.
- **Privacy:** tests, screenshots and the sample case use **fictitious data only**. No real names, case numbers, phone numbers or addresses.
- **Strings:** every visible string goes in **both** `Strings.resx` and `Strings.en.resx`, read through `L["Key"]` or `L.Format(…)`. No text written directly in XAML or C#. (Two older files, `SetupLocalization.cs` and `HomeLocalization.cs`, now only read the resource files; keep it that way.)
- **Do not change** without asking first:
  - the legal engine: `src/DzLegal.Drafting`, `Law`, `Domain`, `FormEngine`, `Documents`, `ModelProviders.*`, `Harness`;
  - `data/` (the form, the law texts, the claim catalogue and the prompts);
  - the law-corpus folders.

  Phase 2 **reads** the law library; it never edits it. The PDF and Word output must stay identical for the same case.
- **Keep the safety behaviour exactly:**
  - export blockers;
  - AI-authorship marks and review-before-export;
  - ask-before-replacing unsaved work (save first / continue without saving / cancel);
  - the recovery copy kept aside, never deleted;
  - over-long text kept whole.

  Every new path (Home, a recent case, the sample, the tour) goes through these same checks.
- **The web demo** (`src/DzLegal.Web`) shares the view models:
  - it must keep building and passing `DzLegal.Web.Tests`;
  - it gets **none** of this brief's screens;
  - everything new must be optional for it, as the profile and start screen already are.

4. What changed in the app since brief 1

The tour, the sample and the help pages describe how the app works, so they must describe **today's** app. These changes matter for this brief:

- **The claim type is confirmed before anything else.** In the Legal grounds step, the analysis proposes a claim type (نوع الدعوى) and articles. Nothing is ticked until the lawyer confirms the claim type (the bar `ClaimConfirmBar`, button `ConfirmClaimButton`). Confirming ticks the claim's required articles; every other article waits for the lawyer's tick.

- **A new generated section:** «في الشكل» (admissibility). It sits after the opening and before the facts, and cites the CPCA articles on the petition's form (13, 14, 15 and 17, and 426 in family cases).
- **Family cases name the prosecution:** «بحضور: السيد وكيل الجمهورية...», as the Family Code (article 3 bis) requires.
- **Follow-on requests:** for some claims (taṭlīq, khulʿ, custody), the requests step proposes the usual follow-on requests (maintenance, custody, the marital home...). The lawyer chooses; nothing is added alone.
- **A much larger law library:** 1,361 articles from six legal texts, of which two are **complete**:

Text	Articles	Coverage	How the text was taken and checked
Family Code (84-11, as amended by 05-02)	227	Complete	Each article read against the Official Journal page that published it, amendments applied.
Code of civil and administrative procedure, CPCA (08-09, as amended by 22-13)	1,084	Complete	Same as the Family Code.
Civil Code (75-58)	29	Partial	Typed from the official PDF; each text's letters are found, in order, in the PDF's own text.
Commercial Code (75-59)	4	Partial	Same as the Civil Code.
Labour relations (90-11 and amendments)	10	Partial	Transcribed from page images, then read a second time word by word against the same images.
Labour disputes (90-04)	7	Partial	Same as labour relations.

  These numbers change as texts are added (the Civil Code is next). The app must read them from `LawLibrary`, never write them by hand. No text has yet been reviewed by a lawyer (`LawCode.Verified` is false for all).

- **Your onboarding work is in the app:** the welcome screen (with a new background image, `Assets/Images/welcome-bg.jpg`, and its licence note), the setup, the profile and the start screen.

5. Phase 0: finish the start screen (Feature 2)

5.1 Fill the recent-cases list

- **Must:** after every **successful** save of a case file (`.dzdraft.json`) and every successful open, the case is recorded in `RecentCasesStore` with its full path and its subject (the claim subject, or the plaintiff's name when there is none).
  - A cancelled picker, a failed write or an unreadable file records nothing.
  - PDF and Word exports are **not** case files and are not recorded.
  - Restoring the recovery copy records nothing (it has no file of its own until saved).

- **The full path:** `IUserFiles.OpenAsync` and `SaveAsync` return only a file name. The desktop picker (`AvaloniaUserFiles`) can know the local path. `IHomeRecentFiles` (in `IHomeWorkspace.cs`) was written for this: `LastOpenedPath`, `LastSavedPath`, `OpenPathAsync`. Implement it in the desktop app and use it. Choose the smallest clean change and explain it in the report.
- **The web demo records nothing** and must not need a store.

5.2 Open a recent case

- **Must:** clicking a recent case opens it through the **same path as Open**: ask before replacing unsaved work, then read the file with the same checks and error messages as `OpenCommand`.
- Wire `openRecentCase` where `App.axaml.cs` creates `OnboardingWindow` (and wherever `HomeWindow` is created, 5.3).
- **A file that has moved or been deleted** shows the existing message «لم يعد الملف موجودا في مكانه: {0}» with "Remove from list". Removing an entry never deletes the case file.
- The view model needs an "open this path" entry that reuses the existing open logic; do not copy it.

5.3 Home and Profile in the workbench title bar

- **Must:** two new title-bar controls, in the group with New, Open and Save:
  - **Home** («الرئيسية», key `Home`, already exists): shows the start screen. The open case stays open, unchanged and unsaved changes are kept; «العودة إلى القضية» brings it back. Going home does **not** ask to save, because nothing is replaced.
  - **Profile and settings** (key `ProfileButton`, Appendix A): opens the existing profile window (`ProfileSettingsWindow`). Changes apply to new cases only, as today.
- Use the existing `HomeWindow` / `HomeWorkspace` if they fit; otherwise replace them and remove what is unused. Say which in the report.
- **Design:** icons with a tooltip, or icon and text; the title bar must not overflow at 1366×768 in either language.

5.4 The start screen's other buttons

- Sample, Tour, Help and Library stay disabled with «غير متاح بعد» until their phase is done. Each phase enables its own button and removes its note.
- When all four work, remove the key `HomeComingLater` from both resource files, and any test that only checked it.
- Add a fifth, smaller entry for **About** in Phase 3 (design decides where: footer, menu or row).

6. Phase 1: the interactive guide (Feature 3)

6.1 The tour (6 stops)

- **When it starts:**
  - offered once, at the end of the first-launch setup: «هل تريد جولة تعريفية قصيرة (دقيقة واحدة)؟» with Yes / Not now. Use the existing `tourHandler` hook of `SetupViewModel`;
  - always available from the start screen and from Help.

- **Over which case:**
  - if a case is open, the tour runs over it **without changing it**;
  - if none is open, it opens an empty new case (through New, so it can never replace unsaved work).
- **Stops** (text in Appendix A, "Tour"), each with its anchor:

#	Stop	Anchor in `MainWindow.axaml`
1	Case steps	`StepsList`
2	The form	`FormPanel`
3	The live draft	`DraftPanel`
4	Legal grounds and the claim type	`GroundsPanel` (or `AnalyseButton`). It is visible only in the Legal grounds step: the tour selects that step for this stop and **restores the step the lawyer was on** at the end.
5	The formal check	The right-hand check panel. It has no name today: add `Name="CheckPanel"`.
6	Export	`ExportPdfButton` and `ExportWordButton` (highlight both, or the bar that holds them)

- **Controls:**
  - Next, Back, Skip, Finish, and a counter "2 of 6";
  - Esc closes;
  - the arrow keys follow the reading direction (in Arabic, ← is Next).
- **Anchors:** found by name, never by screen position. If a target is hidden (for example, the assistant panel covers the check panel), the stop shows its text centred instead of failing.
- **No change to the case:** the tour never types, never starts the AI and never changes the draft mark or the engine. Only the selected step may change, and it is restored.
- **Accessibility:**
  - reduced motion is respected;
  - a screen reader reads the stop's title and text;
  - focus moves to the tour card and returns where it was.

6.2 The guided sample case

- **The sample file.** The fictitious debt case `src/DzLegal.Web/Samples/debt.json` is today shipped only with the web demo, and its loader (`SampleCase`) is in `src/DzLegal.Web/Services/WebEngine.cs`.
  - Ship the same file with the desktop app, and move the small loader to `DzLegal.Presentation` so both use it.
  - **One copy of the file only** (a linked file in the desktop project is fine). The web demo must load its four samples exactly as before.
  - Do not edit the sample's content. If something in it does not fit the guide, write it in the report.
- **How it starts:** "Try a sample case" opens it through the normal ask-before-replacing flow. It is marked as a sample: `IsSampleCase`.

- **A visible banner** stays for the whole sample: «قضية مثال — بيانات وهمية للتدريب. تُصدَّر دائما بوسم «مسودة».»
- **A guide panel with six tasks**, each ticked from the **real state** of the case, never by a click on the task:

#	Task	Ticked when
1	Read the case facts	The Facts step has been opened.
2	Analyse the facts	An analysis exists for the current facts (`Analysis` is not null and `IsAnalysisStale` is false).
3	Confirm the claim type	`IsClaimConfirmed`.
4	Draft the legal grounds	`HasGeneratedDraft`.
5	Review what the AI wrote	No AI-written section is left unreviewed (the same rule the export blockers use; read it, do not copy it).
6	Export the petition	A PDF or Word export succeeded during this sample.

  Each task has one short hint (Appendix A) and, where it helps, "Show me", which moves to the right step. "Show me" never presses a button for the lawyer.
- **The draft mark is forced on** during the sample. Its checkbox (`DraftWatermarkCheck`) is disabled with a short explanation. Saving is allowed; the suggested file name starts with «مثال».
- **Without the local model:** the analysis (tasks 2 and 3) needs it.
  - When it is unavailable, the guide says so (`SampleNoModel`), marks tasks 2 and 3 «يتطلب النموذج المحلي» (not ticked), and lets the lawyer finish tasks 4 to 6 with the engine «دون ذكاء اصطناعي (قوالب)».
  - Check how the app really behaves with that engine and describe it in the report. Do not change the engine to make a task tick.
- **When every task that can be done is done:** «أنهيت المثال. يمكنك الآن بدء عريضة حقيقية.» with a "New petition" button (through New, so unsaved work is asked about).
- **Leaving the sample** (Leave the sample, New, Open, a recent case) returns to normal mode, clears the sample flag, and gives the draft mark back its usual default.
- **Recent cases:** the sample is never added unless the lawyer saves it.

6.3 Help pages (offline)

- **Seven short pages** (Appendix B), in Arabic and English, shown inside the app.
- **Reached** from a Help control (start screen and workbench title bar). The existing ⓘ hints may link to the relevant page.
- **No web view and no internet.** Plain text styled with the app's tokens. The text lives in the resource files like every other string.
- **Each page:** a title, a few short paragraphs or a list, and "Back to help". The help index lists the seven pages and offers the tour.

7. Phase 2: the law library (Feature 4)

7.1 Purpose

Show the lawyer, honestly, which legal texts the app holds, how complete each one is and how its text was checked. Reached from the start screen, from Help and from the About page. **Read-only.**

7.2 The list of texts

- **One card or row per loaded text** (six today), from `LawLibrary`:
  - title;
  - reference (e.g. «القانون رقم 84-11 المؤرخ في 9 يونيو 1984»);
  - edition (which publication and amendments) and the date it is current to (`ConsolidatedAsOf`);
  - number of loaded articles;
  - coverage: **Complete** or **Partial** (`Partial`);
  - how the text was checked (7.3);
  - "Official source", opened in the browser only on click.
- **A summary line** at the top: «{0} مادة من {1} نصوص قانونية، منها {2} كاملة.», computed from the library.
- **Order:** complete texts first, then by number of articles.
- **A note** on the page: «تُستعمل المواد المحمَّلة فقط في الاقتراحات الآلية. يمكنك دائما ذكر مواد أخرى في ملاحظاتك.»

7.3 How each text was checked: two badges

Each text shows **two separate facts**. Design both so new values can be added later without redesign.

Badge	Values (Arabic final)	Source in the code
1. How the text was taken	• «قُرئ على صفحة الجريدة الرسمية»: Family Code, CPCA; • «مطابق آليا لنص الملف الرسمي»: Civil and Commercial Codes; • «نُقل من صورة الصفحة وقُرئ مرتين»: the two labour texts.	A new property `LawCode.Check`, added by engineering before Phase 2 (section 9). **Never guess it** from the title, the id or the notes.
2. Lawyer's review	• «لم يراجعه محامٍ بعد» (all texts today); • later: «راجعه محامٍ».	`LawCode.Verified` (exists).

Each badge has a short tooltip or "What does this mean?" that opens help page B7.

7.4 Reading a text's articles

- **Opening a text** shows its articles in order: the article number, its place in the code (book, title, chapter: `LawArticle.Path`), and its full text, right to left, in the document font.
- **An amended article** shows the amending law (`AmendedBy`) in a small line under it.

- **A search box** filters by article number («المادة 66» or «66») or by words. Reuse the search the workbench already uses for articles, `ArticleSearch.Find` in `DzLegal.Law`, keeping only the opened text's results; do not write a second one. Arabic letter variants (أ / ا, ة / ه, ى / ي) must match as they do there.
- **Performance:** the CPCA has 1,084 articles. The list must scroll smoothly on an 8 GB laptop with no graphics card: use a virtualised list, and load a text's articles only when it is opened.
- **Copy:** a "Copy" action per article copies «{0} من {1}: …» with the full text. Nothing else can be edited.

8. Phase 3: the About page (new)

- **Reached** from the start screen (5.4) and from Help.
- **Content**, in this order (wording in Appendix A, "About"):
  1. **The product and its version.** The app's name, the version read from the assembly (`AssemblyInformationalVersionAttribute`), never typed by hand. Engineering sets the version number (section 9).
  2. **What it is for:** drafting the statement of claim in Arabic, for Algerian lawyers.
  3. **A draft, not legal advice.** The lawyer reviews and signs; the app does not judge the merits or guarantee a result.
  4. **Offline and private.** The local model runs on the computer; case data is never sent anywhere; no usage statistics are collected.
     - When an online engine is offered (the testing build only), the page adds the existing online-engine notice under this paragraph. Reuse it; do not write a new one.
  5. **Legal sources.** One line computed from the library («{0} مادة من {1} نصوص قانونية…») and a button to the law library page.
  6. **Team.** The credits in Appendix A (names and roles confirmed by the project owner, section 9).
  7. **Licences.** The bundled fonts, icons, image and libraries, each with its licence name, and a "Third-party notices" button that shows the full licence texts **inside the app**.
- **Licences to list**, to check against each package's own licence file (do not trust this table; correct it in the report if it is wrong):

Item	Where it comes from	Licence (to verify)
Noto Naskh Arabic (document font)	`assets/fonts/`, with `OFL.txt`	SIL Open Font License 1.1
Inter (interface font)	package `Avalonia.Fonts.Inter`	SIL Open Font License 1.1
Fluent UI System Icons	package `FluentIcons.Avalonia`	MIT
Welcome background image	`Assets/Images/welcome-bg.jpg`, with its `.LICENSE.txt`	The project's own image
Avalonia, CommunityToolkit.Mvvm, DocumentFormat.OpenXml	packages	MIT

Scriban	package	BSD 2-Clause
QuestPDF	package (used under its Community licence, `PdfRenderer.cs`)	QuestPDF Community License

The local model and Ollama are not bundled: the lawyer installs them, under their own terms. The page says so in one line and does not list them as bundled.

- **The notices file:** `THIRD-PARTY-NOTICES.txt`, bundled with the desktop app, holding the full text of each licence above. Shown in a scrollable, read-only view.

9. What engineering provides, and when

Item	Needed for	What it is
`LawCode.Check`	Phase 2	A property on each legal text saying how its text was taken (the three values of 7.3), loaded with the library. Engineering adds it on the default branch; you then merge the default branch into `djihane/guide`. **Until it is there, build everything else in Phase 2 and leave badge 1 out.**
The version number	Phase 3	Set once in the build files. Until then the page shows whatever the assembly carries; do not set it yourself.
The credits	Phase 3	The names and roles to show, confirmed by the project owner. Appendix A has your line; the owner provides the others.

Ask for these through the project owner. Do not change `src/DzLegal.Law` or `data/` to get them.

10. Out of scope (do not build)

- Editing, importing or downloading legal texts.
- Any change to the analysis, the drafting, the prompts or the claim catalogue.
- The tour, sample, library or About page in the web demo.
- Accounts, login, a database, sync or any online service.
- Update checks or "what's new" downloads.
- The logo in the PDF or Word output.

11. Quality bar

- **Premium and calm.** It matches the charcoal-and-gold workbench and your onboarding screens: the same tokens, type and icon style. Add new tokens to `App.axaml` or `Styles/Workbench.axaml`, never one-off colours.
- **Nothing overlaps, clips or collapses** at 1366×768 or 1920×1080, at 100% and 125% scaling, in Arabic and English, light and dark. Long article texts wrap; they are never cut.

- **Readable:**
  - body text ≥ 14 px; article text in the document font ≥ 15 px;
  - secondary text ≥ 12.5 px;
  - contrast ≥ 4.5:1 for text and ≥ 3:1 for icons, borders and the focus ring, measured in both themes (your contrast checks in `WelcomeTests` show the way).
- **Keyboard:**
  - every action is reachable with Tab and has a visible focus;
  - the tab order follows the reading direction;
  - Enter confirms; Esc closes dialogs, the tour, help, the library and About.
- **Right to left done properly:** article texts are always right to left, even in the English interface; references mixing Arabic and digits («84-11») lay out correctly.
- **Motion:** short (≤ 150 ms), calm, and off when the system asks for reduced motion. The tour's highlight must not flicker.
- **Plain wording,** as in the appendices. No technical jargon for the lawyer.

12. Tests, screenshots and acceptance

12.1 Tests to add (examples, not a limit)

- **Recent cases (Phase 0):**
  - a successful save and a successful open each record the case, with its path and subject;
  - a cancelled picker, a failed save, an unreadable file and a PDF or Word export record nothing;
  - opening a recent case with unsaved work asks first, and "Cancel" changes nothing;
  - a moved file shows the message and can be removed; the case file is never deleted;
  - the web demo needs no store.
- **Home and Profile (Phase 0):** Home keeps the open case and its unsaved changes; Back to case returns to it; the profile window opens from the workbench.
- **Tour:**
  - every stop finds its anchor in a rendered workbench;
  - a hidden anchor falls back to centred text;
  - after the tour, the case inputs, the draft mark, the engine and the selected step are as before;
  - with no case open, the tour opens a new one through New.
- **Sample case:**
  - the desktop and the web load the same `debt.json`; the web's four samples are unchanged;
  - each task ticks from the real state, and only from it;
  - the draft mark is forced on and its box disabled; leaving restores both;
  - without a model, tasks 2 and 3 show "needs the local model" and the sample can still be finished;
  - the sample is not recorded in recent cases unless saved.

- **Library:**
  - one card per loaded text, with the article counts and coverage read from `LawLibrary` (the test compares with the library, not with fixed numbers);
  - the search finds an article by number and by a word, with letter variants;
  - the CPCA list is virtualised (only a screenful of items is created).
- **About:** the version comes from the assembly; every bundled font, icon and image has a licence line and a licence file in the output folder.
- **Strings:** every new key exists in both resource files, and every `L[...]` key used in the new views exists (extend the existing scan in `SetupTests`).

12.2 Screenshots to deliver

- **How:** taken by rendering tests (`DZLEGAL_SCREENSHOTS=<folder outside the repo>`), then the chosen ones copied to `docs/images/guide/`, in **Arabic light, Arabic dark, English light, English dark**, at 1366×768 (plus 1920×1080 for the library and About).
- **Screens:**
  - the workbench title bar with Home and Profile;
  - the start screen with recent cases;
  - tour stops 1 and 4;
  - the sample case with the guide panel at task 3, and the sample finished;
  - the help index and one help page;
  - the law library list, and the CPCA opened with a search;
  - the About page and the third-party notices.
- Look at every screenshot yourself before committing it.

12.3 Acceptance

- **Build and tests:** 0 warnings; every test passes, the existing ones and the new ones.
- **By hand** (`dotnet run --project src/DzLegal.App`, with the engine «دون ذكاء اصطناعي (قوالب)» if Ollama is absent): save a case, go Home, see it in recent cases, open it again; take the tour; finish the sample; find CPCA article 13 in the library; open About.
- **Navigation:** every new screen can be reached and used with the keyboard only.
- **Safety:** unsaved work and the recovery copy are never lost through any new path.
- **Output and offline:** the PDF and Word output are unchanged; nothing loads from the internet.
- **Web demo:** builds, passes its tests, and looks and works as before.

13. Delivery and review

- **Commits:** one or more per phase, pushed to `djihane/guide`.
- **A short report** in `docs/GUIDE-RELEASE.md`:
  - what was built, per phase;
  - the design decisions and why;
  - the screenshots;
  - the tests added or updated, and why any existing test changed;

    - every file changed outside `src/DzLegal.App`, `src/DzLegal.Presentation`, `src/DzLegal.Storage`, their tests, and the sample loader move;
    - how the sample behaves without a model (6.2);
    - any wording you propose to change, and any licence that differs from section 8;
    - known limitations.
- **We review the branch before merging:** build, tests, screenshots and a walk-through of the app. Fixes are made on the same branch, and your commits keep your name.

Appendix A: every new string

Keys marked "exists" are already in both resource files: reuse them. Key names for new strings are suggestions; keep them consistent. The Arabic is final; the English may be shortened for space. `{0}` marks a value inserted by the code.

Workbench and start screen

Key	Arabic	English
Home (exists)	الرئيسية	Home
BackToCase (exists)	العودة إلى القضية	Back to case
ProfileButton	الملف المهني	Profile
ProfileButtonHint	الملف المهني والتفضيلات	Profile and settings
Help	المساعدة	Help
About	حول التطبيق	About
StartSample, StartSampleDesc, StartTour, HomeHelp, HomeLibrary (exist)	جرّب قضية مثال · قضية وهمية ترافقك خطوة بخطوة من الوقائع إلى التصدير. · جولة تعريفية · المساعدة · المكتبة القانونية	Try a sample case · … · Take the tour · Help · Law library
SetupOfferTour	هل تريد جولة تعريفية قصيرة (دقيقة واحدة)؟	Take a one-minute tour?
SetupOfferTourYes / No	نعم، ابدأ الجولة / ليس الآن	Yes, start the tour / Not now

Tour

Key	Arabic	English
Tour1Title / Text	**خطوات القضية** املأ القضية خطوة بخطوة. العلامة ✓ تعني أن الخطوة مكتملة.	**Case steps** Fill in the case step by step. ✓ means the step is complete.
Tour2Title / Text	**الاستمارة** اكتب هنا بيانات القضية كما تعرفها. لا يُقطع النص الطويل أبدا.	**The form** Write the case details here as you know them. Long text is never cut.
Tour3Title / Text	**العريضة تتشكّل أمامك** تتحدّث المسودة مع كل تعديل. يمكنك التبديل بين التحرير والمعاينة.	**Your petition takes shape** The draft updates with every change. Switch between editing and preview.
Tour4Title / Text	**نوع الدعوى والأسانيد** يقرأ النموذج المحلي الوقائع ويقترح نوع الدعوى والمواد. تؤكّد نوع الدعوى أولا، ثم تختار المواد. لا يُعتمد أي اقتراح قبل تأكيدك.	**Claim type and legal grounds** The local model reads the facts and proposes the claim type and articles. You confirm the claim type first, then choose the articles. Nothing is used until you confirm it.

Tour5Title / Text	**المراجعة الشكلية** تتحقق من البيانات الإلزامية في الشكل فقط، ولا تحكم على موضوع الدعوى.	**Formal check** Checks the mandatory details of form only; it does not judge the merits.
Tour6Title / Text	**التصدير** صدّر إلى PDF أو Word بعد مراجعة الأقسام التي كتبها الذكاء الاصطناعي.	**Export** Export to PDF or Word after reviewing the sections the AI wrote.
TourNext / Back / Skip / Finish	التالي / السابق / تخطّي الجولة / إنهاء	Next / Back / Skip tour / Finish
TourCounter	{0} من {1}	{0} of {1}

Sample case

Key	Arabic	English
SampleBanner	قضية مثال — بيانات وهمية للتدريب. تُصدَّر دائما بوسم «مسودة».	Sample case — fictitious training data. Always exported with the draft mark.
SampleGuideTitle	خطوات المثال	Sample steps
SampleTask1 / Hint	اقرأ وقائع القضية — افتح خطوة «الوقائع» وتعرّف على النزاع.	Read the case facts — open the Facts step to see the dispute.
SampleTask2 / Hint	حلّل الوقائع — اطلب من النموذج اقتراح نوع الدعوى والمواد.	Analyse the facts — ask the model to propose the claim type and articles.
SampleTask3 / Hint	أكّد نوع الدعوى — راجع الاقتراح ثم أكّده إن كان مناسبا.	Confirm the claim type — review the proposal and confirm it if it fits.
SampleTask4 / Hint	صُغ الأسانيد — أنشئ المسودة من الوقائع والمواد المؤكّدة.	Draft the legal grounds — create the draft from the facts and confirmed articles.
SampleTask5 / Hint	راجع ما كتبه الذكاء الاصطناعي — اقرأ كل قسم مُعلَّم وأكّد مراجعته.	Review what the AI wrote — read each marked section and confirm your review.
SampleTask6 / Hint	صدّر العريضة — احفظها بصيغة PDF أو Word.	Export the petition — save it as PDF or Word.
SampleNeedsModel	يتطلب النموذج المحلي	Needs the local model
SampleShowMe	أرني أين	Show me
SampleWatermarkForced	وسم «مسودة» إلزامي في قضية المثال.	The draft mark is required in the sample case.
SampleNoModel	النموذج المحلي غير متوفر، فلا يمكن تحليل الوقائع. يمكنك إكمال بقية المثال بمحرك «دون ذكاء اصطناعي (قوالب)».	The local model is not available, so the facts cannot be analysed. You can finish the rest of the sample with the engine "Without AI (templates)".

SampleDone	أنهيت المثال. يمكنك الآن بدء عريضة حقيقية.	You have finished the sample. You can now start a real petition.
SampleLeave	الخروج من المثال	Leave the sample
SampleFilePrefix	مثال	sample

Help

Key	Arabic	English
HelpTitle	المساعدة	Help
HelpBack	العودة إلى المساعدة	Back to help
Help1Title … Help7Title	The seven titles of Appendix B. Each page's body is one key per paragraph or list (`Help1Body1`, `Help1Body2`…), both languages.	

Law library

Key	Arabic	English
LibraryTitle	المكتبة القانونية	Law library
LibraryIntro	النصوص القانونية المحمَّلة في التطبيق، كما نُقلت من مصدرها الرسمي. تُستعمل دون اتصال.	The legal texts loaded in the app, as taken from their official source. Used offline.
LibrarySummary	{0} مادة من {1} نصوص قانونية، منها {2} كاملة.	{0} articles from {1} legal texts, {2} of them complete.
LibraryReference	المرجع	Reference
LibraryEdition	الطبعة	Edition
LibraryAsOf	محيَّن إلى {0}	Current to {0}
LibraryArticles	المواد المحمَّلة: {0}	Articles loaded: {0}
LibraryComplete	كامل	Complete
LibraryPartial	جزئي	Partial
LibraryPartialHint	تضم المكتبة المواد التي تعتمد عليها أنواع الدعاوى في التطبيق فقط.	The library holds only the articles the app's claim types rely on.
LibraryCheckJournal	قُرئ على صفحة الجريدة الرسمية	Read against the Official Journal page
LibraryCheckJournalHint	قورن نص كل مادة بصفحة الجريدة الرسمية التي نشرته، وطُبّقت عليه التعديلات المنشورة.	Each article was compared with the Official Journal page that published it, with the published amendments applied.
LibraryCheckPdf	مطابق آليا لنص الملف الرسمي	Matched automatically to the official file

LibraryCheckPdfHint	وُجدت حروف كل مادة وأرقامها، بالترتيب نفسه، في نص ملف PDF الرسمي.	Each article's letters and digits were found, in the same order, in the official PDF's text.
LibraryCheckImages	نُقل من صورة الصفحة وقُرئ مرتين	Transcribed from the page image, read twice
LibraryCheckImagesHint	الملف الرسمي صور فقط؛ نُقل النص منها ثم قُرئ مرة ثانية كلمة كلمة على الصور نفسها.	The official file holds images only; the text was transcribed from them, then read again word by word against the same images.
LibraryNotReviewed	لم يراجعه محامٍ بعد	Not yet reviewed by a lawyer
LibraryReviewed	راجعه محامٍ	Reviewed by a lawyer
LibraryOfficial	المصدر الرسمي	Official source
LibraryOpen	عرض المواد	Show articles
LibrarySearch	ابحث برقم المادة أو بكلمة	Search by article number or word
LibraryNoResult	لا توجد مادة تطابق البحث.	No article matches the search.
LibraryArticle	المادة {0}	Article {0}
LibraryAmendedBy	معدّلة بـ{0}	Amended by {0}
LibraryCopy	نسخ	Copy
LibraryCopied	نُسخ نص المادة.	Article text copied.
LibraryNote	تُستعمل المواد المحمَّلة فقط في الاقتراحات الآلية. يمكنك دائما ذكر مواد أخرى في ملاحظاتك.	Only loaded articles are used in automatic suggestions. You can always cite other articles in your notes.
LibraryWhat	ماذا يعني هذا؟	What does this mean?

About

Key	Arabic	English
AboutTitle	حول التطبيق	About
AboutVersion	الإصدار {0}	Version {0}
AboutPurpose	مساعد لتحرير عريضة افتتاح الدعوى باللغة العربية، موجّه إلى المحامين في الجزائر.	An assistant for drafting the statement of claim in Arabic, for lawyers in Algeria.
AboutDraftTitle	مسودة تراجعها، لا استشارة قانونية	A draft to review, not legal advice
AboutDraft	يقترح التطبيق مسودة تراجعها وتعدّلها. لا يحكم على موضوع الدعوى ولا يضمن نتيجتها، وأنت المسؤول عن العريضة التي توقّعها.	The app proposes a draft for you to review and edit. It does not judge the merits or guarantee the outcome; you are responsible for the petition you sign.

AboutPrivacyTitle	يعمل دون اتصال، وبياناتك لا تغادر حاسوبك	Works offline; your data stays on your computer
AboutPrivacy	يعمل نموذج الذكاء الاصطناعي على حاسوبك. لا تُرسَل بيانات القضايا إلى أي جهة، ولا يجمع التطبيق أي إحصاءات عن استعماله.	The AI model runs on your computer. Case data is never sent anywhere, and the app collects no usage statistics.
AboutModelNote	النموذج المحلي وبرنامج Ollama لا يُرفقان بالتطبيق؛ تثبّتهما أنت وفق شروطهما الخاصة.	The local model and Ollama are not bundled; you install them under their own terms.
AboutSourcesTitle	المصادر القانونية	Legal sources
AboutSources	{0} مادة من {1} نصوص قانونية، مأخوذة من الجريدة الرسمية للجمهورية الجزائرية.	{0} articles from {1} legal texts, taken from the Official Journal of Algeria.
AboutOpenLibrary	فتح المكتبة القانونية	Open the law library
AboutTeamTitle	فريق العمل	Team
AboutTeamDesign	Djihane Ben Djeddou — تصميم الواجهة وتجربة الاستخدام	Djihane Ben Djeddou — interface and experience design
AboutTeam…	The other lines, provided by the project owner (section 9).	
AboutLicencesTitle	التراخيص	Licences
AboutLicencesIntro	الخطوط والأيقونات والصور والمكتبات المرفقة بالتطبيق، وتراخيصها:	The fonts, icons, images and libraries bundled with the app, and their licences:
AboutNotices	إشعارات الأطراف الأخرى	Third-party notices
AboutOwnImage	صورة خاصة بالمشروع	The project's own image

Appendix B: content of the help pages

The Arabic is final; the English follows the same content. Pages B1 to B6 update brief 1 for today's app; B7 is new. Keep each page short; design may add icons or a simple illustration.

B1. How the app works — كيف يعمل التطبيق

يساعدك التطبيق على تحرير عريضة افتتاح دعوى باللغة العربية في تسع خطوات: الجهة القضائية، المدعي، المدعى عليه، موضوع الدعوى، الوقائع، الأسانيد القانونية، الطلبات، المستندات، التاريخ والتوقيع.

تتشكّل العريضة أمامك مع كل تعديل. عند الوصول إلى الأسانيد، يقرأ نموذج ذكاء اصطناعي يعمل على حاسوبك الوقائع ويقترح نوع الدعوى والمواد القانونية. تؤكّد نوع الدعوى وتختار المواد، ثم يصوغ الأسانيد. تراجع بعد ذلك المسودة وتصدّرها إلى PDF أو Word.

لا تغادر أي معطيات حاسوبك، ويعمل التطبيق دون اتصال بالإنترنت.

B2. What the AI does and does not do — ما الذي يفعله الذكاء الاصطناعي وما لا يفعله

- يقرأ الوقائع التي كتبتها ويقترح نوع الدعوى والمواد من المكتبة القانونية المحمَّلة.
- لا يُعتمد أي اقتراح قبل أن تؤكده أنت: تؤكّد نوع الدعوى أولا، ثم تختار المواد.
- يكتب البرنامج نص القاعدة القانونية ورقم المادة، ويكتب الذكاء الاصطناعي فقط الجمل التي تطبّقها على وقائع قضيتك.
- كل قسم كتبه الذكاء الاصطناعي مُعلَّم، ويجب أن تراجعه قبل التصدير.
- لا يقدّم الذكاء الاصطناعي رأيا قانونيا ولا يضمن نتيجة الدعوى. أنت المسؤول عن العريضة التي توقّعها.

B3. The formal check and legal points — المراجعة الشكلية والنقاط القانونية

تتحقق المراجعة الشكلية من وجود البيانات الإلزامية في العريضة (مثل هوية الأطراف والجهة القضائية والتوقيع). وهي تخص الشكل فقط: اكتمالها لا يعني أن الدعوى مقبولة أو مؤسسة.

يتضمن قسم «في الشكل» من العريضة فقرة تذكر المواد التي تنظّم شكل العريضة في قانون الإجراءات المدنية والإدارية. راجعها كما تراجع بقية العريضة.

النقاط القانونية للمراجعة تنبّهك إلى مسائل قد تحتاج إلى انتباهك، مثل غياب سند قانوني أو تاريخ ناقص. هي ملاحظات تساعدك، والقرار لك.

B4. Why export is sometimes blocked — لماذا يُمنع التصدير أحيانا

يُمنع التصدير حين يبقى ما يجب إتمامه قبل تقديم العريضة، مثل قسم كتبه الذكاء الاصطناعي ولم تراجعه بعد، أو فراغ «(...)» لم يُملأ، أو نص أطول مما تتسع له خانته. تظهر قائمة «قبل التصدير» ما بقي، ويُرفع المنع بمجرد إتمامه.

B5. Saving and recovering your work — حفظ العمل واستعادته

- احفظ قضيتك في ملف بالضغط على «حفظ» أو Ctrl+S، وافتحها لاحقا من «فتح» أو من القضايا الأخيرة في الشاشة الرئيسية.
- يحفظ التطبيق نسخة تلقائية أثناء العمل. إن أُغلق فجأة، يعرض عليك في المرة القادمة استئناف الجلسة السابقة.
- قبل بدء قضية جديدة أو فتح أخرى، يسألك التطبيق إن كانت لديك تعديلات غير محفوظة.
- إزالة قضية من قائمة القضايا الأخيرة لا تحذف ملفها.

B6. Keyboard shortcuts — اختصارات لوحة المفاتيح

Shortcut	Arabic	English
Ctrl+N	عريضة جديدة	New petition
Ctrl+O	فتح قضية	Open a case

Ctrl+S	حفظ	Save
Ctrl+G	صياغة الأسانيد	Draft legal grounds
Ctrl+P	تصدير PDF	Export PDF
Esc	إغلاق النافذة أو الجولة أو المساعدة	Close a dialog, the tour or help

If you add shortcuts (for example for Home or Help), add them to this page, check they do not clash with the existing ones, and say so in the report.

B7. The law library المكتبة القانونية —

- يقتبس التطبيق نصوص المواد من المكتبة القانونية المحمَّلة فيه فقط، ولا يعتمد على ذاكرة الذكاء الاصطناعي.
- بعض النصوص كاملة، وبعضها جزئي يضم المواد التي تعتمد عليها أنواع الدعاوى في التطبيق فقط.
- لكل نص علامتان: الأولى تبيّن كيف نُقل النص وكيف قورن بمصدره الرسمي، والثانية تبيّن هل راجعه محامٍ.
- يمكنك فتح المصدر الرسمي لكل نص، وذكر مواد غير محمَّلة في ملاحظاتك.

Appendix C: the project map for this brief

Where	What it is, and what this brief needs from it
`src/DzLegal.App/App.axaml.cs`	Creates `OnboardingWindow` at start-up. Phase 0 wires `openRecentCase` here (and `tourHandler` in Phase 1).
`src/DzLegal.App/Views/OnboardingWindow.cs`, `HomeWindow.cs`, `HomeWorkspace.cs`, `HomeView.axaml`	Your start screen and its link to the workbench. `HomeWindow` is not created anywhere today.
`src/DzLegal.App/Views/MainWindow.axaml` (+ `.axaml.cs`)	The workbench. Title bar: New, Open, Save, theme, language. Tour anchors: `StepsList`, `FormPanel`, `DraftPanel`, `GroundsPanel`, `AnalyseButton`, `ExportPdfButton`, `ExportWordButton`; the check panel needs a name. Shortcuts: Ctrl+N, Ctrl+O, Ctrl+S, Ctrl+P, Ctrl+G.
`src/DzLegal.App/Services/AvaloniaUserFiles.cs`	The desktop file pickers. Phase 0 makes them remember the local path of the last opened and saved case file (`IHomeRecentFiles`).
`src/DzLegal.Presentation/ViewModels/MainWindowViewModel*.cs`	The screen logic. `OpenCommand` / `NewCommand` ask before replacing; `Analysis`, `IsAnalysisStale`, `IsClaimConfirmed`, `HasGeneratedDraft`, `HasExportBlockers`, `DraftWatermark`, `SelectedStep`. Add new logic in new partial files or new view models (e.g. `TourViewModel`, `SampleGuideViewModel`, `LibraryViewModel`, `AboutViewModel`).
`src/DzLegal.Presentation/ViewModels/HomeViewModel.cs`, `IHomeWorkspace.cs`	The start screen's logic, and `IHomeRecentFiles` for Phase 0.
`src/DzLegal.Storage/RecentCasesStore.cs`	`RecordOpened`, `RecordSaved`, `Remove`, `Clear`; at most 10 entries; display data only.
`src/DzLegal.Web/Samples/debt.json`, `SampleCase` in `src/DzLegal.Web/Services/WebEngine.cs`	The sample case and its loader, to share with the desktop (6.2).

`DzLegal.Law` (read only): `LawLibrary`, `LawCode`, `LawArticle`, `ArticleSearch`, `OfficialLinks`	The loaded texts: `Title`, `Reference`, `Edition`, `ConsolidatedAsOf`, `Partial`, `Verified`, `Source`, the articles with `Number`, `Path`, `Text`, `AmendedBy`; and, from engineering, `Check`.
`src/DzLegal.Presentation/Resources/Strings.resx`, `Strings.en.resx`	Every string, Arabic and English (369 keys in each today).
`tests/DzLegal.App.Tests`	Headless Avalonia tests (`RenderingTests`, `WorkbenchTests`, `HomeTests`, `SetupTests`, `WelcomeTests` with its contrast checks). Add yours here, following the same patterns.

How to run: `dotnet build -c Release` · `dotnet test -c Release` · `dotnet run --project src/DzLegal.App`. Without Ollama, choose the engine «دون ذكاء اصطناعي (قوالب)».