DZ LEGAL ASSISTANT · DESIGN AND IMPLEMENTATION BRIEF

Onboarding, Lawyer Profile, Start Screen and Interactive Guide

For Djihane (UI/UX design) and the AI coding agent she works with (OpenCode)

الملف المهني للمحامي، الشاشة الرئيسية، والدليل التفاعلي

Date: 27 October 2026 · **Version:** 1.1 (see "What changed in 1.1" after the contents)

Branch to work on: `djihane/onboarding`, created from the latest `claude/stoic-fermat-mi1gko`

Repository: `ninjatradercodes/dz-legal-assistant`

Also read: `AGENTS.md` at the root of the repository (the agent reads it automatically).

Contents

1. How to use this brief
2. The product in one page
3. Hard rules
4. The project map for the agent
5. Feature 1: the lawyer's profile and settings
6. Feature 2: the start screen
7. Feature 3: the interactive guide (tour, sample case, help)
8. Feature 4: the law library page
9. Out of scope
10. Quality bar
11. Tests, screenshots and acceptance
12. Delivery and review
13. Appendix A: every new string, Arabic and English
14. Appendix B: content of the help pages

> **What changed in 1.1** (after Djihane's first mockups):
>
> - **A welcome screen is added** before setup step 1, on first launch only (5.2a).
> - **No account, login, password or database.** The reasons are given in 9a.
> - **The accreditation line agrees with the chosen form of address** («معتمدة» / «معتمد»), as in the mockup (5.3).
> - **Rules for photographs and imagery** are added (10).
> - **New strings** in Appendix A: `WelcomeTitle`, `WelcomeTagline`, `WelcomeStart`, `ProfileSupremeCourtMale`, `ProfileSupremeCourtFemale`.
> - **The mockup's wording is aligned with Appendix A:**
>   - «الاسم واللقب (بالعربية)», not «(بالعربي)»;
>   - «استعادة الصيغة المقترحة», not «استعادة الصياغة».

1. How to use this brief

- **Djihane decides the visual design:** layout, spacing, illustration, motion, the exact look of each screen. This brief fixes the **behaviour, data, wording and rules**, not the visuals.
  - Where a section says "design", the choice is hers.
  - Where it says "must", it is a requirement.
- **Give the agent this whole PDF and** `AGENTS.md` at the start of the session.
- **Build the features in order:** 1 → 2 → 3 → 4.
  - Each feature ends with a commit, a push, and the screenshots listed in section 11.
  - Never start the next feature with the app broken.
- **The Arabic wording in Appendix A is final.**
  - If the design needs a shorter or different text, write the proposal in the report; do not change it silently.
  - English wording may be adjusted for space.
- **If something in the code contradicts this brief, stop and write it in the report.** Do not work around the safety rules.

> **Prompt to start the agent with** (copy as is):
> "Read AGENTS.md and the attached brief completely before writing any code. Work only on the branch djihane/onboarding. Build Feature 1 first. Follow the brief's rules, wording and acceptance checks exactly. After each feature: build with 0 warnings, run all tests, capture the screenshots listed in section 11, look at them, fix what is wrong, then commit and push. When unsure, ask me instead of guessing."

2. The product in one page

- **What it is.** DZ Legal Assistant is an **offline Windows desktop app** for Algerian lawyers. It drafts the عريضة افتتاح دعوى (statement of claim) in Arabic.
- **How a lawyer uses it:**
  1. fills in the case (9 steps: court, plaintiff, defendant, claim, facts, legal grounds, requests, documents, date and signature);
  2. lets a local AI model propose the claim type and articles;
  3. confirms them;
  4. gets a draft;
  5. reviews it against a formal check;
  6. exports it to PDF or Word.
- **Who uses it:** lawyers of all ages, not necessarily technical, working mainly in Arabic, on ordinary laptops (often 8 GB, no graphics card, 1366×768 or 1920×1080 screens).
- **What it looks like today:** one workbench window (charcoal and gold), with the case steps, the form, the live draft and the formal check side by side.
  - Screenshots: `docs/images/workbench-release-*.png`.
- **What this brief adds:**
  - a first-launch setup with the lawyer's profile, which fills every new petition's signature block;
  - a start screen;
  - an interactive guide;
  - a read-only law library page.

  Together they make the app feel finished and welcoming, and save the lawyer retyping the same details in every case.

3. Hard rules

- **Git:**
  - work and push **only** on `djihane/onboarding`;
  - never commit to `claude/stoic-fermat-mi1gko`;
  - no force-push, no rebase of shared branches;
  - merge the default branch in when asked.
- **Build and tests:** after every commit, `dotnet build -c Release` gives 0 warnings, and `dotnet test -c Release` passes completely. Never delete, skip or weaken a test.
- **Offline:**
  - nothing loads from the internet;
  - no new web fonts, CDNs, analytics or downloads;
  - new fonts, icons or illustrations must be bundled with their licence (SIL OFL, Apache 2.0, MIT, CC0 or similar).
- **Privacy:**
  - the profile and preferences are stored only in the user's local app-data folder;
  - nothing is sent anywhere;
  - tests and screenshots use fictitious names only.
- **Do not change:**
  - the legal engine (`src/DzLegal.Drafting`, `Law`, `Domain`, `FormEngine`, `Documents`, `ModelProviders.*`, `Harness`);
  - `data/`;
  - `prompts/`;
  - the law-corpus folders.

  The PDF and Word output must stay byte-for-byte identical for the same case (the logo is **not** printed).
- **Keep the safety behaviour exactly:**
  - export blockers;
  - AI-authorship marks and review-before-export;
  - ask-before-replacing unsaved work (save first / continue without saving / cancel);
  - the recovery copy kept aside, never deleted;
  - over-long text kept whole.

  The new start screen and sample case must go through these same paths.
- **The web demo** (`src/DzLegal.Web`) shares the view models:
  - it must keep building and passing its tests;
  - it gets **no** profile, start screen or tour in this brief;
  - everything new must be optional for it.

4. The project map for the agent

Where	What it is, and what this brief needs from it
`src/DzLegal.App/Views/MainWindow.axaml` (+ `.axaml.cs`)	The only window today: the workbench (title bar, case steps, form, draft, formal check). Keyboard shortcuts: Ctrl+N, Ctrl+O, Ctrl+S, Ctrl+P (PDF), Ctrl+G (draft grounds). New screens can be separate views (`UserControl`s) hosted in this window, or separate windows for the setup. **Design decides.**
`src/DzLegal.App/App.axaml`, `Styles/Workbench.axaml`	Theme tokens and control styles (light and dark). **Reuse the tokens; add new ones here, never one-off values.**
`src/DzLegal.App/Composition.cs`, `Program.cs`, `App.axaml.cs`	Wiring at start-up: settings, AI engines, the view model. The first-launch decision (setup or start screen) belongs here.
`src/DzLegal.App/AppSettings.cs`	Shipped settings (`appsettings.json` beside the executable): language, default engine, background analysis, Ollama options. **Do not write user choices beside the executable** (it may be read-only once installed). Store preferences in the user folder (below), applied on top of these at start-up.
`src/DzLegal.Storage/AppPaths.cs`	The per-user folder `%LOCALAPPDATA%\DzLegalAssistant`. New files go here: `profile.json`, `profile/logo.png` (or `.jpg`), `preferences.json`, `recent.json`. Add the new model and stores (e.g. `LawyerProfile`, `ProfileStore`, `RecentCases`) in `DzLegal.Storage` or `DzLegal.Presentation`, with tests.
`src/DzLegal.Presentation/ViewModels/MainWindowViewModel.cs` (and its partial files `.Safety.cs`, `.Grounds.cs`, `.Waiting.cs`, …)	The screen logic (CommunityToolkit.Mvvm: `[ObservableProperty]`, `[RelayCommand]`). Key members: • `StartNew()` and the constructor create the empty case from `CaseInputs.CreateDefaults(...)`. **This is where the profile's values are applied to a new case.** • `NewCommand` / `OpenCommand` ask before replacing unsaved work. • `OpenCase(inputs)` opens a case from given inputs (used by the web demo's samples). • `HasRecoverableDraft`, `RestoreLastSessionCommand`, `DismissRecoveryCommand` handle recovery. • `DraftWatermark` is the draft mark. • `SwitchLanguage`, `IsDarkTheme` / `ToggleTheme`, `SelectedProvider` (AI engine). • `SuggestedFileName()` names exported files. Add new screen logic as **new partial files or new view models** (e.g. `ProfileViewModel`, `StartViewModel`, `TourViewModel`), not by growing the existing file.

`src/DzLegal.Presentation/Services/IUserFiles.cs`	File pickers (open, save) and the clipboard, behind an interface so view models stay testable. Add what you need (e.g. pick an image, open a known path, choose a folder), implemented in `src/DzLegal.App/Services/AvaloniaUserFiles.cs`.
`src/DzLegal.Presentation/Resources/Strings.resx` and `Strings.en.resx`	Every interface string, Arabic and English, read with `L["Key"]` or `L.Format("Key", …)`. Add the keys of Appendix A to **both** files.
`data/document-types/requete-introductive/definition.json` (read only)	The form. The signature step has these fields: • `lawyer.name`; • `lawyer.gender` (`male` / `female`); • `lawyer.bar` (the lawyer's standing, e.g. محامٍ لدى مجلس قضاء الجزائر); • `lawyer.address`; • `document.place`; • `document.date` (default today). The court step has `court.council`, `court.name` and `court.section`.
`src/DzLegal.Web/Samples/*.json`, `SampleCase` in `src/DzLegal.Web/Services/WebEngine.cs`	Four fictitious sample cases used by the web demo. The desktop sample case (Feature 3) uses `debt.json`. Share it without breaking the web demo: move the small `SampleCase` loader to `DzLegal.Presentation` and ship the sample file with the desktop app too. Choose the smallest clean change and say what you did.
`DzLegal.Law` (read only): `LawLibrary`, `LawCode`, `LegalKnowledge`, `OfficialLinks`	The loaded law texts. Feature 4 only **reads** them: title, reference, edition, consolidation date, number of articles, partial or complete, official link.
`tests/DzLegal.App.Tests` (`RenderingTests.cs`, `WorkbenchTests.cs`, `MainWindowViewModelTests.cs`)	Headless Avalonia tests: real windows rendered without a screen. With `DZLEGAL_SCREENSHOTS=<folder outside the repo>`, rendering tests save PNG screenshots. **Add your tests here, following the same patterns.**

How to run: `dotnet build -c Release` · `dotnet test -c Release` · `dotnet run --project src/DzLegal.App`. Without Ollama, choose the engine «دون ذكاء اصطناعي (قوالب)».

5. Feature 1: the lawyer's profile and settings

5.1 Purpose

- The lawyer enters their professional details **once**.
- Every **new** petition starts with the signature block and the usual court already filled in.
- App preferences that are scattered today are gathered in one place.

5.2 When it appears

- **First launch** (no `profile.json` in the user folder):
  - the welcome screen (5.2a) opens first, and its «ابدأ» opens the setup;
  - it has three short steps: *You* → *Office and documents* → *Preferences*, then "Start".
- **"Later" is always possible:**
  - the setup closes;
  - a file is saved recording that the setup was seen, so it never opens by itself again;
  - the start screen shows a gentle, non-blocking banner, "Complete your profile…", until the name and form of address are filled in.
- **Afterwards:**
  - the same content is always available as **"Profile and settings"** from the title bar (icon and label) and from the start screen;
  - it is one page with the three sections; design decides between tabs, sections or a side list.
- **It never blocks:** no field is required to use the app.

5.2a The welcome screen (first launch only)

- **When:**
  - the first time the app opens, a full-window welcome comes before setup step 1;
  - it is not shown again on later launches, which open the start screen directly.
- **Content:**
  - the product's mark;
  - its name: «مساعد صياغة العرائض» / "DZ Legal Assistant";
  - one tagline;
  - a language switch: **العربية / English**, the app's two languages. French is not an interface language; adding it would mean translating every string, which is out of scope;
  - one action, «ابدأ», which opens setup step 1;
  - the offline promise (`OfflineStatus`) as a quiet footer.
- **The name and identity are this product's**, not those of another project. Do not use another brand name, slogan or contact address.
- **Design is Djihane's:** a full-bleed image or an illustration, motion, layout. The image rules in section 10 apply.
- **Keyboard:** Enter starts, and the language switch is reachable with Tab.

5.3 Fields

Field	Stored as	Used for	Rules
Full name (Arabic)	`nameAr`	fills `lawyer.name`	Recommended. Up to 120 characters. Right to left.

Full name (French)	`nameFr`	stored only	Optional. Left to right.
Form of address: / الأستاذ الأستاذة	`gender` (`male` / `female`)	fills `lawyer.gender`	Recommended. This removes today's warning "choose the lawyer's gender" in every new case.
Judicial council where registered	`council`	builds the standing (below)	Free text, e.g. الجزائر, وهران.
Bar	`bar`	stored only	Free text, e.g. منظمة المحامين لناحية الجزائر.
Accredited at the Supreme Court and the Council of State	`supremeCourt` (yes/no)	builds the standing	Default: no. The label agrees with the chosen form of address: «معتمد لدى…» for الأستاذ and «معتمدة لدى…» for الأستاذة; «معتمد(ة) لدى…» only while no form of address is chosen.
Standing as written in the petition	`standing`	fills `lawyer.bar`	Suggested automatically, editable (see 5.4). Once edited by hand, it is no longer rewritten automatically.
Office address	`address`	fills `lawyer.address`	Multi-line allowed.
Phone, email	`phone`, `email`	stored only	Optional. Email is checked for shape only.
Firm name	`firm`	stored only	Optional.
Firm logo	`logo` (file name in `profile/`)	**stored only: not shown on petitions, not shown elsewhere in the app**	PNG or JPG, at most 2 MB. Copied into the user folder (the original may move). A small preview **inside this page only**, with "Remove". Note under it: "Kept for later use; it does not appear on petitions for now."
Usual place of drafting	`defaultPlace`	fills `document.place`	Free text.
Usual judicial council	`defaultCouncil`	fills `court.council`	Free text.
Usual court	`defaultCourt`	fills `court.name`	Free text.
Draft mark on by default	`watermarkByDefault`	initial `DraftWatermark` of a new case	Default: on (today's behaviour).
Naming of exported files	`fileNaming`	`SuggestedFileName()`	Two choices (Appendix A). Default: today's naming.
Interface language	`preferences.language`	language at start-up	Arabic (default) / English.
Appearance	`preferences.theme`	theme at start-up	Light / dark. Also remember the theme when changed from the title bar.
Default drafting engine	`preferences.engine`	initial `SelectedProvider`	Lists the same engines as the draft panel.

Analyse in the background when leaving Facts	`preferences.analyseInBackground`	the existing background analysis	Default: today's setting.
Folder for saved cases	`preferences.saveFolder`	start folder of the save and open dialogs	Optional. Chosen with a folder picker.

5.4 The suggested standing (`lawyer.bar`)

Built from the form of address, the council and the accreditation:

- الأستاذ، دون اعتماد: «محامٍ لدى مجلس قضاء {المجلس}»
- الأستاذة، دون اعتماد: «محامية لدى مجلس قضاء {المجلس}»
- مع الاعتماد يضاف: «، معتمد لدى المحكمة العليا ومجلس الدولة» أو «، معتمدة لدى المحكمة العليا ومجلس الدولة»

- Empty council: the suggestion is empty.
- The lawyer can overwrite the text. A small "Restore suggestion" action brings the automatic text back.

5.5 How the profile reaches a case

- **Applies only to new cases:** the empty case at start-up, `NewCommand`, and the start screen's "New petition".
- **Copied only into fields that are empty** in the new case.
  - `document.date` keeps its own default (today).
- **Never touches:**
  - an opened file;
  - a restored session;
  - the sample case.

  These keep their own values. A profile change never rewrites a saved case.
- **The values are ordinary field values.** The lawyer can change them in that case; the change stays in that case only.
- **No false "unsaved changes":** a new case pre-filled from the profile counts as the clean starting point.
  - Today `MarkSaved(null)` is called after `StartNew()`; keep that order so the fingerprint includes the profile values.
- **The web demo passes no profile,** and behaves exactly as today.

5.6 Storage, import and export

- **Files:**
  - `profile.json` and `preferences.json` in `AppPaths.Default.Root`;
  - the logo in `profile/`.

  Written atomically: write a temporary file, then replace.
- **Never crash.** A missing, empty or broken file means defaults: the app opens normally, and the setup appears only if the profile file is absent.
- **Export profile:** one file (`.dzprofile.json`) with the profile, preferences and logo (embedded as base64).
- **Import profile:**
  - shows what will be replaced;
  - asks to confirm;
  - a broken file gives a clear message and changes nothing.
- **Privacy note on the page** (Appendix A), always visible.
- **Saving:** changes save when the lawyer presses "Save". Design may choose save-as-you-go instead, but then a clear "Saved" state must show. Leaving with unsaved profile edits asks to keep or discard them.

- **Note under the page:** "Changes apply to new cases only; saved cases are not changed."

5.7 States to design

- first launch, steps 1–3, and the "Later" path;
- an empty profile;
- a complete profile;
- a field validation message (e.g. image too large or unreadable);
- import with confirmation;
- an import error;
- unsaved profile edits when leaving.

All of them in Arabic and English, light and dark.

6. Feature 2: the start screen

6.1 When it appears

- **On every launch after the first:**
  - after the setup (or its "Later") on first launch;
  - directly on later launches.
- **Also reachable** from a "Home" control in the title bar.
  - Going home with unsaved work does not lose it: the case stays open behind, and "Back to case" returns to it.
  - Starting another case from home goes through the existing ask-before-replacing flow.

6.2 Content

- **Main actions:**
  - "New petition" (Ctrl+N);
  - "Open a case…" (Ctrl+O);
  - "Try a sample case" (Feature 3).
- **"Resume previous session".** Shown only when `HasRecoverableDraft` is true. It uses the existing commands:
  - Resume → `RestoreLastSessionCommand`;
  - "Not now" → `DismissRecoveryCommand`, which keeps the copy aside and never deletes it.
- **Recent cases:**
  - up to 10, newest first;
  - each one shows the file name, the claim subject (`claim.subject`, cut visually at one line) and the last opened date;
  - added on every successful save or open; stored in `recent.json` (paths and the shown text only);
  - clicking opens the file through the normal open path;
  - a missing file shows a clear message and offers to remove it from the list;
  - "Remove from list" per item, and "Clear list".
- **Secondary links:**
  - "Take the tour";
  - "Help";
  - "Law library";
  - "Profile and settings".
- **The offline promise:** «يعمل دون اتصال: لا تغادر أي معطيات هذا الحاسوب.» (existing string `OfflineStatus`).
- **The incomplete-profile banner** from 5.2, when applicable.

6.3 States to design

- first use (no recent cases);
- with recent cases;
- with "Resume previous session";
- a missing recent file;
- the incomplete-profile banner;
- at 1366×768 and 1920×1080.

7. Feature 3: the interactive guide

7.1 The tour (6 stops)

- **When it starts:**
  - offered once, at the end of the first-launch setup ("Take a one-minute tour?" with Yes / Not now);
  - always available from Help and from the start screen.
- **What it does:** it opens the workbench with an empty new case and highlights one area at a time, with a short text (Appendix A, "Tour").
  1. the case steps;
  2. the form;
  3. the live draft;
  4. the legal grounds (the "Draft legal grounds" action and engine choice);
  5. the formal check;
  6. export.
- **Controls:**
  - Next, Back, Skip, and a counter "2 of 6";
  - Esc closes;
  - arrow keys follow the reading direction (in Arabic, ← is Next).
- **Anchors:**
  - each highlight finds its target by a stable name (`x:Name` or an automation id), never by screen position;
  - if a target is hidden (e.g. a collapsed pane), the tour shows the text centred instead of failing.
- **No change to the case:** the tour never types into the case and never starts the AI.
- **Accessibility:**
  - reduced motion is respected;
  - the text is readable by a screen reader;
  - focus moves to the tour card and returns where it was.

7.2 The guided sample case

- **How it starts:**
  - "Try a sample case" opens the fictitious debt case (`debt.json`) through the normal ask-before-replacing flow;
  - it is marked as a sample: `IsSampleCase`.
- **A visible banner** stays for the whole sample: "Sample case — fictitious training data. Always exported with the draft mark."
- **A guide panel with six tasks** ticks itself from the real state of the case:
  1. read the facts: ticked when the Facts step has been opened;
  2. analyse the facts: an analysis exists;
  3. confirm the claim type: the claim is confirmed;
  4. draft the legal grounds: `HasGeneratedDraft`;
  5. review the AI-written sections: no unreviewed AI section remains;
  6. export: a PDF or Word export succeeded.

  Each task has one short hint (Appendix A) and, where it helps, a "Show me" that moves to the right step.
- **The draft mark is forced on** during the sample, and its checkbox is disabled with a short explanation.
  - Saving is allowed. The suggested file name starts with «مثال».

- **When the local model is unavailable,** the guide says so and suggests the engine «دون ذكاء اصطناعي (قوالب)», so the sample can always be finished.
- **When all six tasks are done:** "You have finished the sample. You can now start a real petition." with a "New petition" button.
- **Leaving the sample** ("Leave the sample", New, Open, or Home) returns to normal mode. The sample flag is cleared.
- **Never added** to the recent cases unless the lawyer saves it.

7.3 Help pages (offline)

- **Six short pages** (Appendix B), in Arabic and English, shown inside the app.
- **Reached** from a "Help" control in the title bar and from the start screen. The existing ⓘ hints may link to the relevant page.
- **No web view and no internet.** Plain text styled with the app's tokens.
- **Each page has a title,** a few short paragraphs or a list, and "Back to help".

8. Feature 4: the law library page (read-only)

- **Purpose:** show the lawyer, honestly, which legal texts the app holds.
- **Reached** from the start screen and from Help.
- **One row or card per loaded legal text** (today six), from the existing `LawLibrary`:
  - title;
  - reference (e.g. «الأمر رقم 75-58...»);
  - edition and consolidation date;
  - number of loaded articles;
  - coverage: "Partial" / "Complete";
  - verification state;
  - "Official source" link (existing `OfficialLinks`, opened in the browser only on click).
- **Verification state.** Today every text shows «لم يُراجَع بعد» ("Not yet reviewed"). Design the badge so it can later show other states **without redesign**:
  - «النص مطابق للمصدر» (text checked);
  - «قابل للتتبع» (traceable);
  - «مدعوم باجتهاد قضائي» (court-attested).

  These come from a law-corpus project now in progress. Show only today's state for now.
- **A note on the page:** "Only loaded articles are used in automatic suggestions. You can always cite other articles in your notes."
- **No editing, no import** in this brief.

9. Out of scope (do not build)

- **The logo in the PDF or Word output,** or anywhere in the app except the profile page's own preview.
- **A signature or stamp image.**
- **Several lawyer profiles** per installation.
- **A client book** or contact list.
- **Law updates or imports.**
- **Online accounts or sync.**
- **Changes to the web demo's screens.**
- **Any change** to drafting, analysis, the formal check, export rules or the form definition.

9a. Considered and not adopted: accounts, login and a database

The JurisDZ mockup has account creation and a sign-in screen (email, password, "forgot password"), and sends the profile to a database. **The desktop app has none of these.** The reasons:

- **It is offline and single-user.**
  - There is no server to hold accounts.
  - "Forgot password" cannot work without email or a server.
  - Email is never collected for sign-in.
- **A password screen without encryption is false security.**
  - Case files and the profile sit on the disk, readable by anyone using the computer, whatever screen the app shows first.
  - A lawyer who believes a password protects them is worse off than one who knows it does not.
- **It would add a step before every use** of an app whose promise is to save the lawyer time.
- **"The database" is a local file.** The profile is saved in `profile.json` in the user's own app-data folder (5.6), and every new petition is filled from it (5.5). That is the same flow as the mockup, without a server.

Protecting case files on a shared computer properly needs encrypted storage and a key the lawyer chooses, with a clear warning that a lost key means lost files. That is a separate feature for later, not part of this brief.

10. Quality bar

- **Premium and calm.**
  - It matches the current charcoal-and-gold workbench, with the same tokens, type and icon style.
  - It must feel like part of the same product, at the level of the best desktop software.
- **Photographs and imagery** (welcome screen or elsewhere):
  - **Licensing:** only images licensed for redistribution in a commercial product: your own photographs, CC0, or a licence that allows it. Bundle the licence or source note beside the file. Never an image found on the web without a licence.
  - **Bundled, never downloaded,** compressed (JPEG or WebP, about 400 KB at most per image), and sized for 1920×1080.
  - **Text over a photograph** keeps 4.5:1 contrast: use a dark overlay or gradient, and check both themes.
  - **A consideration, not a rule:** gavels belong to other countries' courts and are not used in Algerian courtrooms. Scales, codes and books, or Algerian architecture, may read as more local and more serious.
- **Nothing overlaps, clips or collapses** at 1366×768 or 1920×1080, at 100% and 125% scaling, in Arabic and English, light and dark.
- **Readable:**
  - body text ≥ 14 px;
  - secondary text ≥ 12.5 px;
  - contrast ≥ 4.5:1 for text and ≥ 3:1 for icons, borders and the focus ring, measured in both themes.
- **Keyboard:**
  - every action is reachable with Tab and has a visible focus;
  - the tab order follows the reading direction;
  - Enter confirms; Esc closes dialogs, the tour and help.
- **Right to left done properly:**
  - Arabic fields are right to left; the French name, email and phone are left to right;
  - mixed Arabic, French and digits lay out correctly.
- **Motion:** short (≤ 150 ms), calm, and off when the system asks for reduced motion. Nothing heavy while the AI runs.
- **Plain wording,** as in Appendix A. No technical jargon for the lawyer.

11. Tests, screenshots and acceptance

11.1 Tests to add (examples, not a limit)

- **Profile store:**
  - save and load round trip;
  - a missing, empty or broken file gives defaults;
  - the atomic write;
  - export and import round trip, including the logo;
  - an import error changes nothing.
- **Suggested standing:** all four combinations (الأستاذ / الأستاذة × accredited or not), an empty council, and a hand-edited text that is not overwritten.
- **New case from the profile:**
  - fields filled;
  - `document.date` is today;
  - no "unsaved changes" right after New;
  - an opened file and a restored session are **not** changed;
  - the web demo (no profile) is unchanged.
- **PDF and Word output are identical** with and without a stored logo, for the same case.
- **First-launch decision:**
  - no profile → welcome screen, then setup;
  - profile present → start screen;
  - "Later" → the start screen and the banner, and the setup is not shown again.
- **Recent cases:**
  - added on save and open;
  - at most 10;
  - a missing file is handled;
  - remove and clear;
  - the sample is not added unless saved.
- **Start screen recovery:** Resume and Not now call the existing commands. The recovery copy is never deleted.
- **Sample case:**
  - the six tasks tick from the real state;
  - the draft mark is forced on;
  - leaving clears the sample flag.
- **Tour:**
  - every stop finds its anchor;
  - a hidden anchor falls back to a centred text;
  - the case is unchanged after the tour.
- **Strings:** every new key exists in both `Strings.resx` and `Strings.en.resx`.

11.2 Screenshots to deliver

- **How:** taken by rendering tests, saved under `docs/images/onboarding/`, in **Arabic light, Arabic dark, English light, English dark**.
- **Sizes:** 1366×768, plus 1920×1080 for the start screen and the profile page.
- **Screens:**

    - the welcome screen;
    - setup steps 1, 2, 3;
    - profile page complete;
    - profile import confirmation;
    - start screen, first use;
    - start screen with recent cases and resume;
    - incomplete-profile banner;
    - tour stops 1 and 4;
    - sample case with the guide panel at task 3;
    - sample finished;
    - one help page;
    - the law library page.

11.3 Acceptance

- **Build and tests:** 0 warnings; all tests pass, the existing ones and the new ones.
- **Profile:** a new user can set up a profile in under two minutes, and the next new petition's signature block is filled without typing.
- **Navigation:** every screen above can be reached and used with the keyboard only.
- **Safety:** unsaved work and the recovery copy are never lost through any new path (home, start screen, sample, tour, import).
- **Output and offline:** the PDF and Word output are unchanged; nothing loads from the internet.
- **Web demo:** builds, passes its tests, and looks and works as before.

12. Delivery and review

- **Commits:** one or more per feature, pushed to `djihane/onboarding`.
- **Merge the default branch** when asked, never rebase.
- **A short report** in `docs/ONBOARDING-RELEASE.md`:
  - what was built;
  - the design decisions and why;
  - the screenshots;
  - the tests added;
  - every file changed outside `src/DzLegal.App`, `src/DzLegal.Presentation`, `src/DzLegal.Storage` and their tests;
  - any wording you propose to change;
  - known limitations.
- **We review the branch before merging:** build, tests, screenshots and a walk-through of the app. Fixes are made on the same branch.

Appendix A: every new string

Key names are suggestions; keep them consistent. The Arabic is final, and the English may be shortened for space. `{0}` marks a value inserted by the code.

Setup and profile

Key	Arabic	English
WelcomeTitle	مساعد صياغة العرائض	DZ Legal Assistant
WelcomeTagline	عريضة افتتاح الدعوى، بدقة ودون أن تغادر بياناتك حاسوبك.	Your statement of claim, drafted precisely, without your data ever leaving your computer.
WelcomeStart	ابدأ	Get started
SetupTitle	مرحبا بك في مساعد صياغة العرائض	Welcome to DZ Legal Assistant
SetupIntro	أدخل بياناتك المهنية مرة واحدة، فتُملأ تلقائيا في كل عريضة جديدة. تُحفظ على هذا الحاسوب فقط.	Enter your professional details once; they fill every new petition automatically. They are stored on this computer only.
SetupStepLawyer	المحامي	You
SetupStepOffice	المكتب والوثائق	Office and documents
SetupStepPrefs	التفضيلات	Preferences
SetupLater	لاحقا	Later
SetupFinish	ابدأ	Start
SetupOfferTour	هل تريد جولة تعريفية قصيرة (دقيقة واحدة)؟	Take a one-minute tour?
ProfileTitle	الملف المهني والإعدادات	Profile and settings
ProfileNameAr	الاسم واللقب (بالعربية)	Full name (Arabic)
ProfileNameFr	الاسم واللقب (بالفرنسية، اختياري)	Full name (French, optional)
ProfileGender	صيغة المخاطبة	Form of address
ProfileGenderMale	الأستاذ (محامٍ)	Maître (man)
ProfileGenderFemale	الأستاذة (محامية)	Maître (woman)
ProfileCouncil	مجلس القضاء المسجَّل فيه	Judicial council where you are registered
ProfileCouncilHint	مثال: الجزائر، وهران، قسنطينة	e.g. Alger, Oran, Constantine
ProfileBar	منظمة المحامين	Bar
ProfileBarHint	مثال: منظمة المحامين لناحية الجزائر	e.g. Bar of the Algiers region
ProfileSupremeCourt	معتمد(ة) لدى المحكمة العليا ومجلس الدولة	Accredited at the Supreme Court and the Council of State
ProfileSupremeCourtMale	معتمد لدى المحكمة العليا ومجلس الدولة	Accredited at the Supreme Court and the Council of State
ProfileSupremeCourtFemale	معتمدة لدى المحكمة العليا ومجلس الدولة	Accredited at the Supreme Court and the Council of State
ProfileStanding	الصفة كما تظهر في العريضة	Standing as written in the petition

ProfileStandingNote	تُقترح تلقائيا ويمكنك تعديلها.	Suggested automatically; you can edit it.
ProfileStandingRestore	استعادة الصيغة المقترحة	Restore suggestion
ProfileAddress	عنوان المكتب	Office address
ProfilePhone	الهاتف	Phone
ProfileEmail	البريد الإلكتروني	Email
ProfileFirm	اسم المكتب (اختياري)	Firm name (optional)
ProfileLogo	شعار المكتب (اختياري)	Firm logo (optional)
ProfileLogoNote	يُحفظ للاستعمال لاحقا، ولا يظهر في العرائض حاليا.	Kept for later use; it does not appear on petitions for now.
ProfileLogoChoose	اختر صورة…	Choose image…
ProfileLogoRemove	إزالة	Remove
DefaultsPlace	مكان التحرير المعتاد	Usual place of drafting
DefaultsCouncil	المجلس القضائي المعتاد	Usual judicial council
DefaultsCourt	المحكمة المعتادة	Usual court
DefaultsWatermark	وسم «مسودة» مفعَّل افتراضيا	Draft mark on by default
DefaultsFileName	تسمية الملفات المصدَّرة	Naming of exported files
FileNamingCurrent	نوع الوثيقة - اسم المدعي (الحالي)	Document type - plaintiff (current)
FileNamingParties	اسم المدعي ضد اسم المدعى عليه - التاريخ	Plaintiff v defendant - date
PrefsLanguage	لغة الواجهة	Interface language
PrefsTheme	المظهر	Appearance
PrefsThemeLight / Dark	فاتح / داكن	Light / Dark
PrefsEngine	محرك الصياغة الافتراضي	Default drafting engine
PrefsBackground	تحليل الوقائع في الخلفية عند مغادرة خطوة الوقائع	Analyse the facts in the background when leaving the Facts step
PrefsSaveFolder	مجلد حفظ القضايا	Folder for saved cases
PrefsSaveFolderChoose	اختر مجلدا…	Choose folder…
PrivacyNote	تُحفظ هذه البيانات على هذا الحاسوب فقط ولا تُرسَل إلى أي جهة.	These details are stored on this computer only and are never sent anywhere.
ProfileAppliesToNew	تُطبَّق التغييرات على القضايا الجديدة فقط؛ لا تتغير القضايا المحفوظة.	Changes apply to new cases only; saved cases are not changed.
ProfileSave	حفظ	Save
ProfileSaved	حُفظ الملف المهني.	Profile saved.
ProfileUnsaved	لم تُحفظ تعديلات الملف المهني. هل تريد حفظها؟	Your profile changes are not saved. Save them?
ProfileDiscard	تجاهل التعديلات	Discard changes
ProfileExport	تصدير الملف المهني…	Export profile…
ProfileImport	استيراد ملف مهني…	Import profile…

ProfileImportConfirm	سيحلّ الملف المستورد محلّ ملفك المهني وتفضيلاتك الحالية. هل تريد المتابعة؟	The imported file will replace your current profile and preferences. Continue?
ProfileImportInvalid	تعذّرت قراءة الملف المهني. لم يتغير شيء.	The profile file could not be read. Nothing was changed.
ImageTooLarge	الصورة أكبر من 2 ميغابايت. اختر صورة أصغر.	The image is larger than 2 MB. Choose a smaller one.
ImageInvalid	تعذّرت قراءة الصورة. اختر ملف PNG أو JPG.	The image could not be read. Choose a PNG or JPG file.
EmailInvalid	صيغة البريد الإلكتروني غير صحيحة.	This email address does not look right.
CompleteProfileBanner	أكمل ملفك المهني ليُملأ التوقيع تلقائيا في كل عريضة.	Complete your profile so the signature fills itself in every petition.
CompleteProfileAction	إكمال الملف	Complete profile

Start screen

Key	Arabic	English
Home	الرئيسية	Home
BackToCase	العودة إلى القضية	Back to case
StartNew	عريضة جديدة	New petition
StartOpen	فتح قضية…	Open a case…
StartSample	جرّب قضية مثال	Try a sample case
StartSampleDesc	قضية وهمية ترافقك خطوة بخطوة من الوقائع إلى التصدير.	A fictitious case that walks you step by step from the facts to export.
StartResume	استئناف الجلسة السابقة	Resume previous session
StartResumeDesc	وُجدت نسخة محفوظة تلقائيا من آخر جلسة عمل.	An automatic copy of your last session was found.
StartResumeLater	ليس الآن	Not now
StartRecent	القضايا الأخيرة	Recent cases
StartRecentEmpty	لا توجد قضايا حديثة بعد. ستظهر هنا القضايا التي تحفظها أو تفتحها.	No recent cases yet. Cases you save or open will appear here.
RecentMissing	لم يعد الملف موجودا في مكانه: {0}	The file is no longer where it was: {0}
RecentRemove	إزالة من القائمة	Remove from list
RecentClear	مسح القائمة	Clear list
RecentOpened	آخر فتح: {0}	Last opened: {0}
StartTour	جولة تعريفية	Take the tour
Help	المساعدة	Help
LawLibrary	المكتبة القانونية	Law library

Tour

Key	Arabic	English

Tour1Title / Text	**خطوات القضية** املأ القضية خطوة بخطوة. العلامة ✓ تعني أن الخطوة مكتملة.	**Case steps** Fill in the case step by step. ✓ means the step is complete.
Tour2Title / Text	**الاستمارة** اكتب هنا بيانات القضية كما تعرفها. لا يُقطع النص الطويل أبدا.	**The form** Write the case details here as you know them. Long text is never cut.
Tour3Title / Text	**العريضة تتشكّل أمامك** تتحدّث المسودة مع كل تعديل. يمكنك التبديل بين التحرير والمعاينة.	**Your petition takes shape** The draft updates with every change. Switch between editing and preview.
Tour4Title / Text	**الأسانيد القانونية** يقرأ النموذج المحلي الوقائع ويقترح نوع الدعوى والمواد. لا يُعتمد أي اقتراح قبل تأكيدك.	**Legal grounds** The local model reads the facts and proposes the claim type and articles. Nothing is used until you confirm it.
Tour5Title / Text	**المراجعة الشكلية** تتحقق من البيانات الإلزامية في الشكل فقط، ولا تحكم على موضوع الدعوى.	**Formal check** Checks the mandatory details of form only; it does not judge the merits.
Tour6Title / Text	**التصدير** صدّر إلى PDF أو Word بعد مراجعة الأقسام التي كتبها الذكاء الاصطناعي.	**Export** Export to PDF or Word after reviewing the sections the AI wrote.
TourNext / Back / Skip / Finish	التالي / السابق / تخطّي الجولة / إنهاء	Next / Back / Skip tour / Finish
TourCounter	{0} من {1}	{0} of {1}

Sample case

Key	Arabic	English
SampleBanner	قضية مثال — بيانات وهمية للتدريب. تُصدَّر دائما بوسم «مسودة».	Sample case — fictitious training data. Always exported with the draft mark.
SampleGuideTitle	خطوات المثال	Sample steps
SampleTask1 / Hint	اقرأ وقائع القضية — افتح خطوة «الوقائع» وتعرّف على النزاع.	Read the case facts — open the Facts step to see the dispute.
SampleTask2 / Hint	حلّل الوقائع — اطلب من النموذج اقتراح نوع الدعوى والمواد.	Analyse the facts — ask the model to propose the claim type and articles.
SampleTask3 / Hint	أكّد نوع الدعوى — راجع الاقتراح ثم أكّده إن كان مناسبا.	Confirm the claim type — review the proposal and confirm it if it fits.
SampleTask4 / Hint	صُغ الأسانيد — أنشئ المسودة من الوقائع والمواد المؤكَّدة.	Draft the legal grounds — create the draft from the facts and confirmed articles.
SampleTask5 / Hint	راجع ما كتبه الذكاء الاصطناعي — اقرأ كل قسم مُعلَّم وأكّد مراجعته.	Review what the AI wrote — read each marked section and confirm your review.
SampleTask6 / Hint	صدّر العريضة — احفظها بصيغة PDF أو Word.	Export the petition — save it as PDF or Word.
SampleShowMe	أرني أين	Show me
SampleWatermarkForced	وسم «مسودة» إلزامي في قضية المثال.	The draft mark is required in the sample case.
SampleNoModel	النموذج المحلي غير متوفر. اختر «دون ذكاء اصطناعي (قوالب)» لإكمال المثال.	The local model is not available. Choose "Without AI (templates)" to finish the sample.

SampleDone	أنهيت المثال. يمكنك الآن بدء عريضة حقيقية.	You have finished the sample. You can now start a real petition.
SampleLeave	الخروج من المثال	Leave the sample
SampleFilePrefix	مثال	sample

Law library

Key	Arabic	English
LibraryIntro	النصوص القانونية المحمَّلة في التطبيق، كما نُقلت من مصدرها الرسمي. تُستعمل دون اتصال.	The legal texts loaded in the app, as taken from their official source. Used offline.
LibraryReference	المرجع	Reference
LibraryAsOf	محيَّن إلى	Current to
LibraryArticles	المواد المحمَّلة: {0}	Articles loaded: {0}
LibraryPartial	جزئي	Partial
LibraryComplete	كامل	Complete
LibraryNotReviewed	لم يُراجَع بعد	Not yet reviewed
LibraryOfficial	المصدر الرسمي	Official source
LibraryNote	تُستعمل المواد المحمَّلة فقط في الاقتراحات الآلية. يمكنك دائما ذكر مواد أخرى في ملاحظاتك.	Only loaded articles are used in automatic suggestions. You can always cite other articles in your notes.

Appendix B: content of the help pages

The Arabic is final. The English follows the same content. Keep each page short; design may add icons or a simple illustration.

B1. How the app works — كيف يعمل التطبيق

يساعدك التطبيق على تحرير عريضة افتتاح دعوى باللغة العربية في تسع خطوات: الجهة القضائية، المدعي، المدعى عليه، موضوع الدعوى، الوقائع، الأسانيد القانونية، الطلبات، المستندات، التاريخ والتوقيع.

تتشكّل العريضة أمامك مع كل تعديل. عند الوصول إلى الأسانيد، يقرأ نموذج ذكاء اصطناعي يعمل على حاسوبك الوقائع ويقترح نوع الدعوى والمواد القانونية، ثم يصوغ الأسانيد بعد تأكيدك. تراجع بعد ذلك المسودة وتصدّرها إلى PDF أو Word.

لا تغادر أي معطيات حاسوبك، ويعمل التطبيق دون اتصال بالإنترنت.

B2. What the AI does and does not do — ما الذي يفعله الذكاء الاصطناعي وما لا يفعله

- يقرأ الوقائع التي كتبتها ويقترح نوع الدعوى والمواد من المكتبة القانونية المحمَّلة.
- لا يُعتمد أي اقتراح قبل أن تؤكده أنت.
- يكتب البرنامج نص القاعدة القانونية ورقم المادة، ويكتب الذكاء الاصطناعي فقط الجمل التي تطبّقها على وقائع قضيتك.
- كل قسم كتبه الذكاء الاصطناعي مُعلَّم، ويجب أن تراجعه قبل التصدير.
- لا يقدّم الذكاء الاصطناعي رأيا قانونيا ولا يضمن نتيجة الدعوى. أنت المسؤول عن العريضة التي توقّعها.

B3. The formal check and legal points — المراجعة الشكلية والنقاط القانونية

تتحقق المراجعة الشكلية من وجود البيانات الإلزامية في العريضة (مثل هوية الأطراف والجهة القضائية والتوقيع). وهي تخص الشكل فقط: اكتمالها لا يعني أن الدعوى مقبولة أو مؤسسة.

النقاط القانونية للمراجعة تنبّهك إلى مسائل قد تحتاج إلى انتباهك، مثل غياب سند قانوني أو تاريخ ناقص. هي ملاحظات تساعدك، والقرار لك.

B4. Why export is sometimes blocked — لماذا يُمنع التصدير أحيانا

يُمنع التصدير حين يبقى ما يجب إتمامه قبل تقديم العريضة، مثل قسم كتبه الذكاء الاصطناعي ولم تراجعه بعد، أو فراغ «(...)» لم يُملأ، أو نص أطول مما تتسع له خانته. تظهر قائمة «قبل التصدير» ما بقي، ويُرفع المنع بمجرد إتمامه.

B5. Saving and recovering your work — حفظ العمل واستعادته

- احفظ قضيتك في ملف بالضغط على «حفظ» أو Ctrl+S، وافتحها لاحقا من «فتح» أو من القضايا الأخيرة.
- يحفظ التطبيق نسخة تلقائية أثناء العمل. إن أُغلق فجأة، يعرض عليك في المرة القادمة استئناف الجلسة السابقة.
- قبل بدء قضية جديدة أو فتح أخرى، يسألك التطبيق إن كانت لديك تعديلات غير محفوظة.

B6. Keyboard shortcuts — اختصارات لوحة المفاتيح

Shortcut	Arabic	English
Ctrl+N	عريضة جديدة	New petition
Ctrl+O	فتح قضية	Open a case
Ctrl+S	حفظ	Save
Ctrl+G	صياغة الأسانيد	Draft legal grounds
Ctrl+P	تصدير PDF	Export PDF
Esc	إغلاق النافذة أو الجولة أو المساعدة	Close a dialog, the tour or help

If you add new shortcuts (e.g. for Home or Help), add them to this page and say so in the report.