https://demo.chairsyde.com/voice-note/   ⋮

There were issues affecting this run of Lighthouse:

- **There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.**

- **The page may not be loading as expected because your test URL (https://demo.chairsyde.com/voice-note) was redirected to https://demo.chairsyde.com/voice-note/. Try testing the second URL directly.**

29

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49   50–89   90–100

METRICS   Expand view

⚠ First Contentful Paint

3.0 s

⚠ Largest Contentful Paint

5.2 s

⚠ Total Blocking Time

1,210 ms

Cumulative Layout Shift

0

⚠ Speed Index

4.3 s

▮ View Treemap

Show audits relevant to: All   FCP   LCP   TBT   CLS

DIAGNOSTICS

⚠ Avoid multiple page redirects — Potential savings of 4,070 ms   ⌃

Redirects introduce additional delays before the page can be loaded. Learn how to avoid page redirects. [LCP] [FCP]

URL	Time Spent
chairsyde.com [1st Party]	**4,070 ms**
/voice-note (demo.chairsyde.com)	260 ms
/voice-note/ (demo.chairsyde.com)	3,810 ms
/voice-note/ (demo.chairsyde.com)	0 ms

⚠ Reduce JavaScript execution time — 3.1 s   ⌃

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. [TBT]

URL	Total CPU Time	Script Evaluation	Script Parse
chairsyde.com [1st Party]	3,821 ms	3,025 ms	118 ms
/_nuxt/bcb1d2b.js (demo.chairsyde.com)	1,780 ms	1,726 ms	9 ms
/_nuxt/c6f50fd.js (demo.chairsyde.com)	1,338 ms	1,047 ms	92 ms
/voice-note/ (demo.chairsyde.com)	261 ms	13 ms	0 ms
/_nuxt/7967207.js (demo.chairsyde.com)	245 ms	235 ms	8 ms
/_nuxt/f9b9b59.js (demo.chairsyde.com)	126 ms	4 ms	9 ms
…css/6217b50.css (demo.chairsyde.com)	70 ms	0 ms	0 ms
Unattributable	149 ms	4 ms	0 ms
Unattributable	149 ms	4 ms	0 ms

⚠ Minimize main-thread work — 4.1 s ⌃

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work [TBT]

| Category	Time Spent
Script Evaluation	3,085 ms
Other	599 ms
Script Parsing & Compilation	142 ms
Style & Layout	92 ms
Garbage Collection	85 ms
Parse HTML & CSS	80 ms
Rendering	4 ms

⚠ **Largest Contentful Paint element   — 5,190 ms**   ⌄

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP

Element	
	h3.is-size-2.text-brand-100.has-text-weight-medium.main-heading

Phase	% of LCP	Timing
TTFB	3%	180 ms
Load Delay	0%	0 ms
Load Time	0%	0 ms
Render Delay	97%	5,010 ms

⚠ **Reduce unused JavaScript   — Potential savings of 1,727 KiB**   ⌄

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). FCP LCP

☑ Show 3rd-party resources (4)

URL	Transfer Size	Potential Savings
chairsyde.com 1st Party	**2,395.7 KiB**	**1,530.9 KiB**
/_nuxt/c6f50fd.js (demo.chairsyde.com)	928.5 KiB	619.4 KiB
/_nuxt/c6f50fd.js (demo.chairsyde.com)	928.5 KiB	561.6 KiB
/_nuxt/f9b9b59.js (demo.chairsyde.com)	113.3 KiB	66.7 KiB
/_nuxt/bcb1d2b.js (demo.chairsyde.com)	72.9 KiB	66.3 KiB

URL	Transfer Size	Potential Savings
/_nuxt/f9b9b59.js (demo.chairsyde.com)	113.3 KiB	53.4 KiB
…./node_modules/vue/dist/vue.runtime.common.prod.js	21.0 KiB	17.7 KiB
…./node_modules/vue/dist/vue.runtime.esm.js	22.4 KiB	5.3 KiB
…./node_modules/ufo/dist/index.cjs	3.4 KiB	2.9 KiB
…./node_modules/core-js/modules/web.url.constructor.js	3.6 KiB	2.9 KiB
…./node_modules/vue-router/dist/vue-router.esm.js	8.4 KiB	2.9 KiB
/_nuxt/bcb1d2b.js (demo.chairsyde.com)	72.9 KiB	51.4 KiB
…pages/voice-note/index.vue	9.0 KiB	4.0 KiB
…components/VoiceNote/Bundle/TreatmentPlans.vue	2.3 KiB	2.2 KiB
…components/VoiceNote/Bundle/CustomTreatment/List.vue	2.2 KiB	2.1 KiB
(unmapped)	4.1 KiB	1.9 KiB
…components/VoiceNote/Bundle/VideoPlayer.vue	2.2 KiB	1.8 KiB
/_nuxt/7967207.js (demo.chairsyde.com)	64.8 KiB	49.4 KiB
/_nuxt/7967207.js (demo.chairsyde.com)	64.8 KiB	38.2 KiB
…store/voice-note/index.js	8.7 KiB	7.6 KiB
…store/voice-note/patient-session-bundle.js	4.7 KiB	4.3 KiB
…components/SidebarNew.vue	3.0 KiB	3.0 KiB
…components/SidebarLightGuide.vue	2.1 KiB	2.1 KiB
…components/NavbarNew.vue	3.9 KiB	2.0 KiB
/_nuxt/61c6c99.js (demo.chairsyde.com)	36.6 KiB	24.5 KiB
chargebee.com	**243.9 KiB**	**154.7 KiB**
/v2/chargebee.js (js.chargebee.com)	122.0 KiB	77.3 KiB
/v2/chargebee.js (js.chargebee.com)	122.0 KiB	77.3 KiB
…./node_modules/@chargebee/components/dist/esm/index.js	45.9 KiB	36.0 KiB
…./src/models/cb-instance.ts	3.0 KiB	2.7 KiB
…./node_modules/@sentry/hub/esm/scope.js	1.6 KiB	1.4 KiB
…./node_modules/@sentry/utils/esm/instrument.js	1.4 KiB	1.4 KiB
…./node_modules/@sentry/core/esm/baseclient.js	1.6 KiB	1.4 KiB

URL	Transfer Size	Potential Savings
userflow.com	**56.4 KiB**	**41.3 KiB**
/es2020/userflow.js (js.userflow.com)	28.2 KiB	20.6 KiB
/es2020/userflow.js (js.userflow.com)	28.2 KiB	20.6 KiB

⚠ Preconnect to required origins — Potential savings of 150 ms   ⌃

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins](). LCP FCP

URL	Potential Savings
hcaptcha.com	**290 ms**
https://newassets.hcaptcha.com	150 ms
https://api.hcaptcha.com	140 ms

⚠ Eliminate render-blocking resources — Potential savings of 80 ms   ⌃

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources](). FCP LCP

URL	Transfer Size	Potential Savings
Vidyard [Utility]	**22.6 KiB**	**120 ms**
/embed/v4.js (play.vidyard.com)	22.6 KiB	120 ms

⚠ Avoid serving legacy JavaScript to modern browsers — Potential savings of 75 KiB   ⌃

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline]() features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling]() FCP LCP

☐ Show 3rd-party resources (3)

URL	Potential Savings
chairsyde.com 1st Party	**51.7 KiB**
/_nuxt/f9b9b59.js (demo.chairsyde.com)	20.4 KiB

f9b9b59.js:2	@babel/plugin-transform-classes
f9b9b59.js:2	@babel/plugin-transform-regenerator
f9b9b59.js:2	@babel/plugin-transform-spread
f9b9b59.js:2	Array.from
f9b9b59.js:2	Array.prototype.concat
f9b9b59.js:2	Array.prototype.fill
f9b9b59.js:2	Array.prototype.filter
f9b9b59.js:2	Array.prototype.find
f9b9b59.js:2	Array.prototype.findIndex
f9b9b59.js:2	Array.prototype.includes
f9b9b59.js:2	Array.prototype.join
f9b9b59.js:2	Array.prototype.map
f9b9b59.js:2	Array.prototype.slice
f9b9b59.js:2	Array.prototype.sort
f9b9b59.js:2	Object.assign
f9b9b59.js:2	Object.create
f9b9b59.js:2	Object.entries
f9b9b59.js:2	Object.freeze
f9b9b59.js:2	Object.getOwnPropertyDescriptor
f9b9b59.js:2	Object.getOwnPropertyDescriptors
f9b9b59.js:2	Object.keys
f9b9b59.js:2	Object.values
f9b9b59.js:2	String.fromCodePoint
f9b9b59.js:2	String.prototype.endsWith
f9b9b59.js:2	String.prototype.includes
f9b9b59.js:2	String.prototype.link
f9b9b59.js:2	String.prototype.repeat

URL	Potential Savings
f9b9b59.js:2 String.prototype.startsWith	
f9b9b59.js:2 String.prototype.trim	

/_nuxt/c6f50fd.js (demo.chairsyde.com)   17.3 KiB

c6f50fd.js:2	@babel/plugin-transform-classes
c6f50fd.js:2	@babel/plugin-transform-regenerator
c6f50fd.js:2	@babel/plugin-transform-spread
c6f50fd.js:2	Array.from
c6f50fd.js:2	Array.prototype.concat
c6f50fd.js:2	Array.prototype.filter
c6f50fd.js:2	Array.prototype.find
c6f50fd.js:2	Array.prototype.findIndex
c6f50fd.js:2	Array.prototype.includes
c6f50fd.js:2	Array.prototype.join
c6f50fd.js:2	Array.prototype.map
c6f50fd.js:2	Array.prototype.slice
c6f50fd.js:2	Array.prototype.unshift
c6f50fd.js:2	Math.trunc
c6f50fd.js:2	Object.assign
c6f50fd.js:2	Object.create
c6f50fd.js:2	Object.getOwnPropertyDescriptor
c6f50fd.js:2	Object.getOwnPropertyDescriptors
c6f50fd.js:2	Object.keys
c6f50fd.js:2	String.prototype.endsWith
c6f50fd.js:2	String.prototype.includes
c6f50fd.js:2	String.prototype.startsWith
c6f50fd.js:2	String.prototype.trim

/_nuxt/964ebf2.js (demo.chairsyde.com)   11.1 KiB

964ebf2.js:1	String.prototype.replaceAll

URL	Potential Savings
/_nuxt/7967207.js (demo.chairsyde.com)	1.8 KiB

7967207.js:1	@babel/plugin-transform-regenerator

/_nuxt/bcb1d2b.js (demo.chairsyde.com)	1.1 KiB

bcb1d2b.js:1	@babel/plugin-transform-regenerator

userflow.com	**11.9 KiB**
/es2020/userflow.js (js.userflow.com)	11.9 KiB

userflow.js:2	Promise.allSettled

chargebee.com	**11.3 KiB**
/v2/chargebee.js (js.chargebee.com)	11.3 KiB

chargebee.js:2	@babel/plugin-transform-classes
chargebee.js:2	@babel/plugin-transform-regenerator
chargebee.js:2	Array.prototype.find
chargebee.js:2	Array.prototype.findIndex
chargebee.js:2	Object.assign
chargebee.js:2	String.prototype.endsWith
chargebee.js:2	String.prototype.startsWith

YouTube [Video]	**0.0 KiB**
…www-widgetapi.vflset/www-widgetapi.js (www.youtube.com)	0.0 KiB

www-widgetapi.js:17	@babel/plugin-transform-regenerator

⚠️ Page prevented back/forward cache restoration — **1 failure reason**   ⌃

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. Learn more about the bfcache

Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache.	Pending browser support

/voice-note/ (demo.chairsyde.com)

Serve images in next-gen formats — Potential savings of 8 KiB   ⌃

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. Learn more about modern image formats. `FCP` `LCP`

◭   Use the `nuxt/image` component and set `format="webp"`. Learn more.

URL	Resource Size	Potential Savings
cloudfront.net	**15.4 KiB**	**8.2 KiB**
…conversions/a8d42574-….jpg? Expires=… (d2aaqvqwv6tne1.cloudfront.net)	15.4 KiB	8.2 KiB

Serve static assets with an efficient cache policy — 91 resources found   ⌃

A long cache lifetime can speed up repeat visits to your page. Learn more about efficient cache policies.

☑ Show 3rd-party resources (45)

URL	Cache TTL	Transfer Size
chairsyde.com `1st Party`		**1,933 KiB**
/_nuxt/c6f50fd.js (demo.chairsyde.com)	None	939 KiB
…css/6217b50.css (demo.chairsyde.com)	None	466 KiB
/_nuxt/f9b9b59.js (demo.chairsyde.com)	None	114 KiB
…css/851918d.css (demo.chairsyde.com)	None	80 KiB
/_nuxt/bcb1d2b.js (demo.chairsyde.com)	None	73 KiB
/_nuxt/7967207.js (demo.chairsyde.com)	None	65 KiB

URL	Cache TTL	Transfer Size
/_nuxt/61c6c99.js (demo.chairsyde.com)	None	41 KiB
/accomplished.mp3 (demo.chairsyde.com)	None	32 KiB
…fonts/BasierCir….a05b38a.woff2 (demo.chairsyde.com)	None	18 KiB
…fonts/BasierCir….3601733.woff2 (demo.chairsyde.com)	None	18 KiB
…fonts/BasierCir….14d0305.woff2 (demo.chairsyde.com)	None	18 KiB
…fonts/BasierCir….d5326df.woff2 (demo.chairsyde.com)	None	18 KiB
/_nuxt/d9c2cc0.js (demo.chairsyde.com)	None	9 KiB
/_nuxt/2148582.js (demo.chairsyde.com)	None	9 KiB
/_nuxt/964ebf2.js (demo.chairsyde.com)	None	7 KiB
/_nuxt/20677e7.js (demo.chairsyde.com)	None	6 KiB
…img/csyd_logo.bd259d7.svg (demo.chairsyde.com)	None	3 KiB
…img/voice-logo.ed6d87d.svg (demo.chairsyde.com)	None	2 KiB
…css/5cd4835.css (demo.chairsyde.com)	None	2 KiB
…img/start-treatment.c215380.svg (demo.chairsyde.com)	None	1 KiB
…img/searchIcon.55caca3.svg (demo.chairsyde.com)	None	1 KiB
…img/create-template.57a209c.svg (demo.chairsyde.com)	None	1 KiB
…img/qr-code.a65475f.svg (demo.chairsyde.com)	None	1 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/upload-worker.js (demo.chairsyde.com)	None	0 KiB
/_nuxt/20677e7.js (demo.chairsyde.com)	None	0 KiB

URL	Cache TTL	Transfer Size
/_nuxt/c6f50fd.js (demo.chairsyde.com)	None	0 KiB
/_nuxt/f9b9b59.js (demo.chairsyde.com)	None	0 KiB
/_nuxt/61c6c99.js (demo.chairsyde.com)	None	0 KiB
…fonts/BasierCir….d5326df.woff2 (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/_nuxt/7967207.js (demo.chairsyde.com)	None	0 KiB
/_nuxt/2148582.js (demo.chairsyde.com)	None	0 KiB
…css/6217b50.css (demo.chairsyde.com)	None	0 KiB
…css/851918d.css (demo.chairsyde.com)	None	0 KiB
/_nuxt/d9c2cc0.js (demo.chairsyde.com)	None	0 KiB
/_nuxt/964ebf2.js (demo.chairsyde.com)	None	0 KiB
/_nuxt/bcb1d2b.js (demo.chairsyde.com)	None	0 KiB
…css/5cd4835.css (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/upload-worker.js (demo.chairsyde.com)	None	0 KiB

URL	Cache TTL	Transfer Size
chargebee.com		**338 KiB**
/v2/chargebee.js (js.chargebee.com)	5m	122 KiB
…v2/master-b6e7238….js (js.chargebee.com)	5m	86 KiB
/hcaptcha.js?onload=hCaptchaOnLoad (js.chargebee.com)	5m	65 KiB
…v2/254-12bbe73….js (js.chargebee.com)	5m	50 KiB
…v2/234-7850882….js (js.chargebee.com)	5m	6 KiB
…v2/253-38cc4e3….js (js.chargebee.com)	5m	5 KiB
…v2/251-1d544bf….js (js.chargebee.com)	5m	2 KiB
…v2/260-6d54549….js (js.chargebee.com)	5m	2 KiB
…v2/pi-worker.js (js.chargebee.com)	5m	0 KiB
…v2/234-7850882….js (js.chargebee.com)	5m	0 KiB
…v2/251-1d544bf….js (js.chargebee.com)	5m	0 KiB
…v2/253-38cc4e3….js (js.chargebee.com)	5m	0 KiB
…v2/254-12bbe73….js (js.chargebee.com)	5m	0 KiB
…v2/260-6d54549….js (js.chargebee.com)	5m	0 KiB
…v2/master-b6e7238….js (js.chargebee.com)	5m	0 KiB
…v2/pi-worker.js (js.chargebee.com)	5m	0 KiB
/hcaptcha.js?onload=hCaptchaOnLoad (js.chargebee.com)	5m	0 KiB
/v2/chargebee.js (js.chargebee.com)	5m	0 KiB
cloudfront.net		**256 KiB**

URL	Cache TTL	Transfer Size
…conversions/a8d42574-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	16 KiB
…conversions/46f9024a-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	16 KiB
…conversions/49f273f4-….jpg?Expires=174… &Signature=SE7CRSgIs… (d2aaqvqwv6tne1.cloudfront.net)	7d	15 KiB
…conversions/b9fa32e5-….jpg?Expires=174… &Signature=hirKuX5KZ… (d2aaqvqwv6tne1.cloudfront.net)	7d	15 KiB
…conversions/c4f54cf5-….jpg?Expires=174…&Signature=ZtJ-KP8DZ… (d2aaqvqwv6tne1.cloudfront.net)	7d	14 KiB
…conversions/62957c9d-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	14 KiB
…conversions/6fff406b-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	14 KiB
…conversions/ba925dc3-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	13 KiB
…conversions/fc1ae81d-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	13 KiB
…conversions/dd88f65a-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	13 KiB
…conversions/be1832b1-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
…conversions/9af3b176-….jpg?Expires=174… &Signature=Du7niR3Mz… (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
…conversions/058a25a8-….jpg?Expires=174… &Signature=kZAGaW630… (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
…conversions/f5b70f4a-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
…conversions/5c788e34-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
…conversions/807c5d7a-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
…conversions/6ea466c8-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
…conversions/1f3fef85-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	11 KiB

URL	Cache TTL	Transfer Size
…conversions/4ca3d1bc-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	10 KiB
…conversions/e9800406-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	7d	8 KiB
posthog.com		**8 KiB**
/static/web-vitals.js?v=1.235.6 (eu-assets.i.posthog.com)	5m	4 KiB
/static/exception-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	5m	4 KiB
…phc_sDyfy…/config.js (eu-assets.i.posthog.com)	5m	1 KiB
…phc_sDyfy…/config.js (eu-assets.i.posthog.com)	5m	0 KiB
/static/exception-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	5m	0 KiB
/static/web-vitals.js?v=1.235.6 (eu-assets.i.posthog.com)	5m	0 KiB
/static/dead-clicks-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	4h	0 KiB

Ensure text remains visible during webfont load ⌄

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading. [Learn more about `font-display`](#).

☑ Show 3rd-party resources (1)

URL	Potential Savings
chairsyde.com [1st Party]	**270 ms**
…fonts/BasierCir….d5326df.woff2 (demo.chairsyde.com)	120 ms
…fonts/BasierCir….d5326df.woff2 (demo.chairsyde.com)	50 ms
…fonts/BasierCir….3601733.woff2 (demo.chairsyde.com)	30 ms
…fonts/BasierCir….14d0305.woff2 (demo.chairsyde.com)	40 ms
…fonts/BasierCir….a05b38a.woff2 (demo.chairsyde.com)	30 ms

URL	Potential Savings
JSDelivr CDN [Cdn]	**280 ms**
…fonts/materialdesignicons-webfont.woff2?v=5.8.55 (cdn.jsdelivr.net)	280 ms

Defer offscreen images   —   Potential savings of 3 KiB   ⌃

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn how to defer offscreen images. [FCP] [LCP]

△ Use the nuxt/image component and set loading="lazy" for offscreen images. Learn more.

URL	Resource Size	Potential Savings
chairsyde.com [1st Party]	**2.6 KiB**	**2.6 KiB**
img …img/csyd_logo.bd259d7.svg (demo.chairsyde.com)	2.6 KiB	2.6 KiB

Avoid enormous network payloads   —   Total size was 3,365 KiB   ⌃

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes.

☑ Show 3rd-party resources (4)

URL	Transfer Size
chairsyde.com [1st Party]	**1,838.8 KiB**
/_nuxt/c6f50fd.js (demo.chairsyde.com)	939.0 KiB
…css/6217b50.css (demo.chairsyde.com)	465.7 KiB
/favicon.ico (demo.chairsyde.com)	166.7 KiB
/_nuxt/f9b9b59.js (demo.chairsyde.com)	113.8 KiB
…css/851918d.css (demo.chairsyde.com)	80.3 KiB

URL	Transfer Size
/_nuxt/bcb1d2b.js (demo.chairsyde.com)	73.3 KiB
JSDelivr CDN [Cdn]	**312.9 KiB**
…fonts/materialdesignicons-webfont.woff2?v=5.8.55 (cdn.jsdelivr.net)	312.9 KiB
chargebee.com	**208.9 KiB**
/v2/chargebee.js (js.chargebee.com)	122.5 KiB
…v2/master-b6e7238….js (js.chargebee.com)	86.4 KiB
hcaptcha.com	**117.5 KiB**
…static/hcaptcha.html (newassets.hcaptcha.com)	117.5 KiB

○ Avoid long main-thread tasks — 12 long tasks found ⌃

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) [TBT]

URL	Start Time	Duration
chairsyde.com [1st Party]		**2,990 ms**
/_nuxt/c6f50fd.js (demo.chairsyde.com)	4,819 ms	635 ms
/_nuxt/c6f50fd.js (demo.chairsyde.com)	1,072 ms	605 ms
/_nuxt/bcb1d2b.js (demo.chairsyde.com)	4,309 ms	509 ms
/_nuxt/bcb1d2b.js (demo.chairsyde.com)	533 ms	468 ms
/_nuxt/7967207.js (demo.chairsyde.com)	405 ms	128 ms
/_nuxt/c6f50fd.js (demo.chairsyde.com)	5,455 ms	127 ms
/_nuxt/c6f50fd.js (demo.chairsyde.com)	1,677 ms	117 ms
/_nuxt/7967207.js (demo.chairsyde.com)	4,153 ms	117 ms

URL	Start Time	Duration
/_nuxt/bcb1d2b.js (demo.chairsyde.com)	5,714 ms	111 ms
/voice-note/ (demo.chairsyde.com)	1,803 ms	64 ms
/_nuxt/f9b9b59.js (demo.chairsyde.com)	5,630 ms	57 ms
/_nuxt/20677e7.js (demo.chairsyde.com)	353 ms	52 ms

○ User Timing marks and measures — 2 user timings ⌃

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks.

Name	Type	Start Time	Duration
sentry-tracing-init	Mark	-1,747.94 ms	
sentry-tracing-init	Mark	755.02 ms	

○ Avoid non-composited animations — 2 animated elements found ⌃

Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations [CLS]

Element	Name
	div.record-wrap
Unsupported CSS Property: scrollbar-color	scrollbar-color
Unsupported CSS Property: scrollbar-color	scrollbar-color
Unsupported CSS Property: scrollbar-color	scrollbar-color
	div.action-block

Element	Name
Unsupported CSS Property: scrollbar-color	scrollbar-color
Unsupported CSS Property: scrollbar-color	scrollbar-color
Unsupported CSS Property: scrollbar-color	scrollbar-color

○ Avoid chaining critical requests — 4 chains found ⌃

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. Learn how to avoid chaining critical requests.

Maximum critical path latency: **449.121 ms**

Initial Navigation

/voice-note (demo.chairsyde.com)

/voice-note/ (demo.chairsyde.com) **- 155.211 ms, 2.15 KiB**

/v2/chargebee.js (js.chargebee.com) **- 60.676 ms, 122.49 KiB**

/embed/v4.js (play.vidyard.com) **- 77.573 ms, 22.58 KiB**

/iframe_api (www.youtube.com) **- 70.727 ms, 0.64 KiB**

○ Minimize third-party usage — Third-party code blocked the main thread for 0 ms ⌃

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn how to minimize third-party impact. [TBT]

Third-Party	Transfer Size	Main-Thread Blocking Time
JSDelivr CDN [Cdn]	**357 KiB**	**0 ms**
…fonts/materialdesignicons-webfont.woff2?v=5.8.55 (cdn.jsdelivr.net)	313 KiB	0 ms
…css/materialdesignicons.min.css (cdn.jsdelivr.net)	44 KiB	0 ms
chargebee.com	**353 KiB**	**0 ms**
/v2/chargebee.js (js.chargebee.com)	122 KiB	0 ms
…v2/master-b6e7238….js (js.chargebee.com)	86 KiB	0 ms
/hcaptcha.js?onload=hCaptchaOnLoad (js.chargebee.com)	65 KiB	0 ms
…v2/254-12bbe73….js (js.chargebee.com)	50 KiB	0 ms
…v2/master.html?site=chairsyde-test&env=production (js.chargebee.com)	15 KiB	0 ms
…v2/234-7850882….js (js.chargebee.com)	6 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
…v2/253-38cc4e3….js (js.chargebee.com)	5 KiB	0 ms
…v2/251-1d544bf….js (js.chargebee.com)	2 KiB	0 ms
…v2/260-6d54549….js (js.chargebee.com)	2 KiB	0 ms
…v2/pi-worker.js (js.chargebee.com)	0 KiB	0 ms
cloudfront.net	**256 KiB**	**0 ms**
…conversions/a8d42574-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	16 KiB	0 ms
…conversions/46f9024a-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	16 KiB	0 ms
…conversions/49f273f4-….jpg?Expires=174… &Signature=SE7CRSgIs… (d2aaqvqwv6tne1.cloudfront.net)	15 KiB	0 ms
…conversions/b9fa32e5-….jpg?Expires=174… &Signature=hirKuX5KZ… (d2aaqvqwv6tne1.cloudfront.net)	15 KiB	0 ms
…conversions/c4f54cf5-….jpg?Expires=174…&Signature=ZtJ-KP8DZ… (d2aaqvqwv6tne1.cloudfront.net)	14 KiB	0 ms
…conversions/62957c9d-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	14 KiB	0 ms
…conversions/6fff406b-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	14 KiB	0 ms
…conversions/ba925dc3-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	13 KiB	0 ms
…conversions/fc1ae81d-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	13 KiB	0 ms
…conversions/dd88f65a-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	13 KiB	0 ms
…conversions/be1832b1-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
…conversions/9af3b176-….jpg?Expires=174… &Signature=Du7niR3Mz… (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
…conversions/058a25a8-….jpg?Expires=174… &Signature=kZAGaW630… (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
…conversions/f5b70f4a-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
…conversions/5c788e34-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
…conversions/807c5d7a-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
…conversions/6ea466c8-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
…conversions/1f3fef85-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	11 KiB	0 ms
…conversions/4ca3d1bc-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	10 KiB	0 ms
…conversions/e9800406-….jpg?Expires=… (d2aaqvqwv6tne1.cloudfront.net)	8 KiB	0 ms
hcaptcha.com	**118 KiB**	**0 ms**
…static/hcaptcha.html (newassets.hcaptcha.com)	118 KiB	0 ms
/checksiteconfig?v=… (api.hcaptcha.com)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
Vidyard Utility	**45 KiB**	**0 ms**
/embed/v4.js (play.vidyard.com)	45 KiB	0 ms
userflow.com	**29 KiB**	**0 ms**
/es2020/userflow.js (js.userflow.com)	29 KiB	0 ms
Cloudflare CDN Cdn	**15 KiB**	**0 ms**
…css/all.min.css (cdnjs.cloudflare.com)	11 KiB	0 ms
…4.1.1/animate.min.css (cdnjs.cloudflare.com)	4 KiB	0 ms
posthog.com	**12 KiB**	**0 ms**
/static/web-vitals.js?v=1.235.6 (eu-assets.i.posthog.com)	4 KiB	0 ms
/static/exception-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	4 KiB	0 ms
/decide/?v=4&ip=1&_=174… &ver=1.235.6&compression=base64 (eu.i.posthog.com)	1 KiB	0 ms
/decide/?v=4&ip=1&_=174… &ver=1.235.6&compression=base64 (eu.i.posthog.com)	1 KiB	0 ms
/decide/?v=4&ip=1&_=174… &ver=1.235.6&compression=base64 (eu.i.posthog.com)	1 KiB	0 ms
…phc_sDyfy…/config.js (eu-assets.i.posthog.com)	1 KiB	0 ms
/e/?ip=1&_=174…&ver=1.235.6&compression=gzip-js (eu.i.posthog.com)	0 KiB	0 ms
…v0/e?ip=1&_=174…&ver=1.235.6&compression=gzip-js (eu.i.posthog.com)	0 KiB	0 ms
/s/?ip=1&_=174…&ver=1.235.6&compression=gzip-js (eu.i.posthog.com)	0 KiB	0 ms
/static/dead-clicks-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	0 KiB	0 ms
/decide/?v=4&ip=1&_=174… &ver=1.235.6&compression=base64 (eu.i.posthog.com)	0 KiB	0 ms
/e/?ip=1&_=174…&ver=1.235.6&compression=gzip-js&beacon=1 (eu.i.posthog.com)	0 KiB	0 ms
YouTube Video	**11 KiB**	**0 ms**
…www-widgetapi.vflset/www-widgetapi.js (www.youtube.com)	10 KiB	0 ms
/iframe_api (www.youtube.com)	1 KiB	0 ms
Algolia Utility	**11 KiB**	**0 ms**
…*/queries?x-algolia-agent=… (i83qepdhw5-dsn.algolia.net)	11 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
chargebeestaticv2.com	**3 KiB**	**0 ms**
…174…/retrieve_js_info (chairsyde-test.chargebeestaticv2.com)	3 KiB	0 ms
Google Fonts `Cdn`	**2 KiB**	**0 ms**
/css?family=… (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=… (fonts.googleapis.com)	1 KiB	0 ms
/icon?family=Material+Icons (fonts.googleapis.com)	0 KiB	0 ms
Sentry `Utility`	**0 KiB**	**0 ms**
…450…/envelope?sentry_version=… (o4507176030437376.ingest.de.sentry.io)	0 KiB	0 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (19)   Hide

Properly size images   ︿

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images](#). `FCP` `LCP`

Use the `nuxt/image` component and set the appropriate `sizes`. [Learn more](#).

Minify CSS   ︿

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). `FCP` `LCP`

Minify JavaScript   ︿

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). `FCP` `LCP`

Reduce unused CSS   ︿

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). `FCP` `LCP`

Efficiently encode images   ︿

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images](#). `FCP` `LCP`

⌃ Use the `nuxt/image` component and set the appropriate `quality`. [Learn more](#).

Enable text compression   ⌃

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression](#). `FCP` `LCP`

Initial server response time was short   —   Root document took 70 ms   ⌃

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric](#). `FCP` `LCP`

URL	Time Spent
chairsyde.com `1st Party`	**70 ms**
/voice-note/ (demo.chairsyde.com)	70 ms

Use HTTP/2   ⌃

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2](#). `LCP` `FCP`

Use video formats for animated content   ⌃

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) `FCP` `LCP`

Remove duplicate modules in JavaScript bundles   ⌃

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. `FCP` `LCP`

○ Preload Largest Contentful Paint image   ⌃

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements](#). `LCP`

⌃ Use the `nuxt/image` component and specify `preload` for LCP image. [Learn more](#).

Avoids an excessive DOM size   —   718 elements   ⌃

A large DOM will increase memory usage, cause longer [style calculations](), and produce costly [layout reflows](). [Learn how to avoid an excessive DOM size](). (TBT)

Statistic	Element	Value
Total DOM Elements		718
Maximum DOM Depth	span.tag-text	30
Maximum Child Elements	div	25

○ Lazy load third-party resources with facades ⌄

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade](). (TBT)

○ Largest Contentful Paint image was not lazily loaded ⌄

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading](). (LCP)

○ Avoid large layout shifts ⌄

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](). [Learn how to improve CLS](). (CLS)

Uses passive listeners to improve scrolling performance ⌄

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more about adopting passive event listeners]().

Avoids `document.write()` ⌄

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write()]().

Image elements have explicit `width` and `height`   ⌃

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

Use the `nuxt/image` component and specify explicit `width` and `height`. [Learn more](#).

Has a `<meta name="viewport">` tag with `width` or `initial-scale`   ⌃

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

Captured at May 21, 2025, 9:25 AM GMT+2

Initial page load

[Emulated Desktop with Lighthouse 12.5.1](#)

[Custom throttling](#)

[Single page session](#)

[Using Chromium 136.0.0.0 with devtools](#)

Generated by **Lighthouse** 12.5.1 | [File an issue](#)