

There were issues affecting this run of Lighthouse:


- There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100



METRICS

Expand view

▲ First Contentful Paint
3.1 s

▲ Largest Contentful Paint
5.0 s

▲ Total Blocking Time


Cumulative Layout Shift

1,010 ms

0

▲ Speed Index
6.0 s

 View Treemap



Show audits relevant to: All FCP LCP TBT CLS

DIAGNOSTICS

▲ Reduce JavaScript execution time — 2.0 s



Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

URL	Total CPU Time	Script Evaluation	Script Parse
chairsyde.com 1st Party	2,325 ms	1,908 ms	49 ms
/_nuxt/7a075e3.js (demo.chairsyde.com)	1,254 ms	1,196 ms	1 ms
/_nuxt/c6f50fd.js (demo.chairsyde.com)	748 ms	583 ms	44 ms
/landing/ (demo.chairsyde.com)	198 ms	9 ms	1 ms
/_nuxt/7967207.js (demo.chairsyde.com)	125 ms	120 ms	3 ms
Unattributable	215 ms	23 ms	0 ms
Unattributable	215 ms	23 ms	0 ms

▲ Minimize main-thread work — 2.6 s




Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	1,966 ms
Other	365 ms
Style & Layout	110 ms
Script Parsing & Compilation	70 ms
Garbage Collection	47 ms
Parse HTML & CSS	41 ms
Rendering	13 ms

▲ Largest Contentful Paint element — 4,970 ms

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP

Element



h2.intro-txt.has-text-weight-semibold

Phase	% of LCP	Timing
TTFB	12%	590 ms
Load Delay	0%	0 ms
Load Time	0%	0 ms
Render Delay	88%	4,380 ms

▲ Eliminate render-blocking resources — Potential savings of 540 ms



Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

URL	Transfer Size	Potential Savings
Vidyard Utility	22.8 KiB	460 ms
/embed/v4.js (play.vidyard.com)	22.8 KiB	460 ms
chargebee.com	122.5 KiB	590 ms
/v2/chargebee.js (js.chargebee.com)	122.5 KiB	590 ms
YouTube Video	1.7 KiB	310 ms
/iframe_api (www.youtube.com)	1.7 KiB	310 ms
Cloudflare CDN Cdn	15.5 KiB	870 ms
...css/all.min.css (cdnjs.cloudflare.com)	10.8 KiB	430 ms
...4.1.1/animate.min.css (cdnjs.cloudflare.com)	4.8 KiB	430 ms
Google Fonts Cdn	1.3 KiB	350 ms
/css2?family=... (fonts.googleapis.com)	0.5 KiB	60 ms
/icon?family=Material+Icons (fonts.googleapis.com)	0.8 KiB	290 ms

▲ Reduce unused CSS — Potential savings of 595 KiB



Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

☒ Show 3rd-party resources (2)

URL	Transfer Size	Potential Savings
chairsyde.com 1st Party	545.7 KiB	541.4 KiB

URL	Transfer Size	Potential Savings
...css/6217b50.css (demo.chairsyde.com)	465.8 KiB	461.5 KiB
...css/851918d.css (demo.chairsyde.com)	79.9 KiB	79.9 KiB
JSDelivr CDN Cdn	43.4 KiB	43.3 KiB
...css/materialdesignicons.min.css (cdn.jsdelivr.net)	43.4 KiB	43.3 KiB
Cloudflare CDN Cdn	10.2 KiB	10.1 KiB
...css/all.min.css (cdnjs.cloudflare.com)	10.2 KiB	10.1 KiB

 Preconnect to required origins — Potential savings of 210 ms 

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins.](#) LCP FCP

URL	Potential Savings
Algolia Utility	210 ms
https://i83qepdhw5-dsn.algolia.net	210 ms
Cloudflare CDN Cdn	200 ms
https://cdnjs.cloudflare.com	200 ms
userflow.com	170 ms
https://js.userflow.com	170 ms
Sentry Utility	150 ms
https://o4507176030437376.ingest.de.sentry.io	150 ms
YouTube Video	150 ms
https://www.youtube.com	150 ms
chargebee.com	140 ms

URL	Potential Savings
https://js.chargebee.com	140 ms
Google Fonts Cdn	120 ms
https://fonts.googleapis.com	120 ms
posthog.com	120 ms
https://eu-assets.i.posthog.com	120 ms
chargebeestaticv2.com	110 ms
https://chairsyde-test.chargebeestaticv2.com	110 ms
chairsyde.com 1st Party	100 ms
https://demo-v3-api.chairsyde.com	100 ms

▲ Reduce unused JavaScript — Potential savings of 772 KiB

^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.
[Learn how to reduce unused JavaScript.](#) FCP LCP

☒ Show 3rd-party resources (2)

URL	Transfer Size	Potential Savings
chairsyde.com 1st Party	1,107.8 KiB	673.6 KiB
/_nuxt/c6f50fd.js (demo.chairsyde.com)		
...mixpanel-browser/dist/mixpanel.module.js	929.5 KiB	581.6 KiB
...posthog-js/dist/module.full.js	84.8 KiB	60.3 KiB
...posthog-js/dist/module.full.js	106.0 KiB	49.7 KiB
...quill/dist/quill.js	60.4 KiB	38.7 KiB
...v-calendar/lib/v-calendar.umd.min.js	60.0 KiB	34.0 KiB
...plyr/dist/plyr.min.js	30.8 KiB	28.2 KiB
/_nuxt/f9b9b59.js (demo.chairsyde.com)		
.../node_modules/vue/dist/vue.runtime.common.prod.js	113.5 KiB	53.7 KiB
.../node_modules/vue/dist/vue.runtime.esm.js	21.0 KiB	17.7 KiB
.../node_modules/vue/dist/vue.runtime.esm.js	22.4 KiB	5.6 KiB

URL	Transfer Size	Potential Savings
.../node_modules/ufo/dist/index.cjs	3.4 KiB	3.0 KiB
.../node_modules/core-js/modules/web.url.constructor.js	3.6 KiB	2.9 KiB
.../node_modules/vue-router/dist/vue-router.esm.js	8.4 KiB	2.9 KiB
/_nuxt/7967207.js (demo.chairsyde.com)	64.8 KiB	38.3 KiB
...store/voice-note/index.js	8.7 KiB	7.8 KiB
...store/voice-note/patient-session-bundle.js	4.7 KiB	4.3 KiB
...components/SidebarLight.vue	2.9 KiB	2.8 KiB
...components/SidebarLightGuide.vue	2.1 KiB	2.1 KiB
...components/NavbarNew.vue	3.9 KiB	2.0 KiB
chargebee.com	122.0 KiB	77.3 KiB
/v2/chargebee.js (js.chargebee.com)	122.0 KiB	77.3 KiB
.../node_modules/@chargebee/components/dist/esm/index.js	45.9 KiB	36.0 KiB
.../src/models/cb-instance.ts	3.0 KiB	2.7 KiB
.../node_modules/@sentry/hub/esm/scope.js	1.6 KiB	1.4 KiB
.../node_modules/@sentry/utils/esm/instrument.js	1.4 KiB	1.4 KiB
.../node_modules/@sentry/core/esm/baseclient.js	1.6 KiB	1.4 KiB
userflow.com	28.2 KiB	20.6 KiB
/es2020/userflow.js (js.userflow.com)	28.2 KiB	20.6 KiB

▲ Avoid serving legacy JavaScript to modern browsers — Potential savings of 63 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

☐ Show 3rd-party resources (3)

URL	Potential Savings
chairsyde.com 1st Party	40.3 KiB
/_nuxt/f9b9b59.js (demo.chairsyde.com)	20.4 KiB

URL	Potential Savings
f9b9b59.js:2	@babel/plugin-transform-classes
f9b9b59.js:2	@babel/plugin-transform-regenerator
f9b9b59.js:2	@babel/plugin-transform-spread
f9b9b59.js:2	Array.from
f9b9b59.js:2	Array.prototype.concat
f9b9b59.js:2	Array.prototype.fill
f9b9b59.js:2	Array.prototype.filter
f9b9b59.js:2	Array.prototype.find
f9b9b59.js:2	Array.prototype.findIndex
f9b9b59.js:2	Array.prototype.includes
f9b9b59.js:2	Array.prototype.join
f9b9b59.js:2	Array.prototype.map
f9b9b59.js:2	Array.prototype.slice
f9b9b59.js:2	Array.prototype.sort
f9b9b59.js:2	Object.assign
f9b9b59.js:2	Object.create
f9b9b59.js:2	Object.entries
f9b9b59.js:2	Object.freeze
f9b9b59.js:2	Object.getOwnPropertyDescriptor
f9b9b59.js:2	Object.getOwnPropertyDescriptor
f9b9b59.js:2	Object.keys
f9b9b59.js:2	Object.values
f9b9b59.js:2	String.fromCharCode
f9b9b59.js:2	String.prototype.endsWith
f9b9b59.js:2	String.prototype.includes
f9b9b59.js:2	String.prototype.link
f9b9b59.js:2	String.prototype.repeat
f9b9b59.js:2	String.prototype.startsWith
f9b9b59.js:2	String.prototype.trim

URL	Potential Savings
<div><div>/_nuxt/c6f50fd.js (demo.chairsyde.com)</div><div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div><div>c6f50fd.js:2</div></div></div> <div><div>@babel/plugin-transform-classes</div><div>@babel/plugin-transform-regenerator</div><div>@babel/plugin-transform-spread</div><div>Array.from</div><div>Array.prototype.concat</div><div>Array.prototype.filter</div><div>Array.prototype.find</div><div>Array.prototype.findIndex</div><div>Array.prototype.includes</div><div>Array.prototype.join</div><div>Array.prototype.map</div><div>Array.prototype.slice</div><div>Array.prototype.unshift</div><div>Math.trunc</div><div>Object.assign</div><div>Object.create</div><div>Object.getOwnPropertyDescriptor</div><div>Object.getOwnPropertyDescriptors</div><div>Object.keys</div><div>String.prototype.endsWith</div><div>String.prototype.includes</div><div>String.prototype.startsWith</div><div>String.prototype.trim</div></div>	17.3 KiB
<div><div>/_nuxt/7967207.js (demo.chairsyde.com)</div><div><div>7967207.js:1</div></div></div> <div><div>@babel/plugin-transform-regenerator</div></div>	1.8 KiB
<div><div>/_nuxt/7a075e3.js (demo.chairsyde.com)</div></div>	0.5 KiB

URL	Potential Savings
<div>7a075e3.js:1</div> <div>/_nuxt/d523207.js (demo.chairsyde.com)</div> <div>d523207.js:1</div> <div>userflow.com</div> <div>/es2020/userflow.js (js.userflow.com)</div> <div>userflow.js:2</div> <div>chargebee.com</div> <div>/v2/chargebee.js (js.chargebee.com)</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>YouTube <div>Video</div></div> <div>...www-widgetapi.vflset/www-widgetapi.js (www.youtube.com)</div> <div>www-widgetapi.js:17</div>	<div>@babel/plugin-transform-regenerator</div> <div>0.3 KiB</div> <div>@babel/plugin-transform-regenerator</div> <div>11.9 KiB</div> <div>11.9 KiB</div> <div>Promise.allSettled</div> <div>11.3 KiB</div> <div>11.3 KiB</div> <div>@babel/plugin-transform-classes</div> <div>@babel/plugin-transform-regenerator</div> <div>Array.prototype.find</div> <div>Array.prototype.findIndex</div> <div>Object.assign</div> <div>String.prototype.endsWith</div> <div>String.prototype.startsWith</div> <div>0.0 KiB</div> <div>0.0 KiB</div> <div>@babel/plugin-transform-regenerator</div>

▲ Enable text compression — Potential savings of 109 KiB



Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#)

FCP

LCP

URL	Transfer Size	Potential Savings
chairsyde.com 1st Party	131.0 KiB	108.7 KiB
...data/treatment-categories (demo-v3-api.chairsyde.com)	81.2 KiB	67.8 KiB
...data/risk-categories (demo-v3-api.chairsyde.com)	23.4 KiB	19.9 KiB
...data/conditions (demo-v3-api.chairsyde.com)	24.1 KiB	19.2 KiB
/api/education-content-sort-by-tracking?sort=... (demo-v3-api.chairsyde.com)	2.3 KiB	1.7 KiB


▲ Page prevented back/forward cache restoration — 1 failure reason ^



Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)




Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache. /landing/ (demo.chairsyde.com)	Pending browser support

Image elements do not have explicit width and height ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

 Use the nuxt/image component and specify explicit width and height. [Learn more.](#)

URL		
chairsyde.com 1st Party		
	img	/media/ca137503-7ffc-41f1-9a5c-ee5d7eece8f (demo-v3-api.chairsyde.com)
	img	/media/fdf2e6d8-2b29-4333-9112-3eac44611683 (demo-v3-api.chairsyde.com)

URL	
	
	img /media/e20599b5-988e-4cd1-8f94-c2d5e27b05ad (demo-v3-api.chairsyde.com)
	img /media/c5ade1d4-3247-48fa-bbac-53346b2895f9 (demo-v3-api.chairsyde.com)
img	/media/2445b4dc-d663-4842-9801-1d67fc973bd2 (demo-v3-api.chairsyde.com)
img	/media/1b1431d5-2c18-4e30-8057-b32937c9bb60 (demo-v3-api.chairsyde.com)
img	/media/cb19412a-d5f2-48ef-8155-44ec930746df (demo-v3-api.chairsyde.com)
img	/media/0054ff20-54dd-4082-ac3f-74d20fd4c64a (demo-v3-api.chairsyde.com)
img	/media/c5c3033e-7245-4fd8-8106-8e77642667ec (demo-v3-api.chairsyde.com)
img	/media/9cfc9f85-06fe-4aa8-9778-7bcf07f393c2 (demo-v3-api.chairsyde.com)

Serve images in next-gen formats — Potential savings of 16 KiB



Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#) FCP LCP

 Use the `nuxt/image` component and set `format="webp"`. [Learn more.](#)

URL	Resource Size	Potential Savings
cloudfront.net	30.6 KiB	16.3 KiB
...conversions/a8d42574-....jpg? Expires=... (d2aaqvqwv6tne1.cloudfront.net)	15.4 KiB	8.2 KiB

URL	Resource Size	Potential Savings
...conversions/9361cb34-....jpg? Expires=... (d2aaqvqv6tne1.cloudfront.net)	15.2 KiB	8.2 KiB

Serve static assets with an efficient cache policy — 83 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

☒ Show 3rd-party resources (61)

URL	Cache TTL	Transfer Size
chairsyde.com 1st Party		1,800 KiB
/_nuxt/c6f50fd.js (demo.chairsyde.com)	None	940 KiB
...css/6217b50.css (demo.chairsyde.com)	None	466 KiB
/_nuxt/f9b9b59.js (demo.chairsyde.com)	None	114 KiB
...css/851918d.css (demo.chairsyde.com)	None	80 KiB
/_nuxt/7967207.js (demo.chairsyde.com)	None	65 KiB
/accomplished.mp3 (demo.chairsyde.com)	None	32 KiB
...fonts/BasierCir....a05b38a.woff2 (demo.chairsyde.com)	None	18 KiB
...fonts/BasierCir....14d0305.woff2 (demo.chairsyde.com)	None	18 KiB
...fonts/BasierCir....3601733.woff2 (demo.chairsyde.com)	None	18 KiB
...fonts/BasierCir....d5326df.woff2 (demo.chairsyde.com)	None	18 KiB
/_nuxt/7a075e3.js (demo.chairsyde.com)	None	9 KiB
/_nuxt/20677e7.js (demo.chairsyde.com)	None	6 KiB
/_nuxt/d523207.js (demo.chairsyde.com)	None	6 KiB
...img/csyd_logo.bd259d7.svg (demo.chairsyde.com)	None	3 KiB

URL	Cache TTL	Transfer Size
...img/star-color.7818dac.svg (demo.chairsyde.com)	None	2 KiB
...img/star-color-active.d050c1a.svg (demo.chairsyde.com)	None	1 KiB
...css/e13ba24.css (demo.chairsyde.com)	None	1 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/upload-worker.js (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
cloudfront.net		365 KiB
...2616/d3542d38-...?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	None	7 KiB
/production_2627/4943a1c8-...?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	None	7 KiB
...2618/76a61de9-...?Expires=174... &Signature=OAJCPX3a0... (d2aaqvqwv6tne1.cloudfront.net)	None	5 KiB
...2614/987a0c18-...?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	None	5 KiB
/production_2625/fbdc3759-...?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	None	3 KiB
/production_2624/e18f5b54-...?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	None	3 KiB
/production_2626/e5ab8fdf-...?Expires=174... &Signature=FJ8cNKCh-... (d2aaqvqwv6tne1.cloudfront.net)	None	3 KiB
/production_2621/e83f9394-...?Expires=174...&Signature=IttjUAnF0... ~3i (d2aaqvqwv6tne1.cloudfront.net)	None	2 KiB
/production_2628/2e1c8bf4-...?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	None	2 KiB
...2617/ae0953e8-...?Expires=174... &Signature=hkpnJo38A... (d2aaqvqwv6tne1.cloudfront.net)	None	2 KiB

URL	Cache TTL	Transfer Size
/production_2623/9c9311af-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	2 KiB
/production_2607/f58840cc-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	2 KiB
/production_2606/b3660602-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	2 KiB
/production_2608/70581eeb-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	2 KiB
...2612/05db49c8-...?Expires=174...&Signature=cVRisCKAM... ~6vtkAXGb2... (d2aaqvqvv6tne1.cloudfront.net)	None	2 KiB
/production_2622/98bb1368-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	2 KiB
...2619/a75afa8b-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	2 KiB
...2613/942392fe-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	1 KiB
/production_2609/d2ddecc7-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	1 KiB
/production_2610/c9312ff9-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	1 KiB
/production_2611/cbb4a485-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	1 KiB
...2615/9830bb9f-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	1 KiB
/production_2605/2e9bf8a1-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	1 KiB
/production_2602/6fd49fc4-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	None	1 KiB
...conversions/a8d42574-....jpg?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	7d	16 KiB
...conversions/9361cb34-....jpg?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	7d	16 KiB
...conversions/46f9024a-....jpg?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	7d	16 KiB
...conversions/49f273f4-....jpg?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	7d	15 KiB
...conversions/b9fa32e5-....jpg?Expires=174... &Signature=EoCwXfg5R... (d2aaqvqvv6tne1.cloudfront.net)	7d	15 KiB
...conversions/c4f54cf5-....jpg?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	7d	14 KiB

URL	Cache TTL	Transfer Size
...conversions/62957c9d-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	14 KiB
...conversions/6ff406b-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	14 KiB
...conversions/ba925dc3-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	13 KiB
...conversions/fc1ae81d-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	13 KiB
...conversions/dd88f65a-....jpg?Expires=174...&Signature=lg-BnNGFF... (d2aaqvqwv6tne1.cloudfront.net)	7d	13 KiB
...conversions/9af3b176-....jpg?Expires=174...&Signature=Fkl63OMUZ... (d2aaqvqwv6tne1.cloudfront.net)	7d	13 KiB
...conversions/be1832b1-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
...conversions/f5b70f4a-....jpg?Expires=174...&Signature=d5VaVBtXu... (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
...conversions/058a25a8-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
...conversions/5c788e34-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
...conversions/807c5d7a-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
...conversions/6ea466c8-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
...conversions/3a5efecf-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	12 KiB
...conversions/1a72e978-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	11 KiB
...conversions/1f3fef85-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	11 KiB
...conversions/4ca3d1bc-....jpg?Expires=174...&Signature=PGDzULpHV... (d2aaqvqwv6tne1.cloudfront.net)	7d	10 KiB
...conversions/fe7f3261-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	9 KiB
...conversions/e9800406-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	7d	8 KiB
chargebee.com		338 KiB

URL	Cache TTL	Transfer Size
/v2/chargebee.js (js.chargebee.com)	5m	122 KiB
...v2/master-b6e7238....js (js.chargebee.com)	5m	86 KiB
/hcaptcha.js?onload=hCaptchaOnLoad (js.chargebee.com)	5m	65 KiB
...v2/254-12bbe73....js (js.chargebee.com)	5m	50 KiB
...v2/234-7850882....js (js.chargebee.com)	5m	6 KiB
...v2/253-38cc4e3....js (js.chargebee.com)	5m	5 KiB
...v2/251-1d544bf....js (js.chargebee.com)	5m	2 KiB
...v2/260-6d54549....js (js.chargebee.com)	5m	2 KiB
...v2/pi-worker.js (js.chargebee.com)	5m	0 KiB
posthog.com		14 KiB
/static/web-vitals.js?v=1.235.6 (eu-assets.i.posthog.com)	5m	4 KiB
/static/exception-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	5m	4 KiB
...phc_sDyfy.../config.js (eu-assets.i.posthog.com)	5m	1 KiB
/static/dead-clicks-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	4h	5 KiB

Ensure text remains visible during webfont load



Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more about font-display.](#)


☒ Show 3rd-party resources (1)

URL	Potential Savings
chairsyde.com 1st Party	200 ms
...fonts/BasierCir....d5326df.woff2 (demo.chairsyde.com)	70 ms

URL	Potential Savings
...fonts/BasierCir....3601733.woff2 (demo.chairsyde.com)	30 ms
...fonts/BasierCir....a05b38a.woff2 (demo.chairsyde.com)	50 ms
...fonts/BasierCir....14d0305.woff2 (demo.chairsyde.com)	50 ms
JSDelivr CDN Cdn	200 ms
...fonts/materialdesignicons-webfont.woff2?v=5.8.55 (cdn.jsdelivr.net)	200 ms

Defer offscreen images — Potential savings of 3 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#) FCP LCP

 Use the `nuxt/image` component and set `loading="lazy"` for offscreen images. [Learn more.](#)

URL	Resource Size	Potential Savings
chairsyde.com 1st Party	2.6 KiB	2.6 KiB
img ...img/csyd_logo.bd259d7.svg (demo.chairsyde.com)	2.6 KiB	2.6 KiB

Avoid enormous network payloads — Total size was 3,696 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#)

☒ Show 3rd-party resources (4)

URL	Transfer Size
chairsyde.com 1st Party	1,851.8 KiB
/_nuxt/c6f50fd.js (demo.chairsyde.com)	940.2 KiB
...css/6217b50.css (demo.chairsyde.com)	466.3 KiB

URL	Transfer Size
/favicon.ico (demo.chairsyde.com)	166.7 KiB
/_nuxt/f9b9b59.js (demo.chairsyde.com)	114.1 KiB
...data/treatment-categories (demo-v3-api.chairsyde.com)	82.3 KiB
...data/treatment-categories (demo-v3-api.chairsyde.com)	82.3 KiB
JSDelivr CDN Cdn	312.9 KiB
...fonts/materialdesignicons-webfont.woff2?v=5.8.55 (cdn.jsdelivr.net)	312.9 KiB
chargebee.com	208.9 KiB
/v2/chargebee.js (js.chargebee.com)	122.5 KiB
...v2/master-b6e7238....js (js.chargebee.com)	86.4 KiB
hcaptcha.com	117.6 KiB
...static/hcaptcha.html (newassets.hcaptcha.com)	117.6 KiB

Avoid an excessive DOM size — 1,069 elements



A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		1,069
Maximum DOM Depth	div.loading-background	23
Maximum Child Elements	div.columns.is-mobile.bx-row.mt-5.mx-0-desktop-below.is-flex-wrap-wrap.is-multiline.w-100	20

○ Avoid long main-thread tasks — 6 long tasks found



Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

URL	Start Time	Duration
chairsyde.com 1st Party		1,454 ms
/_nuxt/c6f50fd.js (demo.chairsyde.com)	4,496 ms	604 ms
/_nuxt/7a075e3.js (demo.chairsyde.com)	3,931 ms	424 ms
/_nuxt/c6f50fd.js (demo.chairsyde.com)	4,355 ms	141 ms
/_nuxt/7967207.js (demo.chairsyde.com)	3,341 ms	125 ms
/_nuxt/7a075e3.js (demo.chairsyde.com)	5,175 ms	108 ms
/_nuxt/20677e7.js (demo.chairsyde.com)	3,119 ms	52 ms

○ User Timing marks and measures — 1 user timing



Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
sentry-tracing-init	Mark	1,851.70 ms	

○ Avoid chaining critical requests — 3 chains found



The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#)

Maximum critical path latency: **1,251.145 ms**

Initial Navigation

- /landing/ (demo.chairsyde.com)
- /v2/chargebee.js (js.chargebee.com) - **491.266 ms, 122.49 KiB**
- /embed/v4.js (play.vidyard.com) - **633.909 ms, 22.83 KiB**

/iframe_api (www.youtube.com) - 395.163 ms, 1.70 KiB

○ Minimize third-party usage — Third-party code blocked the main thread for 0 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact.](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
cloudfront.net	365 KiB	0 ms
...conversions/a8d42574-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	16 KiB	0 ms
...conversions/9361cb34-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	16 KiB	0 ms
...conversions/46f9024a-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	16 KiB	0 ms
...conversions/49f273f4-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	15 KiB	0 ms
...conversions/b9fa32e5-....jpg?Expires=174... &Signature=EoCwXfg5R... (d2aaqvqwv6tne1.cloudfront.net)	15 KiB	0 ms
...conversions/c4f54cf5-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	14 KiB	0 ms
...conversions/62957c9d-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	14 KiB	0 ms
...conversions/6ff406b-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	14 KiB	0 ms
...conversions/ba925dc3-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	13 KiB	0 ms
...conversions/fc1ae81d-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	13 KiB	0 ms
...conversions/dd88f65a-....jpg?Expires=174...&Signature=lg- BnNGFF... (d2aaqvqwv6tne1.cloudfront.net)	13 KiB	0 ms
...conversions/9af3b176-....jpg?Expires=174... &Signature=Fkl63OMUZ... (d2aaqvqwv6tne1.cloudfront.net)	13 KiB	0 ms
...conversions/be1832b1-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
...conversions/f5b70f4a-....jpg?Expires=174... &Signature=d5VaVBtXu... (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
...conversions/058a25a8-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
...conversions/5c788e34-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
...conversions/807c5d7a-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
...conversions/6ea466c8-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
...conversions/3a5efecf-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	12 KiB	0 ms
...conversions/1a72e978-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	11 KiB	0 ms
...conversions/1f3fef85-....jpg?Expires=... (d2aaqvqwv6tne1.cloudfront.net)	11 KiB	0 ms
...conversions/4ca3d1bc-....jpg?Expires=174... &Signature=PGDzULpHV... (d2aaqvqwv6tne1.cloudfront.net)	10 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...conversions/fe7f3261-....jpg?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	9 KiB	0 ms
...conversions/e9800406-....jpg?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	8 KiB	0 ms
...2616/d3542d38-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	7 KiB	0 ms
/production_2627/4943a1c8-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	7 KiB	0 ms
...2618/76a61de9-...?Expires=174... &Signature=OAJCPX3a0... (d2aaqvqvv6tne1.cloudfront.net)	5 KiB	0 ms
...2614/987a0c18-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	5 KiB	0 ms
/production_2625/fbdc3759-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	3 KiB	0 ms
/production_2624/e18f5b54-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	3 KiB	0 ms
/production_2626/e5ab8fdf-...?Expires=174... &Signature=FJ8cNKCh-... (d2aaqvqvv6tne1.cloudfront.net)	3 KiB	0 ms
/production_2621/e83f9394-...?Expires=174...&Signature=IttjUANf0... ~3i (d2aaqvqvv6tne1.cloudfront.net)	2 KiB	0 ms
/production_2628/2e1c8bf4-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	2 KiB	0 ms
...2617/ae0953e8-...?Expires=174... &Signature=hkpnJo38A... (d2aaqvqvv6tne1.cloudfront.net)	2 KiB	0 ms
/production_2623/9c9311af-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	2 KiB	0 ms
/production_2607/f58840cc-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	2 KiB	0 ms
/production_2606/b3660602-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	2 KiB	0 ms
/production_2608/70581eeb-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	2 KiB	0 ms
...2612/05db49c8-...?Expires=174...&Signature=cVRisCKAM... ~6vtkAXGb2... (d2aaqvqvv6tne1.cloudfront.net)	2 KiB	0 ms
/production_2622/98bb1368-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	2 KiB	0 ms
...2619/a75afa8b-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	2 KiB	0 ms
...2613/942392fe-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	1 KiB	0 ms
/production_2609/d2ddecc7-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	1 KiB	0 ms
/production_2610/c9312ff9-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	1 KiB	0 ms
/production_2611/cbb4a485-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	1 KiB	0 ms
...2615/9830bb9f-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	1 KiB	0 ms
/production_2605/2e9bf8a1-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	1 KiB	0 ms
/production_2602/6fd49fc4-...?Expires=... (d2aaqvqvv6tne1.cloudfront.net)	1 KiB	0 ms
JSDelivr CDN <div>Cdn</div>	357 KiB	0 ms
...fonts/materialdesignicons-webfont.woff2?v=5.8.55 (cdn.jsdelivr.net)	313 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...css/materialdesignicons.min.css (cdn.jsdelivr.net)	44 KiB	0 ms
chargebee.com	345 KiB	0 ms
/v2/chargebee.js (js.chargebee.com)	122 KiB	0 ms
...v2/master-b6e7238...js (js.chargebee.com)	86 KiB	0 ms
/hcaptcha.js?onload=hCaptchaOnLoad (js.chargebee.com)	65 KiB	0 ms
...v2/254-12bbe73...js (js.chargebee.com)	50 KiB	0 ms
...v2/master.html?site=chairsyde-test&env=production (js.chargebee.com)	7 KiB	0 ms
...v2/234-7850882...js (js.chargebee.com)	6 KiB	0 ms
...v2/253-38cc4e3...js (js.chargebee.com)	5 KiB	0 ms
...v2/251-1d544bf...js (js.chargebee.com)	2 KiB	0 ms
...v2/260-6d54549...js (js.chargebee.com)	2 KiB	0 ms
...v2/pi-worker.js (js.chargebee.com)	0 KiB	0 ms
hcaptcha.com	118 KiB	0 ms
...static/hcaptcha.html (newassets.hcaptcha.com)	118 KiB	0 ms
/checksiteconfig?v=... (api.hcaptcha.com)	1 KiB	0 ms
Cloudflare CDN Cdn	94 KiB	0 ms
...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com)	79 KiB	0 ms
...css/all.min.css (cdnjs.cloudflare.com)	11 KiB	0 ms
...4.1.1/animate.min.css (cdnjs.cloudflare.com)	5 KiB	0 ms
userflow.com	29 KiB	0 ms
/es2020/userflow.js (js.userflow.com)	29 KiB	0 ms
Vidyard Utility	23 KiB	0 ms
/embed/v4.js (play.vidyard.com)	23 KiB	0 ms
posthog.com	16 KiB	0 ms
/static/dead-clicks-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	5 KiB	0 ms
/static/web-vitals.js?v=1.235.6 (eu-assets.i.posthog.com)	4 KiB	0 ms
/static/exception-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	4 KiB	0 ms
/decide/?v=4&ip=1&_=174...&ver=1.235.6&compression=base64 (eu.i.posthog.com)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
/decide/?v=4&ip=1&_=174...&ver=1.235.6&compression=base64 (eu.i.posthog.com)	1 KiB	0 ms
...phc_sDyfy.../config.js (eu-assets.i.posthog.com)	1 KiB	0 ms
/e/?ip=1&_=174...&ver=1.235.6&compression=gzip-js (eu.i.posthog.com)	0 KiB	0 ms
/s/?ip=1&_=174...&ver=1.235.6&compression=gzip-js (eu.i.posthog.com)	0 KiB	0 ms
...v0/e?ip=1&_=174...&ver=1.235.6&compression=gzip-js (eu.i.posthog.com)	0 KiB	0 ms
YouTube Video	12 KiB	0 ms
...www-widgetapi.vflset/www-widgetapi.js (www.youtube.com)	10 KiB	0 ms
/iframe_api (www.youtube.com)	2 KiB	0 ms
Algolia Utility	11 KiB	0 ms
...*/queries?x-algolia-agent=... (i83qepdhw5-dsn.algolia.net)	11 KiB	0 ms
Google Fonts Cdn	2 KiB	0 ms
/icon?family=Material+Icons (fonts.googleapis.com)	1 KiB	0 ms
/css?family=... (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
chargebeestaticv2.com	1 KiB	0 ms
...174.../retrieve_js_info (chairsyde-test.chargebeestaticv2.com)	1 KiB	0 ms
Sentry Utility	0 KiB	0 ms
...450.../envelope?sentry_version=... (o4507176030437376.ingest.de.sentry.io)	0 KiB	0 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.


PASSED AUDITS (17)

Hide

Properly size images

^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#) FCP
LCP

 Use the `nuxt/image` component and set the appropriate sizes. [Learn more.](#)

Minify CSS

^


Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP

Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#) FCP LCP

 Use the nuxt/image component and set the appropriate quality. [Learn more.](#)

Initial server response time was short — Root document took 50 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
chairsyde.com 1st Party	50 ms
/landing/ (demo.chairsyde.com)	50 ms

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) LCP FCP

Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2.](#) LCP FCP

Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) FCP LCP

Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP

☐ Preload Largest Contentful Paint image ^

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP



Use the `nuxt/image` component and specify `preload` for LCP image. [Learn more.](#)

☐ Lazy load third-party resources with facades ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

☐ Largest Contentful Paint image was not lazily loaded ^

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

☐ Avoid large layout shifts ^

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Uses passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\).](#)

☐ Avoid non-composited animations ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)

■ Captured at May 21, 2025,
9:42 AM GMT+2
■ Initial page load

■ Emulated Desktop with
Lighthouse 12.5.1
■ Custom throttling

■ Single page session
■ Using Chromium 136.0.0.0 with
devtools

Generated by **Lighthouse** 12.5.1 | [File an issue](#)