

There were issues affecting this run of Lighthouse:


- There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100



METRICS

Expand view

▲ First Contentful Paint
3.1 s

▲ Largest Contentful Paint
4.0 s

▲ Total Blocking Time


Cumulative Layout Shift

660 ms

0.01

▲ Speed Index
3.3 s

 View Treemap



Show audits relevant to: All FCP LCP TBT CLS

DIAGNOSTICS

▲ Reduce JavaScript execution time — 1.5 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT


URL	Total CPU Time	Script Evaluation	Script Parse
chairsyde.com 1st Party	1,621 ms	1,414 ms	49 ms
/_nuxt/0bc49ec.js (demo.chairsyde.com)	1,175 ms	1,145 ms	0 ms
/_nuxt/c6f50fd.js (demo.chairsyde.com)	215 ms	150 ms	44 ms
/_nuxt/7967207.js (demo.chairsyde.com)	119 ms	114 ms	4 ms
https://demo.chairsyde.com	112 ms	5 ms	0 ms
Unattributable	116 ms	16 ms	0 ms
Unattributable	116 ms	16 ms	0 ms

▲ Largest Contentful Paint element — 4,010 ms

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#)

LCP

Element



p.has-text-ch-light-grey.has-text-centered.fs-nl.mb-6

Phase	% of LCP	Timing
TTFB	6%	220 ms
Load Delay	0%	0 ms
Load Time	0%	0 ms
Render Delay	94%	3,790 ms

▲ Eliminate render-blocking resources — Potential savings of 480 ms ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

URL	Transfer Size	Potential Savings
Cloudflare CDN Cdn	15.5 KiB	620 ms
...css/all.min.css (cdnjs.cloudflare.com)	10.8 KiB	310 ms
...4.1.1/animate.min.css (cdnjs.cloudflare.com)	4.7 KiB	310 ms
Vidyard Utility	22.6 KiB	390 ms
/embed/v4.js (play.vidyard.com)	22.6 KiB	390 ms
YouTube Video	0.6 KiB	330 ms
/iframe_api (www.youtube.com)	0.6 KiB	330 ms

URL	Transfer Size	Potential Savings
Google Fonts Cdn	0.5 KiB	310 ms
/icon?family=Material+Icons (fonts.googleapis.com)	0.5 KiB	310 ms
chargebee.com	122.5 KiB	540 ms
/v2/chargebee.js (js.chargebee.com)	122.5 KiB	540 ms

▲ Reduce unused CSS — Potential savings of 595 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

☒ Show 3rd-party resources (2)

URL	Transfer Size	Potential Savings
chairsyde.com 1st Party	545.1 KiB	541.7 KiB
...css/6217b50.css (demo.chairsyde.com)	465.3 KiB	461.8 KiB
...css/851918d.css (demo.chairsyde.com)	79.9 KiB	79.9 KiB
JSDelivr CDN Cdn	43.4 KiB	43.4 KiB
...css/materialdesignicons.min.css (cdn.jsdelivr.net)	43.4 KiB	43.4 KiB
Cloudflare CDN Cdn	10.2 KiB	10.2 KiB
...css/all.min.css (cdnjs.cloudflare.com)	10.2 KiB	10.2 KiB

▲ Reduce unused JavaScript — Potential savings of 938 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) FCP LCP

☒ Show 3rd-party resources (3)

URL	Transfer Size	Potential Savings
chairsyde.com 1st Party	1,106.6 KiB	707.7 KiB
/_nuxt/c6f50fd.js (demo.chairsyde.com)	928.5 KiB	602.8 KiB
...mixpanel-browser/dist/mixpanel.module.js	84.8 KiB	65.0 KiB
...posthog-js/dist/module.full.js	105.9 KiB	50.4 KiB
...quill/dist/quill.js	60.3 KiB	38.7 KiB
...v-calendar/lib/v-calendar.umd.min.js	59.9 KiB	34.0 KiB
...plyr/dist/plyr.min.js	30.8 KiB	28.2 KiB
/_nuxt/f9b9b59.js (demo.chairsyde.com)	113.3 KiB	55.0 KiB
.../node_modules/vue/dist/vue.runtime.common.prod.js	21.0 KiB	17.7 KiB
.../node_modules/vue/dist/vue.runtime.esm.js	22.4 KiB	5.9 KiB
.../node_modules/vue-router/dist/vue-router.esm.js	8.4 KiB	3.5 KiB
.../node_modules/ufo/dist/index.cjs	3.4 KiB	2.9 KiB
.../node_modules/core-js/modules/web.url.constructor.js	3.6 KiB	2.9 KiB
/_nuxt/7967207.js (demo.chairsyde.com)	64.7 KiB	49.9 KiB
...store/voice-note/index.js	8.7 KiB	7.9 KiB
...store/voice-note/patient-session-bundle.js	4.7 KiB	4.3 KiB
...components/NavbarNew.vue	3.9 KiB	3.7 KiB
...components/SidebarNew.vue	3.0 KiB	3.0 KiB
...components/SidebarLight.vue	2.9 KiB	2.8 KiB
Google CDN Cdn	271.3 KiB	132.3 KiB
...X-oVtzDcT.../recaptcha__en.js (www.gstatic.com)	271.3 KiB	132.3 KiB
chargebee.com	122.0 KiB	77.3 KiB
/v2/chargebee.js (js.chargebee.com)	122.0 KiB	77.3 KiB
.../node_modules/@chargebee/components/dist/esm/index.js	45.9 KiB	36.0 KiB
.../src/models/cb-instance.ts	3.0 KiB	2.7 KiB
.../node_modules/@sentry/hub/esm/scope.js	1.6 KiB	1.4 KiB
.../node_modules/@sentry/utils/esm/instrument.js	1.4 KiB	1.4 KiB
.../node_modules/@sentry/core/esm/baseclient.js	1.6 KiB	1.4 KiB

URL	Transfer Size	Potential Savings
userflow.com	28.2 KiB	20.7 KiB
/es2020/userflow.js (js.userflow.com)	28.2 KiB	20.7 KiB

▲ Avoid serving legacy JavaScript to modern browsers — Potential savings of 63 KiB

^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

☐ Show 3rd-party resources (4)

URL	Potential Savings
chairsyde.com 1st Party	39.6 KiB
/_nuxt/f9b9b59.js (demo.chairsyde.com)	20.4 KiB
f9b9b59.js:2	@babel/plugin-transform-classes
f9b9b59.js:2	@babel/plugin-transform-regenerator
f9b9b59.js:2	@babel/plugin-transform-spread
f9b9b59.js:2	Array.from
f9b9b59.js:2	Array.prototype.concat
f9b9b59.js:2	Array.prototype.fill
f9b9b59.js:2	Array.prototype.filter
f9b9b59.js:2	Array.prototype.find
f9b9b59.js:2	Array.prototype.findIndex
f9b9b59.js:2	Array.prototype.includes
f9b9b59.js:2	Array.prototype.join
f9b9b59.js:2	Array.prototype.map
f9b9b59.js:2	Array.prototype.slice
f9b9b59.js:2	Array.prototype.sort
f9b9b59.js:2	Object.assign
f9b9b59.js:2	Object.create

URL	Potential Savings
<div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div> <div>f9b9b59.js:2</div>	<div>Object.entries</div> <div>Object.freeze</div> <div>Object.getOwnPropertyDescriptor</div> <div>Object.getOwnPropertyDescriptor</div> <div>Object.keys</div> <div>Object.values</div> <div>String.fromCodePoint</div> <div>String.prototype.endsWith</div> <div>String.prototype.includes</div> <div>String.prototype.link</div> <div>String.prototype.repeat</div> <div>String.prototype.startsWith</div> <div>String.prototype.trim</div>
/_nuxt/c6f50fd.js (demo.chairsyde.com)	17.3 KiB
<div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div>	<div>@babel/plugin-transform-classes</div> <div>@babel/plugin-transform-regenerator</div> <div>@babel/plugin-transform-spread</div> <div>Array.from</div> <div>Array.prototype.concat</div> <div>Array.prototype.filter</div> <div>Array.prototype.find</div> <div>Array.prototype.findIndex</div> <div>Array.prototype.includes</div> <div>Array.prototype.join</div> <div>Array.prototype.map</div> <div>Array.prototype.slice</div> <div>Array.prototype.unshift</div> <div>Math.trunc</div> <div>Object.assign</div>

URL	Potential Savings
<div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>c6f50fd.js:2</div> <div>/_nuxt/7967207.js (demo.chairsyde.com)</div> <div>7967207.js:1</div> <div>/_nuxt/0bc49ec.js (demo.chairsyde.com)</div> <div>0bc49ec.js:1</div> <div>userflow.com</div> <div>/es2020/userflow.js (js.userflow.com)</div> <div>userflow.js:2</div> <div>chargebee.com</div> <div>/v2/chargebee.js (js.chargebee.com)</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>chargebee.js:2</div> <div>YouTube <div>Video</div></div>	<div>Object.create</div> <div>Object.getOwnPropertyDescriptor</div> <div>Object.getOwnPropertyDescriptors</div> <div>Object.keys</div> <div>String.prototype.endsWith</div> <div>String.prototype.includes</div> <div>String.prototype.startsWith</div> <div>String.prototype.trim</div> <div>1.8 KiB</div> <div>@babel/plugin-transform-regenerator</div> <div>0.1 KiB</div> <div>@babel/plugin-transform-regenerator</div> <div>11.9 KiB</div> <div>11.9 KiB</div> <div>Promise.allSettled</div> <div>11.3 KiB</div> <div>11.3 KiB</div> <div>@babel/plugin-transform-classes</div> <div>@babel/plugin-transform-regenerator</div> <div>Array.prototype.find</div> <div>Array.prototype.findIndex</div> <div>Object.assign</div> <div>String.prototype.endsWith</div> <div>String.prototype.startsWith</div> <div>0.0 KiB</div>

URL	Potential Savings
<div>...www-widgetapi.vflset/www-widgetapi.js (www.youtube.com)</div> <div>www-widgetapi.js:17</div> <div>@babel/plugin-transform-regenerator</div>	0.0 KiB
Google CDN <div>Cdn</div>	0.0 KiB
<div>...X-oVtzDcT.../recaptcha__en.js (www.gstatic.com)</div> <div>www.gstatic.com/reca...ecaptcha__en.js:462</div> <div>@babel/plugin-transform-regenerator</div>	0.0 KiB

▲ Page prevented back/forward cache restoration — 1 failure reason ^


Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)

Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache. https://demo.chairsyde.com	Pending browser support

Image elements do not have explicit width and height ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#)

CLS

 Use the `nuxt/image` component and specify explicit width and height. [Learn more.](#)

URL
<div>chairsyde.com <div>1st Party</div></div> <div>img</div> <div><div>...img/csyd_logo.bd259d7.svg (demo.chairsyde.com)</div></div>

Serve static assets with an efficient cache policy — 33 resources found

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

☒ Show 3rd-party resources (14)

URL	Cache TTL	Transfer Size
chairsyde.com 1st Party		1,774 KiB
/_nuxt/c6f50fd.js (demo.chairsyde.com)	None	939 KiB
...css/6217b50.css (demo.chairsyde.com)	None	466 KiB
/_nuxt/f9b9b59.js (demo.chairsyde.com)	None	114 KiB
...css/851918d.css (demo.chairsyde.com)	None	80 KiB
/_nuxt/7967207.js (demo.chairsyde.com)	None	65 KiB
...fonts/BasierCir....a05b38a.woff2 (demo.chairsyde.com)	None	18 KiB
...fonts/BasierCir....3601733.woff2 (demo.chairsyde.com)	None	18 KiB
...fonts/BasierCir....14d0305.woff2 (demo.chairsyde.com)	None	18 KiB
...fonts/BasierCircle-Bold.73a52fc.woff2 (demo.chairsyde.com)	None	18 KiB
...fonts/BasierCir....d5326df.woff2 (demo.chairsyde.com)	None	18 KiB
/_nuxt/0bc49ec.js (demo.chairsyde.com)	None	8 KiB
/_nuxt/20677e7.js (demo.chairsyde.com)	None	6 KiB
...img/csyd_logo.bd259d7.svg (demo.chairsyde.com)	None	3 KiB
...css/8739bce.css (demo.chairsyde.com)	None	1 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/upload-worker.js (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB

URL	Cache TTL	Transfer Size
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
/workers/backgroundApiDispatcher.js (demo.chairsyde.com)	None	0 KiB
chargebee.com		338 KiB
/v2/chargebee.js (js.chargebee.com)	5m	122 KiB
...v2/master-b6e7238....js (js.chargebee.com)	5m	86 KiB
/hcaptcha.js?onload=hCaptchaOnLoad (js.chargebee.com)	5m	65 KiB
...v2/254-12bbe73....js (js.chargebee.com)	5m	50 KiB
...v2/234-7850882....js (js.chargebee.com)	5m	6 KiB
...v2/253-38cc4e3....js (js.chargebee.com)	5m	5 KiB
...v2/251-1d544bf....js (js.chargebee.com)	5m	2 KiB
...v2/260-6d54549....js (js.chargebee.com)	5m	2 KiB
...v2/pi-worker.js (js.chargebee.com)	5m	0 KiB
posthog.com		13 KiB
/static/web-vitals.js?v=1.235.6 (eu-assets.i.posthog.com)	5m	4 KiB
/static/exception-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	5m	4 KiB
...phc_sDyfy.../config.js (eu-assets.i.posthog.com)	5m	1 KiB
/static/dead-clicks-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	4h	5 KiB
Google CDN <div>Cdn</div>		2 KiB
...api2/logo_48.png (www.gstatic.com)	7d	2 KiB

Ensure text remains visible during webfont load



Warnings: Lighthouse was unable to automatically check the `font-display` values for the origin <https://fonts.gstatic.com>.

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more about font-display](#).

☒ Show 3rd-party resources (1)

URL	Potential Savings
chairsyde.com 1st Party	300 ms
...fonts/BasierCir....d5326df.woff2 (demo.chairsyde.com)	40 ms
...fonts/BasierCircle-Bold.73a52fc.woff2 (demo.chairsyde.com)	70 ms
...fonts/BasierCir....3601733.woff2 (demo.chairsyde.com)	50 ms
...fonts/BasierCir....a05b38a.woff2 (demo.chairsyde.com)	80 ms
...fonts/BasierCir....14d0305.woff2 (demo.chairsyde.com)	70 ms
JSDelivr CDN Cdn	120 ms
...fonts/materialdesignicons-webfont.woff2?v=5.8.55 (cdn.jsdelivr.net)	120 ms

Avoid enormous network payloads — Total size was 3,511 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](#).

☒ Show 3rd-party resources (6)

URL	Transfer Size
chairsyde.com 1st Party	1,685.2 KiB
/_nuxt/c6f50fd.js (demo.chairsyde.com)	939.0 KiB
...css/6217b50.css (demo.chairsyde.com)	465.7 KiB
/favicon.ico (demo.chairsyde.com)	166.7 KiB

URL	Transfer Size
/_nuxt/f9b9b59.js (demo.chairsyde.com)	113.8 KiB
Google CDN Cdn	542.8 KiB
...X-oVtzDcT.../recaptcha__en.js (www.gstatic.com)	271.4 KiB
...X-oVtzDcT.../recaptcha__en.js (www.gstatic.com)	271.4 KiB
JSDelivr CDN Cdn	313.2 KiB
...fonts/materialdesignicons-webfont.woff2?v=5.8.55 (cdn.jsdelivr.net)	313.2 KiB
chargebee.com	208.9 KiB
/v2/chargebee.js (js.chargebee.com)	122.5 KiB
...v2/master-b6e7238....js (js.chargebee.com)	86.4 KiB
hcaptcha.com	117.5 KiB
...static/hcaptcha.html (newassets.hcaptcha.com)	117.5 KiB

Avoid long main-thread tasks — 4 long tasks found




Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

URL	Start Time	Duration
chairsyde.com 1st Party		1,229 ms
/_nuxt/0bc49ec.js (demo.chairsyde.com)	3,066 ms	939 ms
/_nuxt/0bc49ec.js (demo.chairsyde.com)	4,024 ms	120 ms
/_nuxt/7967207.js (demo.chairsyde.com)	2,666 ms	119 ms
/_nuxt/20677e7.js (demo.chairsyde.com)	2,585 ms	51 ms

○ Avoid large layout shifts — 2 layout shifts found



These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Element	Layout shift score
<div><div></div><div>div.container</div></div> <div></div> <div>img</div>	0.009
<div></div> <div>div.has-text-ch-txt-sub.has-text-weight-medium.has-text-centered.is-size-7</div>	0.001
...fonts/BasierCircle-Bold.73a52fc.woff2 (demo.chairsyde.com)	Web font loaded
...fonts/BasierCir....3601733.woff2 (demo.chairsyde.com)	Web font loaded
...fonts/BasierCir....a05b38a.woff2 (demo.chairsyde.com)	Web font loaded
...fonts/BasierCir....14d0305.woff2 (demo.chairsyde.com)	Web font loaded

Media element lacking an explicit size

○ User Timing marks and measures — 1 user timing



Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
sentry-tracing-init	Mark	668.60 ms	

○ Avoid chaining critical requests — 3 chains found



The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

[Learn how to avoid chaining critical requests.](#)

Maximum critical path latency: **184.607 ms**

Initial Navigation

- https://demo.chairsyde.com
 - /v2/chargebee.js (js.chargebee.com) - **75.382 ms, 122.49 KiB**
 - /embed/v4.js (play.vidyard.com) - **110.033 ms, 22.59 KiB**
 - /iframe_api (www.youtube.com) - **107.823 ms, 0.64 KiB**

○ Minimize third-party usage — Third-party code blocked the main thread for 0 ms ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact.](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
Google CDN Cdn	586 KiB	0 ms
...X-oVtzDcT.../recaptcha__en.js (www.gstatic.com)	543 KiB	0 ms
...X-oVtzDcT.../styles__ltr.css (www.gstatic.com)	41 KiB	0 ms
...api2/logo_48.png (www.gstatic.com)	2 KiB	0 ms
JSDelivr CDN Cdn	357 KiB	0 ms
...fonts/materialdesignicons-webfont.woff2?v=5.8.55 (cdn.jsdelivr.net)	313 KiB	0 ms
...css/materialdesignicons.min.css (cdn.jsdelivr.net)	44 KiB	0 ms
chargebee.com	345 KiB	0 ms
/v2/chargebee.js (js.chargebee.com)	122 KiB	0 ms
...v2/master-b6e7238...js (js.chargebee.com)	86 KiB	0 ms
/hcaptcha.js?onload=hCaptchaOnLoad (js.chargebee.com)	65 KiB	0 ms
...v2/254-12bbe73...js (js.chargebee.com)	50 KiB	0 ms
...v2/master.html?site=chairsyde-test&env=production (js.chargebee.com)	7 KiB	0 ms
...v2/234-7850882...js (js.chargebee.com)	6 KiB	0 ms
...v2/253-38cc4e3...js (js.chargebee.com)	5 KiB	0 ms
...v2/251-1d544bf...js (js.chargebee.com)	2 KiB	0 ms
...v2/260-6d54549...js (js.chargebee.com)	2 KiB	0 ms
...v2/pi-worker.js (js.chargebee.com)	0 KiB	0 ms
hcaptcha.com	118 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...static/hcaptcha.html (newassets.hcaptcha.com)	118 KiB	0 ms
/checksiteconfig?v=... (api.hcaptcha.com)	1 KiB	0 ms
Other Google APIs/SDKs Utility	43 KiB	0 ms
...api2/anchor?ar=... (www.google.com)	41 KiB	0 ms
/recaptcha/api.js?render=explicit (www.google.com)	1 KiB	0 ms
...api2/webworker.js?hl=en&v=X-oVtzDcT... (www.google.com)	0 KiB	0 ms
userflow.com	29 KiB	0 ms
/es2020/userflow.js (js.userflow.com)	29 KiB	0 ms
Google Fonts Cdn	23 KiB	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
/css?family=... (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
/icon?family=Material+Icons (fonts.googleapis.com)	0 KiB	0 ms
Vidyard Utility	23 KiB	0 ms
/embed/v4.js (play.vidyard.com)	23 KiB	0 ms
Cloudflare CDN Cdn	15 KiB	0 ms
...css/all.min.css (cdnjs.cloudflare.com)	11 KiB	0 ms
...4.1.1/animate.min.css (cdnjs.cloudflare.com)	5 KiB	0 ms
posthog.com	15 KiB	0 ms
/static/dead-clicks-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	5 KiB	0 ms
/static/web-vitals.js?v=1.235.6 (eu-assets.i.posthog.com)	4 KiB	0 ms
/static/exception-autocapture.js?v=1.235.6 (eu-assets.i.posthog.com)	4 KiB	0 ms
/decide/?v=4&ip=1&_=174...&ver=1.235.6&compression=base64 (eu.i.posthog.com)	1 KiB	0 ms
...phc_sDyfy.../config.js (eu-assets.i.posthog.com)	1 KiB	0 ms
/e/?ip=1&_=174...&ver=1.235.6&compression=gzip-js (eu.i.posthog.com)	0 KiB	0 ms
/s/?ip=1&_=174...&ver=1.235.6&compression=gzip-js (eu.i.posthog.com)	0 KiB	0 ms
YouTube Video	11 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...www-widgetapi.vflset/www-widgetapi.js (www.youtube.com)	10 KiB	0 ms
/iframe_api (www.youtube.com)	1 KiB	0 ms
chargebeestaticv2.com	1 KiB	0 ms
...174.../retrieve_js_info (chairsyde-test.chargebeestaticv2.com)	1 KiB	0 ms
Sentry Utility	0 KiB	0 ms
...450.../envelope? sentry_version=... (o4507176030437376.ingest.de.sentry.io)	0 KiB	0 ms


More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (22)

Hide


Properly size images

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#) FCP LCP

 Use the `nuxt/image` component and set the appropriate sizes. [Learn more.](#)

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#) FCP LCP

 Use the `nuxt/image` component and set `loading="lazy"` for offscreen images. [Learn more.](#)

Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP

Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#) FCP LCP



Use the `nuxt/image` component and set the appropriate quality. [Learn more.](#)

Serve images in next-gen formats

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#) FCP LCP



Use the `nuxt/image` component and set `format="webp"`. [Learn more.](#)

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) FCP LCP

Preconnect to required origins

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins.](#) LCP FCP

Initial server response time was short — Root document took 60 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
chairsyde.com 1st Party	60 ms
https://demo.chairsyde.com	60 ms

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) LCP FCP

Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2.](#) LCP FCP

Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) FCP LCP

Remove duplicate modules in JavaScript bundles




Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP

○ Preload Largest Contentful Paint image





If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements](#). LCP

 Use the `nuxt/image` component and specify `preload` for LCP image. [Learn more](#).

Avoids an excessive DOM size — 100 elements



A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size](#). TBT

Statistic	Element	Value
Total DOM Elements		100
Maximum DOM Depth	 input	28
Maximum Child Elements	 body.light-theme.light-old	13

Minimizes main-thread work — 1.9 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	1,500 ms
Other	161 ms
Script Parsing & Compilation	78 ms
Style & Layout	57 ms
Garbage Collection	46 ms
Parse HTML & CSS	37 ms
Rendering	8 ms

☐ Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

☐ Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\).](#)

☐ Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A <meta name="viewport"> not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

■ Captured at May 21, 2025,
9:21 AM GMT+2
■ Initial page load

■ Emulated Desktop with
Lighthouse 12.5.1
■ Custom throttling

■ Single page session
■ Using Chromium 136.0.0.0 with
devtools

Generated by **Lighthouse** 12.5.1 | [File an issue](#)