BestCV Functional and Setup Guide

End-to-end functional document for Microsoft Marketplace certification

Product: BestCV | Publisher: SRIQ Corporation (Pvt) Limited | Offer type: Dynamics 365 apps on Dataverse and Power Apps | Date: 20 October 2026

This document describes the key usage scenarios of BestCV, the administrator and user journeys, the outside services BestCV connects to, and the test scenarios a reviewer can run to check every feature in the listing.

Contents

1. Customer overview 3

2. What you need before installing 4

3. Install and set up (admin journey) 5

Step A: Set up the Azure resources 5

Step B: Install and configure BestCV 7

4. Outside services and the data they receive 8

How the scoring instructions work 9

5. Security roles and access 9

6. Test scenarios 10

T01 Open BestCV and see the dashboard (BestCV Admin) 11

T02 No access without the BestCV Admin role (no BestCV role) 12

T03 Company settings and logo (BestCV Admin) 12

T04 Job titles, rename and lock (BestCV Admin) 12

T05 Create and publish a job (BestCV Admin) 13

T06 Improve a description with AI (BestCV Admin) 14

T07 Generate a poster image (BestCV Admin) 14

T08 Close and reopen a job (BestCV Admin) 14

T09 LinkedIn publish, update, delete (optional) (BestCV Admin) 15

T10 Valid application by email (Test sender) 15

T11 Search, filter and download (BestCV Admin) 16

T12 Record a decision (BestCV Admin) 16

T13 Improve the scoring instructions (BestCV Admin) 17

T14 Application for an unpublished job (Test sender) 17

T15 Wrong or unreadable attachment (Test sender) 17

7. Test data and reviewer access 18

8. Remove BestCV 18

9. Known limits, help and support 19

1. Customer overview

BestCV helps HR teams post jobs and review candidate CVs inside Microsoft Power Platform. It runs as a Power Apps code app in the customer's own environment, with data in Dataverse and the processes in Power Automate.

- **See the week at a glance.** The dashboard shows applications this week, candidates waiting for review and recent job posts.
- **Prepare jobs.** Create, edit, close and reopen job posts using the company's own job titles. Improve a job description with AI and generate a job poster image.
- **Receive CVs by email.** Candidates email their CV to a company mailbox. BestCV reads the CV, links it to the job and adds a summary and an AI match rating (Strong, Possible or Weak). Applications for jobs that are not published, and wrong or unreadable files, are answered by email and not saved.
- **Review candidates.** HR staff search candidates, compare the AI summary with the original CV, download the CV and record a decision and comments. The AI score supports the review; it does not replace it.
- **Share jobs on LinkedIn (optional).** Publish a job to an authorised LinkedIn member account. Updates are posted again, and the post is removed when the job closes.




Figure 1. Dashboard overview: welcome banner, summary cards and AI insights




Figure 2. Dashboard charts: applications this week, candidate pipeline and AI score distribution

Your data stays with you. BestCV runs in your tenant and uses your own Azure AI services and mailbox. SRIQ Corporation does not receive your candidates' data.

Subscription. BestCV is sold as one subscription per company. Contact SRIQ Corporation for a quote. Each user also needs a Power Apps Premium license, and AI use is billed on your own Azure subscription.

2. What you need before installing

Requirement	Detail
Power Platform environment	With a Dataverse database, in the customer's tenant
Code apps turned on	An admin enables code apps for the environment in the Power Platform admin center
User licenses	Power Apps Premium for every user (or pay-as-you-go, App Pass or auto-claim)
Roles to install	System Administrator in the target environment, for the installer only
CV mailbox	An Outlook (Microsoft 365) mailbox that receives candidate CVs
Azure AI Document Intelligence	One resource, using the prebuilt-layout model, to read CVs, on the Standard S0 tier. See section 3, Step A.

Requirement	Detail
Azure OpenAI	One resource with two deployments: a chat model for scoring and text, and an image model for job-post images (tested with gpt-5.4-mini and gpt-image-2). See section 3, Step A.
Azure Key Vault	One key vault in the same tenant, to hold the three keys, in a subscription with the Microsoft.PowerPlatform resource provider registered. See section 3, Step A.
LinkedIn (optional)	A LinkedIn developer app with the w_member_social permission, only if jobs are posted to LinkedIn

3. Install and set up (admin journey)

An administrator completes these steps once per environment. The package ships no keys, endpoints or environment URLs: the seven endpoint, key and URL variables are empty after install and must be filled in with the customer's own values.

Step A: Set up the Azure resources

BestCV uses AI services in the customer's own Azure subscription. An Azure administrator (Owner or Contributor on the subscription) completes these steps once, before BestCV is installed. Use the same Microsoft Entra tenant as the Power Platform environment.

1. **Register the Power Platform resource provider.** In the Azure portal, open Subscriptions, select the subscription, then Resource providers. Find Microsoft.PowerPlatform and choose Register if its status is NotRegistered. Power Platform needs it to read the keys from Azure Key Vault.
2. **Create a resource group.** Create one resource group for BestCV, for example rg-bestcv, so that all BestCV resources can be found and removed together.
3. **Create Azure AI Document Intelligence.** Choose Create a resource, search for Document Intelligence and create it in the resource group with the Standard S0 pricing tier. The free F0 tier reads only the first two pages of each PDF and is suitable only for a trial. When it is ready, open Keys and Endpoint and note the Endpoint and KEY 1.
4. **Create Azure OpenAI.** Create an Azure OpenAI resource in the resource group. Choose a region where both models in the next step are available; image models are offered in fewer regions (BestCV's image model was tested in East US 2). When it is ready, open Keys and Endpoint and note the Endpoint and KEY 1.
5. **Deploy the two models.** Open the resource in the Azure AI Foundry portal, go to Deployments and choose Deploy model twice. First deploy a chat model for scoring and writing (BestCV was tested with gpt-5.4-mini). Then deploy a GPT-image model that supports image edits for job-post images (BestCV was

tested with gpt-image-2); some image models need an access request before they can be deployed. Note both deployment names, and give each deployment enough tokens-per-minute quota for the expected number of CVs.

6. **Create an Azure Key Vault.** Create a key vault in the resource group, in the same tenant as the Power Platform environment. On the Access configuration tab, choose Azure role-based access control as the permission model. If you turn on the Key Vault firewall, allow the Power Platform IP addresses, because Power Platform is not covered by the "trusted Microsoft services" option.
7. **Add the three keys as secrets.** In the key vault, open Secrets and choose Generate/Import three times: bestcv-docintel-key with the Document Intelligence KEY 1, bestcv-openai-key with the Azure OpenAI KEY 1, and bestcv-image-key with the key of the resource that hosts the image deployment (the same Azure OpenAI KEY 1 when both deployments are in one resource).
8. **Give access to the secrets.** In the key vault, open Access control (IAM), choose Add role assignment and assign the Key Vault Secrets User role to the Dataverse service principal (application ID 00000007-0000-0000-c000-000000000000) and to the administrator who sets the BestCV environment variables in Step B. Without both assignments, saving the key variables fails with "User isn't authorized to read secrets".
9. **Prepare the values for Step B.** Build the three endpoint URLs and note the secret names as shown in the table below. For each key variable, Step B asks for the Azure subscription ID, resource group name, key vault name and secret name; the first three are on the key vault's Overview page.

Environment variable	Value from Step A
sriq_BestCVOCRModelAPIEndPoint	{Document Intelligence endpoint}documentintelligence/documentModels/prebuilt-layout:analyze?api-version=2024-11-30
sriq_BestCVOCRModelAPIKey	Key Vault secret bestcv-docintel-key
sriq_BestCVLLMEndPoint	https://{resource}.openai.azure.com/openai/deployments/{chat deployment}/chat/completions?api-version={latest generally available version}
sriq_BestCVLLMAPIKey	Key Vault secret bestcv-openai-key
sriq_BestCVGenerateImageEndpoint	https://{resource}.openai.azure.com/openai/deployments/{image deployment}/images/edits?api-version={version that supports image edits for your image model}
sriq_BestCVGenerateImageToken	Key Vault secret bestcv-image-key

Expected: Microsoft.PowerPlatform shows Registered; the Document Intelligence and Azure OpenAI resources exist, with a chat deployment and an image deployment; the key vault holds the three secrets; and the Dataverse service principal and the administrator both have the Key Vault Secrets User role.

Step B: Install and configure BestCV

1. **Install BestCV.** In the Power Platform admin center, open Resources, then Dynamics 365 apps, select BestCV and choose Install. Pick the target environment and accept the terms. (Certification reviewers install the same release with the Package Deployer package.)
2. **Connect the services.** In make.powerapps.com, open Solutions, then BestCV, then Connection references, and set each one as listed in the table below.
3. **Enter the settings.** In the same solution, open Environment variables and set the values in the second table below. For the three key variables, choose New Azure Key Vault value reference and enter the subscription ID, resource group, key vault name and secret name from Step A.
4. **Turn on the flows.** Open Cloud flows and turn on BestCV-CandidateCVScoring, ManageJobPost, EnhanceJobDescription, EnhanceMasterPrompt and JDImageGeneration.
5. **Give people access.** Assign the BestCV Admin role to the HR users who work with jobs and candidates, to the people who manage company settings, and to the integration account that owns the CV mailbox connection (section 5), and share the BestCV app with them.
6. **Set up the company.** Open BestCV as a BestCV Admin, go to Configuration, and enter the company name, HR contact and logo. Add the job titles your company uses.

Connection reference	What to set
sriq_BestCVDataverseConnection	A Dataverse connection to this environment
sriq_BestCVOutlookConnetion	An Outlook connection signed in as the CV mailbox (the name is spelled this way in the package)
sriq_sharedlinkedin5fats5fb83adde35586a3e45f885d84e9d2efe8b5_97421	The LinkedIn connection, only if LinkedIn posting is used

Environment variable	What to enter
sriq_BestCVDataverseEnvironment	This environment's URL, for example https://contoso.crm.dynamics.com (empty after install)
sriq_BestCVOCRModelAPIEndPoint	Your Document Intelligence analyze URL for prebuilt-layout (empty after install)

Environment variable	What to enter
sriq_BestCVOCRModelAPIKey	Your Document Intelligence key (Secret, stored in your Azure Key Vault)
sriq_BestCVLLMEndPoint	Your Azure OpenAI chat completions URL (empty after install)
sriq_BestCVLLMAPIKey	Your Azure OpenAI key (Secret, stored in your Azure Key Vault)
sriq_BestCVGenerateImageEndpoint	Your Azure OpenAI image URL (empty after install)
sriq_BestCVGenerateImageToken	Your Azure OpenAI image key (Secret, stored in your Azure Key Vault)
sriq_BestCVLLMMasterPrompt	Leave the default scoring instructions, or edit them
sriq_BestCVEnhanceJD	Leave the default job-description instructions
sriq_EnhanceMPPrompt	Leave the default prompt-improvement instructions

4. Outside services and the data they receive

BestCV connects to the services below. All of them belong to the customer; SRIQ Corporation runs none of them and receives no candidate data.

Service	Used by	Data sent	Sign-in	Owned by
Microsoft Dataverse	The app and all flows	Jobs, candidates, CV files, settings	Dataverse connection	Customer
Outlook (Microsoft 365)	CandidateCVScoring	Reads incoming CV emails; sends emails to HR and candidates	Outlook connection as the CV mailbox	Customer
Azure AI Document Intelligence	CandidateCVScoring	The CV file, to extract its text	API key in the customer's Key Vault	Customer's Azure subscription
Azure OpenAI	CandidateCVScoring, EnhanceJobDescription, EnhanceMasterPrompt, JDImageGeneration	CV text and job details for scoring; job details for descriptions and images	API key in the customer's Key Vault	Customer's Azure subscription

Service	Used by	Data sent	Sign-in	Owned by
LinkedIn (optional)	ManageJobPost	Job post text and image	OAuth sign-in of the posting member	Customer's LinkedIn account

How the scoring instructions work

The scoring instructions (also called the system instructions) are the rules the AI follows when it scores each CV. A BestCV Admin sets them under Configuration, and HR always makes the final decision. They are stored in the Master Prompt column of the Configuration table.

1. A candidate emails a CV to the CV mailbox.
2. Azure AI Document Intelligence reads the text from the PDF.
3. The CandidateCVScoring flow sends Azure OpenAI the scoring instructions as the system message, and the job description plus the CV text as the user message.
4. The AI returns a match rating (Strong, Possible or Weak), a summary of strengths and missing skills, and the candidate's name and contact details.
5. HR reviews the candidate and records the decision (T12). The score is a suggestion only.

Help me write it. HR does not need to write AI prompts. HR types a plain wish, such as "Prefer candidates with Power Platform experience". The EnhanceMasterPrompt flow sends the wish and the current instructions to Azure OpenAI, which rewrites them as complete instructions. HR accepts and saves, and every CV that arrives after that is scored with the new rules (T13).

Default instructions. BestCV ships starting instructions in the environment variable sriq_BestCVLLMMasterPrompt. CandidateCVScoring reads the instructions from the Configuration row, so the administrator creates the Configuration row (step 6 of section 3) before the first CV arrives.

5. Security roles and access

BestCV ships one security role, BestCV Admin. Give it to every HR user who works with jobs and candidates, to the people who manage company settings and the scoring instructions, and to the integration account that owns the CV mailbox connection. Anyone with BestCV Admin can change company settings and the scoring instructions. Users do not need System Administrator, System Customizer or maker rights to use the app.

Role	For	Can do
BestCV Admin	HR users who manage jobs and review candidates, HR configuration owners, and the integration account	Job posts, AI writing and images, LinkedIn publishing, candidate search, review and decisions, company settings and logo, job titles and the scoring instructions

Role	For	Can do
No BestCV role	Any other user in the environment	Nothing: BestCV shows no data, and Dataverse denies reading or changing the BestCV tables

The flows run under the connections set in section 3. The person who creates those connections should be a dedicated account that owns the CV mailbox, not a personal administrator account.

6. Test scenarios

Each scenario covers one feature in the listing. Run them in order with the test data in section 7; every expected result must hold. HR tests (T01, T03 to T09, T11, T12 and T13) use test-admin (BestCV Admin); T02 uses test-norole (no BestCV role); T10, T14 and T15 use test-sender (outside sender). Install and removal are covered in sections 3 and 8.

ID	Scenario	Role
T01	Open BestCV and see the dashboard	BestCV Admin
T02	No access without the BestCV Admin role	No BestCV role
T03	Company settings and logo	BestCV Admin
T04	Job titles, rename and lock	BestCV Admin
T05	Create and publish a job	BestCV Admin
T06	Improve a description with AI	BestCV Admin
T07	Generate a poster image	BestCV Admin
T08	Close and reopen a job	BestCV Admin
T09	LinkedIn publish, update, delete (optional)	BestCV Admin
T10	Valid application by email	Test sender
T11	Search, filter and download	BestCV Admin
T12	Record a decision	BestCV Admin
T13	Improve the scoring instructions	BestCV Admin

ID	Scenario	Role
T14	Application for an unpublished job	Test sender
T15	Wrong or unreadable attachment	Test sender

T01 Open BestCV and see the dashboard (BestCV Admin)

1. Sign in to make.powerapps.com as test-admin and open BestCV.

Expected: the dashboard opens in under 5 seconds and shows Applications this week, Waiting for your review and Recent job posts, with no error.




Figure 3. BestCV opening




Figure 4. Dashboard

T02 No access without the BestCV Admin role (no BestCV role)

1. Sign in to make.powerapps.com as test-norole (no BestCV role) and try to open BestCV.
2. Try to open the Configuration and Candidate tables in Dataverse directly.
3. Try to change a row in each of those tables.

Expected: test-norole sees no BestCV data or gets an access error, and Dataverse denies reading and changing the Configuration and Candidate tables.

T03 Company settings and logo (BestCV Admin)

1. As test-admin, open Configuration.
2. Enter Contoso Test Ltd, hr-test@contoso-test.example and HR manager Taylor Test.
3. Choose a logo, upload Contoso logo.png, choose Save changes, and reload.

Expected: all values and the logo are shown after reloading.




Figure 5. Configuration: company, HR manager and system instructions

T04 Job titles, rename and lock (BestCV Admin)

1. Under Job titles, add Test Software Analyst and choose Add.
2. Rename it to Test Software Analyst II.
3. After T05, try to delete it.

Expected: the new name is offered in the job form; after it is used it shows “Locked: used by job posts” and cannot be deleted.




Figure 6. Job titles

T05 Create and publish a job (BestCV Admin)

1. Open Job posts and choose Create job post.
2. Select Test Software Analyst II; enter a description, location Colombo, On-site, Full-time; choose Easy Apply by email.
3. Turn on “Publish to LinkedIn when I save” only if LinkedIn is configured, then choose Save.

Expected: the job appears with a job number and status Published (or Open when not published).




Figure 7. Job posts




Figure 8. Publishing a saved job post to LinkedIn

T06 Improve a description with AI (BestCV Admin)

1. Open the job and choose Write with AI.
2. Accept the suggestion and save.

Expected: a rewritten description appears within 30 seconds and is saved.

T07 Generate a poster image (BestCV Admin)

1. In the job form, choose Generate image with AI.

Expected: a poster using the job title and the Contoso logo appears and is saved with the job.

T08 Close and reopen a job (BestCV Admin)

1. Close the job from T05, then reopen it.

Expected: the status changes to Closed (read-only), then back.




Figure 9. Job post details with Close job post, Edit and View candidates

T09 LinkedIn publish, update, delete (optional) (BestCV Admin)

1. With the LinkedIn connection set, publish the job to LinkedIn.
2. Edit the description and save, then close the job.

Expected: the post appears on the test member's LinkedIn feed, shows the update, and is removed when the job is closed. BestCV shows "Live on LinkedIn", then "Publishing stopped".




Figure 10. The job's LinkedIn post preview

T10 Valid application by email (Test sender)

1. From test-sender, email Alex Example CV.pdf to the CV mailbox with the subject in section 7.
2. Wait up to 5 minutes and open Candidates.

Expected: Alex Example appears, linked to the job, with a rating of Strong or Possible, a summary and the CV file. The sender receives “Application Received”, and the CandidateCVScoring run succeeds.

T11 Search, filter and download (BestCV Admin)

1. In Candidates, search “Alex”, filter by the job and by AI score Strong.
2. Choose Review, then Download.

Expected: Alex Example is found; the downloaded file is identical to the CV sent.

T12 Record a decision (BestCV Admin)

1. Choose Shortlisted, add the comment “Reviewed against source CV”, choose Save review, and reopen.

Expected: the decision, comment, reviewer and date are saved; the candidate appears under History after the job closes.




Figure 11. Candidate review with the AI summary, CV download and HR decision




Figure 12. History of closed job posts and review decisions

T13 Improve the scoring instructions (BestCV Admin)

1. Open Configuration, then System instructions, and choose Help me write it.
2. Describe “Prefer candidates with Power Platform experience”, accept the suggestion and choose Save changes.
3. Reopen System instructions and check that the text is saved.
4. Send Sam Sample CV.pdf as in T10.

Expected: the new instructions are still shown after reopening. Sam Sample is created with a rating of Weak or Possible, and the summary mentions Power Platform experience, which shows the new instructions were used.

T14 Application for an unpublished job (Test sender)

1. Email Alex Example CV.pdf with the job number of Test Data Analyst (status Open, not published).

Expected: no candidate is created; the sender receives “Job Application Update”.

T15 Wrong or unreadable attachment (Test sender)

1. Email Alex Example CV.docx for the published job.
2. Email two PDFs in one message.
3. Email Unreadable test.pdf.

Expected: cases 1 and 2 send “CV Resubmission Required” and create nothing. Case 3 creates no candidate, emails the HR manager “CV processing failed” and the sender “Please resubmit your CV”.

7. Test data and reviewer access

All test data uses made-up people. Never use a real candidate's CV.

Item	Detail
Company	Contoso Test Ltd, hr-test@contoso-test.example, HR manager Taylor Test
Job titles	Test Software Analyst (renamed to Test Software Analyst II), Test Data Analyst
Jobs	Test Software Analyst II (Published), Test Data Analyst (Open, not published)
Sample CVs	Alex Example CV.pdf (strong match); Sam Sample CV.pdf (weak match)
Invalid files	Unreadable test.pdf (scanned blank page); Alex Example CV.docx (wrong format)
Test logo	Contoso logo.png, 512 x 512
Accounts	test-admin (BestCV Admin, used for HR tests T01, T03 to T09, T11, T12 and T13), test-norole (no BestCV role, used only in T02), test-sender (outside sender, used in T10, T14 and T15)
CV email subject	Application for Test Software Analyst II {job number}

To test the AI features, reviewers need working Azure AI services. SRIQ Corporation provides a temporary Document Intelligence and Azure OpenAI endpoint with keys for the review period. These are shared only in the Notes for certification field in Partner Center, never in this document, and are deleted after certification.

8. Remove BestCV

1. Export any candidate and job data the company must keep.
2. In make.powerapps.com, open Cloud flows and turn off the BestCV flows so no new CVs are processed.
3. In the Power Platform admin center, open the environment, then Dynamics 365 apps, select BestCV and choose Uninstall. (Reviewers can instead delete the BestCV managed solution from Solutions.)
4. Delete the BestCV connections that are no longer used, and remove the keys from the Azure Key Vault if they are not needed elsewhere.

Expected: the BestCV app, tables, flows, connector, connection references and environment variables are gone from the environment. Emails in the CV mailbox and data in the customer's Azure services are not removed and follow the customer's own retention rules.

9. Known limits, help and support

- BestCV posts to a LinkedIn member account. It is not LinkedIn Jobs, LinkedIn's own Easy Apply or a certified LinkedIn ATS integration; applicants apply by email.
- AI summaries and scores can be wrong. HR staff check them against the original CV before deciding.
- Code apps do not run in Power Apps for Windows or in SharePoint forms.
- The Interview, Job Request, Request Approver, Department, Notification, User Role and Usertable tables are included for future use; this release has no screens for them.

Help, support and privacy pages are at sriqcorp.com. When contacting support, give the BestCV version, what you were doing and the time it happened. Never send keys, passwords or real candidate CVs.