

1. Introduction to HTML

HTML (HyperText Markup Language) is the standard language used to create and design web pages. It tells the browser how to display content like text, images, links, and more.

Key points:

HTML is not a programming language, but a markup language.

It uses tags to define elements (like headings, paragraphs, etc.).

Each web page is an HTML document.

Example:

```
<!DOCTYPE html>
<html>
<head>
<title>My First Webpage</title>
</head>
<body>
Hello, world!
</body>
</html>
```

2. Basic Structure of HTML (HTML, HEAD, TITLE, BODY)

Every HTML document has a basic structure made of these main parts:

Tag	Description
-----	-------------

<html>	Root of the document. Everything is written inside it.
<head>	Contains information about the page (not visible on the page).
<title>	Sets the title of the webpage (shown in browser tab).
<body>	Contains all visible content (text, images, links, etc.).

Example:

```
<html>
<head>
<title>My Page</title>
</head>
<body>
<h1>Welcome to My Page</h1>
<p>This is a sample paragraph.</p>
</body>
```

</html>

🎨 2.3 BODY Attributes

The <body> tag supports several attributes that control the appearance of the web page.

Attribute	Description	Example
-----------	-------------	---------

TEXT	Sets the color of the text	<body text="blue">
------	----------------------------	--------------------

BGCOLOR	Sets the background color	<body bgcolor="yellow">
---------	---------------------------	-------------------------

BACKGROUND	Sets a background image	<body background="image.jpg">
------------	-------------------------	-------------------------------

BGSOUND	Adds background music/sound (used in older HTML)	<bgsound src="music.mp3">
---------	--	---------------------------

Example:

```
<body text="white" bgcolor="black" background="bg.jpg">
```

```
<h2>Welcome!</h2>
```

```
</body>
```

♦ 2.4 HTML Elements

An HTML element is everything from the start tag to the end tag.

Example:

```
<p>This is a paragraph.</p>
```

Here:

<p> → start tag

</p> → end tag

Text between them → content

Full element → <p>This is a paragraph.</p>

🔖 2.5 HTML TAGS and Attributes

Tag: A keyword enclosed in < > that tells the browser what to do.

Attribute: Provides extra information about an element.

Example:

```

```

Here, src, alt, and width are attributes of the tag.

♦ 2.5.1 Singular (Empty) Tags

These don't have closing tags.

Examples:

```
<br> <!-- Line break -->
<hr> <!-- Horizontal line -->
 <!-- Image -->
<input type="text"> <!-- Input field -->
```

♦ 2.5.2 Paired Tags

These have both opening and closing tags.

Examples:

```
<p>Paragraph</p>
<b>Bold Text</b>
<h1>Heading</h1>
```

✎ 2.6 Character Formatting

2.6.1 Heading Tags (H1 to H6)

Used for headings from largest (H1) to smallest (H6).

Example:

```
<h1 align="center">Main Heading</h1>
<h2 align="left">Subheading</h2>
```

2.6.2 Paragraph Tag

Defines a block of text as a paragraph.

Example:

```
<p align="justify">This is a paragraph with justified alignment.</p>
```

2.6.3 Line Break (BR)

Inserts a line break without starting a new paragraph.

Hello
World

2.6.4 Horizontal Rule (HR)

Draws a horizontal line to separate content.

Attributes:

ALIGN – left, right, center

SIZE – thickness

WIDTH – length of line

NOSHADE – removes shadow

Example:

```
<hr align="center" size="4" width="50%" noshade>
```

2.6.5 Comments in HTML

Used to add notes that are not displayed on the webpage.

```
<!-- This is a comment -->
```

2.6.6 Text Formatting Tags

Tag	Description	Example
	Bold text	Bold
<i>	Italic text	<i>Italic</i>
<u>	Underlined text	<u>Underline</u>
<blockquote>	Indent long quotations	<blockquote>Quote text</blockquote>
<q>	Short quotation (adds “ ”)	<q>Short quote</q>
<pre>	Preformatted text (keeps spaces & line breaks)	<pre>Code block</pre>
<sub>	Subscript text	H₂O

<sup> Superscript text x²
 Emphasized (italic) Important
<strike> Strikethrough <strike>Deleted</strike>
<small> Smaller text <small>Note</small>
<big> Larger text <big>Heading</big>
<center> Centers the content <center>Centered text</center>

2.7 FONT Tag and Attributes

Used to change the font color, face, and size of text.
(Note: is deprecated in modern HTML; use CSS instead.)

Attributes:

COLOR → text color

FACE → font type

SIZE → text size (1–7)

Example:

```
<font color="red" face="Arial" size="5">  
This is styled text.  
</font>
```