

Cucumber Report

16 May, 2021 4:23:41 PM

Start : May 16, 4:23:18.647 PM

End : May 16, 4:23:39.443 PM

Duration : 20.796 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0




FAILED - 2


SKIPPED - 0

PASSED - 2


FAILED - 2

SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	Contact Us Feature	2	0	2	0	20.796 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	1	1	2	11.893 s
2	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	1	1	2	8.830 s


(F)- Contact Us Feature

FAILED	DURATION - 20.796 s	Scenarios		Steps	
/ 4:23:18.647 PM // 4:23:39.443 PM /		Total - 2		Total - 8	
		Pass - 0		Pass - 2	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 4	



(S)- Contact Us scenario with different set of data

<div><div>FAILED</div><div>DURATION - 11.893 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 4:23:18.663 PM // 4:23:30.556 PM /				
Contact Us Feature				

#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	5.811 s
2	When user fills the form from given sheetname "contactus" and rownumber 0 java.io.FileNotFoundException: \Users\Sonal\Desktop\automation.xlsx at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:268) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:246) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:227) at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44) at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34) at com.qa.util.ExcelReader.getData(ExcelReader.java:23) at stepdefinitions.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:33) at ?.user fills the form from given sheetname "contactus" and rownumber 0(file:///D:/Workspace/CucumberPOMSeries/src/test/resources/AppFeatures/ContactUs.feature:5) * Not displayable characters are replaced by '?'.	FAILED	0.012 s
3	And user clicks on send button	SKIPPED	0.002 s
4	Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.346 s
	Contact_Us_scenario_with_different_set_of_data		

#	Step / Hook Details	Status	Duration
			

(S)- Contact Us scenario with different set of data

<div>FAILED</div> <div>DURATION - 8.830 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 4:23:30.613 PM // 4:23:39.443 PM /				
Contact Us Feature				

#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	4.471 s
2	When user fills the form from given sheetname "contactus" and rownumber 1 <pre>java.io.FileNotFoundException: \Users\Sonal\Desktop\automation.xlsx at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:268) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:246) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:227) at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44) at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34) at com.qa.util.ExcelReader.getData(ExcelReader.java:23) at stepdefinitions.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:33) at ?.user fills the form from given sheetname "contactus" and rownumber 1(file:///D:/Workspace/CucumberPOMSeries/src/test/resources/AppFeatures/ContactUs.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	And user clicks on send button	SKIPPED	0.001 s
4	Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.455 s
	Contact_Us_scenario_with_different_set_of_data		

#	Step / Hook Details	Status	Duration
	 +		

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

SALE 70% OFF ALL PRODUCTS GET SAVINGS NOW

Call us now 0123-456-789 Contact us Sign in

Your Logo a new experience

Search

Cart (empty)

WOMEN DRESSES T-SHIRTS

Contact

CUSTOMER SERVICE - CONTACT US

SEND A MESSAGE

Subject Heading -- Choose --

Email address

Order reference

Message

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

SALE 70% OFF ALL PRODUCTS GET SAVINGS NOW

Call us now 0123-456-789 Contact us Sign in

Your Logo a new experience

Search

Cart (empty)

WOMEN DRESSES T-SHIRTS

Contact

CUSTOMER SERVICE - CONTACT US

SEND A MESSAGE

Subject Heading -- Choose --

Email address

Order reference

Message