

CLASSROOM CONTACT PROGRAMME

(ACADEMIC SESSION 2018-2019)

PRE-MEDICAL : NURTURE PHASE-I & II

TEST # 06

DATE : 25-08-2018

Test Type : Minor

Test Pattern : AIIMS

INSTRUCTIONS

Do not open this Test Booklet until you are asked to do so

1. Immediately fill in the form number on this page of the Test Booklet with Blue/Black Ball Point Pen. Use of pencil is strictly prohibited.
2. The candidates should not write their Form Number anywhere else (except in the specified space) on the Test Booklet/Answer Sheet.
3. The test is of **3 hours** duration.
4. The Test Booklet consists of **180** questions. The maximum marks are **180**.
5. **Each correct answer carry 1 mark. While one third mark will be deducted for each incorrect answer.**
6. Use **Blue/Black Ball Point Pen only** for writing particulars/markings responses on **Side-1** the Answer Sheet. **Use of pencil is strictly prohibited.**
7. No candidate is allowed to carry any textual material, printed or written, bits of papers, pager, mobile phone any electronic device etc, except the Identity Card inside the examination hall/room.
8. Rough work is to be done on the space provided for this purpose in the Test Booklet only.
9. On completion of the test, the candidate must hand over the Answer Sheet to the invigilator on duty in the Room/Hall. **However, the candidate are allowed to take away this Test Booklet with them.**
10. **Do not fold or make any stray marks on the Answer Sheet.**

Corporate Office

ALLEN CAREER INSTITUTE

"SANKALP", CP-6, Indra Vihar, Kota (Rajasthan)-324005

☎ +91-744-2757575 ☎ +91-744-2435003 ✉ info@allen.ac.in

Rajkot Centres

Kalawad Road

"ISHAVASYAM", B/h. Crystal Mall, Opp./O.C. Quarters,
Kalawad Road, Rajkot (Gujarat)-360005

☎ 0281-2562131 ☎ +91-85111-43783 ✉ rajkot@allen.ac.in

Limbudiwadi Centre

Opp. Landmark 2 Apartment, Limbudiwadi
Main Road, Off. Kalawad Road, Rajkot (Gujarat)- 360007

☎ 0281-2450228

www.allen.ac.in


Your Target is to secure Good Rank in AIIMS 2020

MINOR TEST # 06	Topics	DATE : 25 - 08 - 2018
PRE-MEDICAL NURTURE COURSE : PHASE – I & II		
PHYSICS : Kinematics, NLM, Friction		
CHEMISTRY : Equilibrium, Chemical Bonding		
BIOLOGY : Animal Diversity, Plant Diversity		


HAVE CONTROL → HAVE PATIENCE → HAVE CONFIDENCE ⇒ 100% SUCCESS

BEWARE OF NEGATIVE MARKING

1. A trolley T of mass 5 kg on a horizontal smooth surface is pulled by a load of 2 kg through a uniform rope ABC of length 2 m and mass 1 kg. As the load falls from $BC = 0$ to $BC = 2$ m, its acceleration (in m/s^2) changes from :-



- (1) $\frac{20}{6}$ to $\frac{30}{5}$ (2) $\frac{20}{8}$ to $\frac{30}{8}$
(3) $\frac{20}{5}$ to $\frac{30}{6}$ (4) none of these
2. A 6000 kg rocket is set for a vertical firing. If the exhaust speed is 1000 m s^{-1} , the gas ejected per second to supply thrust needed to overcome the weight of the rocket is :-
(1) 117.6 kg/s (2) 58.8 kg/s
(3) 6 kg/s (4) 178.4 kg/s
3. Two blocks of masses M_1 and M_2 are connected to each other through a light spring as shown in figure. If we push mass M_1 with a force F and cause acceleration a_1 in mass M_1 , what will be the acceleration in M_2 ?



- (1) F/M_2 (2) $F/(M_1 + M_2)$
(3) a_1 (4) $(F - M_1 a_1)/M_2$
4. A force acts on a 3.0 g particle in such a way that the position of the particle as a function of time is given by :

$$x = 3t - 4t^2 + t^3.$$

Where x is in metres and t is in seconds. The work done during the first 4 s is :-

- (1) 570 mJ (2) 450 mJ
(3) 490 mJ (4) 530 mJ
5. A bullet is fired from a gun. The force on the bullet is given by :


$$F = 600 - 2 \times 10^5 t.$$

Where F is in newton and t in second. The force on the bullet becomes zero as soon as it leaves the barrel. What is the average impulse imparted to the bullet?


- (1) 9 N-s (2) Zero
(3) 0.9 N-s (4) 1.8 N-s
6. A machine gun fires n bullets per second and the mass of each bullet is m . If v is the speed of each bullet, then the force exerted on the machine gun is :-
(1) mng (2) mnv
(3) $mnvg$ (4) $(mnv)/g$
7. A block of mass M is placed on a smooth inclined plane of inclination θ . The inclined plane itself is placed in a cabin. Which is accelerating upwards at the rate a in a direction making angle θ with the horizontal. What will be the acceleration of the block down the inclined plane?
(1) $g \sin \theta - a$ (2) $g \sin \theta + a$
(3) $(g - a) \sin \theta$ (4) $(g + a) \sin \theta$
8. A block of mass 5 kg is moving horizontally at a speed of 1.5 m s^{-1} . A vertically upward force 5 N act on it for 4 seconds. What will be the distance of the block from the point where the force starts acting?
(1) 2 m (2) 6 m
(3) 8 m (4) 10 m
9. A force of 2 kg is applied at one end of a spring balance kept horizontally and an equal force of 2 kg is applied at the other end in the opposite direction, simultaneously. Then the reading on the spring balance is :-
(1) 2 kgf (2) 4 kgf
(3) 0 kgf (4) 1 kgf
10. A rope ladder with a length l carrying a man with a mass m at its end is attached to the basket of a balloon with a mass M . The entire system is in equilibrium. If the man begins to climb up the rope ladder with a uniform velocity V relative to the ladder, then the velocity of the balloon is :-

- (1) V (2) $\frac{mV}{M}$
(3) $\frac{mV}{(M + m)}$ (4) $\frac{mV}{(M - m)}$

11. A block of mass 4 kg is suspended through two light spring balances A and B. Then A and B will read respectively :-




- (1) 4 kg and zero kg
(2) zero kg and 4 kg
(3) 4 kg and 4 kg
(4) 2 kg and 2 kg
12. Two bodies A and B have masses M and m respectively, where $M > m$ and they are at a distance d apart. Equal force is applied to them so that they approach each other. The position where they hit each other is :-
- (1) nearer to B
(2) nearer to A
(3) at equal distance from A and B
(4) cannot be decided
13. A block A of mass 100 kg rests on another block B of mass 200 kg and is tied to a wall as shown in the figure. The coefficient of friction between A and B is 0.2 and that between B and the ground is 0.3. The minimum force F required to move the block B is : ($g = 10 \text{ m/s}^2$)




- (1) 900 N
(2) 200 N
(3) 1100 N
(4) 700 N

14. A mass M of 100 kg is suspended with the use of strings A, B and C as shown in the figure, where W is the vertical wall and R is a rigid horizontal rod. The tension in the string B is :-




- (1) 100 g N
(2) zero
(3) $100\sqrt{2}$ g N
(4) $\frac{100}{\sqrt{2}}$ g N
15. The mass of a lift is 500 kg. What will be the tension on its cable when it is going up with an acceleration 20 m/s^2 ? ($g = 9.8 \text{ m/s}^2$)
- (1) 5000 N
(2) 5600 N
(3) 5900 N
(4) 6200 N
16. A gun of mass 10 kg fires 4 bullets per second. The mass of each bullet is 20 kg and the velocity of the bullet when it leaves the gun is 300 m/s . The force required to hold the gun when firing is :-
- (1) 6 N
(2) 8 N
(3) 24 N
(4) 240 N
17. A force of F N is applied as shown in the figure. Find the tensions in the string between BC, if the friction force is negligible :-




- (1) $F/3$
(2) $F/2$
(3) F
(4) none of these
18. Three forces are acting on a particle of mass m initially in equilibrium. If the first 2 forces (R_1 and R_2) are perpendicular to each other and suddenly the third force (R_3) is removed, then the acceleration of the particle is :-

- (1) $\frac{R_3}{m}$
(2) $\frac{R_1 + R_2}{m}$
(3) $\frac{R_1 - R_2}{m}$
(4) $\frac{R_1}{m}$

19. A ball of mass 3 kg, moving with a speed of 100 m/s, strikes a wall at an angle 60° (as shown in figure). The ball rebounds at the same speed and remains in contact with the wall for 0.2 sec; the force exerted by the ball on the wall is :-



- (1) $1500\sqrt{3}$ N (2) 1500 N
(3) $300\sqrt{3}$ N (4) 300 N
20. Two masses $M_1 = 5$ kg and $M_2 = 10$ kg are connected at the ends of an inextensible string passing over a frictionless pulley as shown. When the masses are released, then the acceleration of the masses will be :-



- (1) g (2) $g/2$
(3) $g/3$ (4) $g/4$
21. In order to raise a mass of 100 kg a man of mass 60 kg fastens a rope to it and passes the rope over a smooth pulley. He climbs the rope with an acceleration $5g/4$ relative to the rope. The tension in the rope is : ($g = 10 \text{ m/s}^2$)
(1) 1432 N (2) 928 N
(3) 1218 N (4) 642 N
22. A body of mass m rests on a horizontal floor with which it has a coefficient of static friction μ . It is desired to make the body move by applying the minimum possible force F . The magnitude of F is :-

- (1) μmg (2) $\frac{\sqrt{1+\mu^2}}{\mu} mg$
(3) $\mu\sqrt{1+\mu^2} mg$ (4) $\frac{\mu mg}{\sqrt{1+\mu^2}}$

23. The frictional force between two surfaces is independent of :

- (1) nature of surface
(2) size of the body
(3) area of contact
(4) mass of the body


24. A block of mass 2 kg is placed on the floor. The coefficient of static friction is 0.4. If a force of 2.8 N is applied on the block parallel to the floor, the force of friction between the block and floor (taking $g = 10 \text{ m/s}^2$) is :-

- (1) 2.8 N (2) 8 N
(3) 2 N (4) zero

25. A body of mass 2 kg rests on a rough inclined plane making an angle 30° with the horizontal. The coefficient of static friction between the block and the plane is 0.7. The frictional force on the block is :-

- (1) 9.8 N
(2) $0.7 \times 9.8 \times \sqrt{3}$ N
(3) $9.8 \times \sqrt{3}$ N
(4) 0.7×9.8 N

26. Two blocks of mass $M = 6$ kg and $m = 3$ kg are placed as shown in the figure. Coefficient of friction between M and m is 0.5. Coefficient of friction between M and the surface is 0.4. The maximum horizontal force that can be applied to the mass M so that they move without separation is : ($g = 10 \text{ m/s}^2$)



- (1) 41 N (2) 61 N
(3) 81 N (4) 101 N

27. When a body slides down an inclined plane with coefficient of friction μ , then its acceleration will be :-

- (1) $g(\sin \theta - \mu \cos \theta)$
(2) $g(\sin \theta + \mu \cos \theta)$
(3) $g(\mu \sin \theta - \cos \theta)$
(4) $g(\mu \sin \theta + \cos \theta)$

28. A body of mass 100 g is sliding from an inclined plane of inclination $\theta = 30^\circ$. What is the frictional force experienced if $\mu = 1.7$?

(1) $1.7 \times \sqrt{2} \times \frac{1}{\sqrt{3}} \text{ N}$ (2) $1.7 \times \sqrt{3} \times \frac{1}{2} \text{ N}$
(3) $1.7 \times \sqrt{3} \text{ N}$ (4) $1.7 \times \sqrt{3} \times \frac{1}{\sqrt{2}} \text{ N}$

29. A particle moving with uniform acceleration has velocity 6 m/s at a distance of 5 m from the initial position. After moving another 7 m, the velocity becomes 8 m/sec. The initial velocity and acceleration of the particle are :-

(1) 2 m/s, 4 m/s² (2) 4 m/s, 2 m/s²
(3) 4 m/s, 4 m/s² (4) 6 m/s, 1 m/s²

30. A particle moving with uniform acceleration has average velocities v_1 , v_2 and v_3 over the successive intervals of time t_1 , t_2 and t_3 respectively. The value of $(v_1 - v_2)/(v_2 - v_3)$ will be :-

(1) $\frac{(t_1 - t_2)}{(t_2 - t_3)}$ (2) $\frac{(t_1 - t_2)}{(t_2 + t_3)}$
(3) $\frac{(t_1 + t_2)}{(t_2 - t_3)}$ (4) $\frac{(t_1 + t_2)}{(t_2 + t_3)}$

31. A body starting from rest, moves with uniform acceleration. The distance covered by the body in time t is proportional to :-

(1) $\sqrt{t}$ (2) $t^{3/2}$ (3) $t^{2/3}$ (4) t^2

32. A ball is thrown vertically upwards with a velocity of 25 ms⁻¹ from the top of a tower of height 30 m. How long will it travel before it hits ground?

(1) 6 s (2) 5 s (3) 4 s (4) 12 s

33. The velocity of a particle is $v = v_0 + gt + ft^2$. If its position is $x = 0$ at $t = 0$, then its displacement after unit time ($t = 1$) is :-

(1) $v_0 + g/2 + f$ (2) $v_0 + 2g + 3f$
(3) $v_0 + g/2 + f/3$ (4) $v_0 + g + f$

34. The position x of a particle with respect to time t along x -axis is given by: $x = 9t^2 - t^3$, where x is in metres and t in seconds. What will be the position of this particle when it achieves maximum speed along the $+x$ direction?

(1) 54 m (2) 81 m
(3) 24 m (4) 32 m

35. A car moves from X to Y with a uniform speed v_u and returns to Y with a uniform speed v_d . The average speed for this round trip is :-

(1) $\sqrt{v_u v_d}$ (2) $\frac{v_d v_u}{v_d + v_u}$
(3) $\frac{v_u + v_d}{2}$ (4) $\frac{2v_d v_u}{v_d + v_u}$

36. A bullet emerges from a barrel of length 1.2 m with a speed of 640 ms⁻¹. Assuming constant acceleration, the approximate time that it spends in the barrel after the gun is fired is :-

(1) 4 ms (2) 40 ms
(3) 400 μs (4) 1 s

37. The distance travelled by a particle starting from rest and moving with an acceleration

$\frac{4}{3} \text{ ms}^{-2}$, in the third second is :-

(1) $\frac{10}{3} \text{ m}$ (2) $\frac{19}{3} \text{ m}$
(3) 6 m (4) 4 m

38. A particle moves in a straight line with a constant acceleration. It changes its velocity from 10 ms⁻¹ to 20 ms⁻¹ while passing through a distance 135 m in t second. The value of t is :-

(1) 12 s (2) 9 s (3) 10 s (4) 1.8 s

39. If three equal masses of 1 kg as shown in figure are accelerated with an acceleration $a = 2 \text{ m/s}^2$; then the tension, T_2 is :-




(1) 2N (2) 6N
(3) 4N (4) none of these


40. Bullets of 0.03 kg mass each hit a plate at the rate of 200 bullets per second, with a velocity of 50 m/sec and reflect back with a velocity of 30 ms⁻¹. The average force acting on the plate (in Newton) is :-

(1) 120 (2) 180 (3) 300 (4) 480

41. For the reaction, $\text{H}_2(\text{g}) + \text{I}_2(\text{g}) \rightleftharpoons 2\text{HI}(\text{g})$, the equilibrium constant K_p changes with:
- total pressure
 - catalyst
 - the amounts of H_2 and I_2 present
 - temperature
42. In the reaction, $\text{A}_2(\text{g}) + 4\text{B}_2(\text{g}) \rightleftharpoons 2\text{AB}_4(\text{g})$, $\Delta H < 0$, the formation of $\text{AB}_4(\text{g})$ will be favoured at:
- low T and high P
 - high T and low P
 - low T and low P
 - high T and high P
43. For which of the following reactions, $K_p = K_c$?
- $\text{H}_2(\text{g}) + \text{Cl}_2(\text{g}) \rightleftharpoons 2\text{HCl}(\text{g})$
 - $2\text{NOCl}(\text{g}) \rightleftharpoons 2\text{NO}(\text{g}) + \text{Cl}_2(\text{g})$
 - $\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \rightleftharpoons 2\text{NH}_3(\text{g})$
 - $\text{N}_2\text{O}_4(\text{g}) \rightleftharpoons 2\text{NO}_2(\text{g})$
44. The equilibrium constant for the following reaction



Which of the following graphs is correct?



45. One mole of $\text{N}_2\text{O}_4(\text{g})$ at 300 K is kept in a closed container at 1 atm. It is heated to 600 K when 20% by mass of $\text{N}_2\text{O}_4(\text{g})$ decomposes to $\text{NO}_2(\text{g})$. The resultant pressure is:
- 1.2 atm
 - 2.0 atm
 - 2.4 atm
 - 1.0 atm
46. For the reaction, $\text{N}_2\text{O}_4(\text{g}) \rightleftharpoons 2\text{NO}_2(\text{g})$; if percentage dissociation of N_2O_4 are 25%, 50%, 75% and 100%, then the sequence of observed vapour densities will be :

- $d_1 > d_2 > d_3 > d_4$
- $d_4 > d_3 > d_2 > d_1$
- $d_1 = d_2 = d_3 = d_4$
- $(d_1 = d_2) > (d_3 = d_4)$

47. In a system :



$\text{A}(\text{s}) \rightleftharpoons 2\text{B}(\text{g}) + 3\text{C}(\text{g})$ if the concentration of C at equilibrium is increased by a factor of 2, it will cause the equilibrium concentration of B to change to :

- two times of original value
- one half of its original value
- $2\sqrt{2}$ times the original value
- $\frac{1}{2\sqrt{2}}$ times the original value

48. Densities of diamond and graphite are 3.5 and 2.3 g/mL respectively. Increase of pressure on the equilibrium $\text{C}(\text{diamond}) \rightleftharpoons \text{C}(\text{graphite})$

- favours backward reaction
- favours forward reaction
- has no effect
- increase the reaction rate



49. Consider the reactions,



The addition of an inert gas at constant volume :

- will increase the dissociation of PCl_5 as well as N_2O_4
- will reduce the dissociation of PCl_5 as well as N_2O_4
- will increase the dissociation of PCl_5 and step up the formation of NO_2
- will not disturb the equilibrium of the reactions

50. Two solid compounds X(s) and Y(s) undergo dissociation as follows :




The total pressure of gaseous mixture at equilibrium will be :


- 4.5 bar
- 0.45 bar
- 0.6 bar
- 1.2 bar

51. The pH of a 10^{-8} molar solution of HCl in water is:
(1) 8 (2) -8
(3) between 7 and 8 (4) between 6 and 7
52. A certain buffer solution contains equal concentration of X^- and HX. The K_b for X^- is 10^{-10} . The pH of the buffer is:
(1) 4 (2) 7 (3) 10 (4) 14
53. When equal volumes of the following solutions are mixed, precipitation of AgCl ($K_{sp} = 1.8 \times 10^{-10}$) will occur only with:
(1) $10^{-4}M(Ag^+)$ and $10^{-4}M(Cl^-)$
(2) $10^{-5}M(Ag^+)$ and $10^{-5}M(Cl^-)$
(3) $10^{-6}M(Ag^+)$ and $10^{-6}M(Cl^-)$
(4) $10^{-10}M(Ag^+)$ and $10^{-10}M(Cl^-)$
54. Which of the following solutions will have pH close to 1.0?
(1) 100 mL of (M/10) HCl + 100 mL of (M/10) NaOH
(2) 55 mL of (M/10) HCl + 45 mL of (M/10) NaOH
(3) 10 mL of (M/10) HCl + 90 mL of (M/10) NaOH
(4) 75 mL of (M/5) HCl + 25 mL of (M/5) NaOH
55. The solubility of A_2X_3 is $y \text{ mol dm}^{-3}$. Its solubility product is :-
(1) $6y^4$ (2) $64y^4$
(3) $36y^5$ (4) $108y^5$
56. The pH of 0.1 M solution of the following salts increases in the order :-
(1) NaCl < NH_4Cl < NaCN < HCl
(2) HCl < NH_4Cl < NaCl < NaCN
(3) NaCN < NH_4Cl < NaCl < HCl
(4) HCl < NaCl < NaCN < NH_4Cl
57. A weak acid HX has the dissociation constant $1 \times 10^{-5} \text{ M}$. It forms a salt NaX on reaction with alkali. The percentage hydrolysis of 0.1 M solution of NaX is :-
(1) 0.0001% (2) 0.01%
(3) 0.1% (4) 0.15%
58. Solubility product constants (K_{sp}) of salts of types MX, MX_2 , M_3X at temperature T are 4×10^{-8} , 3.2×10^{-14} and 2.7×10^{-15} respectively. Solubility (mol dm^{-3}) of the salts at temperature T are in the order :-
(1) $MX > MX_2 > M_3X$ (2) $M_3X > MX_2 > MX$
(3) $MX_2 > M_3X > MX$ (4) $MX > M_3X > MX_2$
59. Which of the following is a buffer solution?
(1) 500 mL of 0.1 MCH₃COOH+ 500 mL of 0.1 MNaOH
(2) 500 mL of 0.2 M CH₃ COOH + 500 mL of 0.1 M NaOH
(3) 500 mL of 0.1 MCH₃COOH+ 500 mL of 0.2 MNaOH
(4) 500 mL of 0.1 MCH₃COOH+ 500 mL of 0.1 MHCl
60. $M(OH)_x$ has a K_{sp} of 4×10^{-9} and its solubility is 10^{-3} M . The value of x is :
(1) 4 (2) 1 (3) 3 (4) 2
61. How many moles of HCOONa must be added to 1 L of 0.1 M HCOOH to prepare a buffer solution with a pH of 3.4?
(Given : K_a for HCOOH = 2×10^{-4})
(1) 0.01 (2) 0.05 (3) 0.1 (4) 0.2
62. Silver ions are added to the solution with : $[Br^-] = [Cl^-] = [CO_3^{2-}] = [AsO_4^{3-}] = 0.1 \text{ M}$ Which compound will precipitate at the lowest $[Ag^+]$?
(1) AgBr($K_{sp} = 5 \times 10^{-13}$)
(2) AgCl($K_{sp} = 1.8 \times 10^{-10}$)
(3) Ag_2CO_3 ($K_{sp} = 8.1 \times 10^{-12}$)
(4) Ag_3AsO_4 ($K_{sp} = 10^{-22}$)
63. The pH of an aqueous solution of CH₃ COONa of concentration C (M) is given by :
(1) $7 - \frac{1}{2}pK_a - \frac{1}{2}\log C$
(2) $\frac{1}{2}pK_w + \frac{1}{2}pK_b + \frac{1}{2}\log C$
(3) $\frac{1}{2}pK_w - \frac{1}{2}pK_b - \frac{1}{2}\log C$
(4) $\frac{1}{2}pK_w + \frac{1}{2}pK_a + \frac{1}{2}\log C$
64. 0.1 M HCl and 0.1 M H₂ SO₄ each of volume 2 mL are mixed and the volume is made upto 6 mL by adding 2 mL of 0.01 N NaCl solution. The pH of the resulting mixture is:
(1) 1.17 (2) 1.0
(3) 0.3 (4) $\log 2 - \log 3$

65. K_a for hydrofluoric acid is 6.9×10^{-4} . What is the equilibrium constant K for the following reaction?



- (1) 6.9×10^{-11} (2) 1.4×10^{-11}
(3) 2.6×10^{-9} (4) 8.3×10^{-6}
66. Which of the following are isoelectronic and isostructural?



- (1) SO_3, NO_3^- (2) NO_3^-, CO_3^{2-}
(3) ClO_3^-, CO_3^{2-} (4) CO_3^{2-}, SO_3
67. Assuming that Hund's rule is violated, the bond order and magnetic nature of the diatomic molecule B_2 is:
- (1) 1 and diamagnetic
(2) 0 and diamagnetic
(3) 1 and paramagnetic
(4) 0 and paramagnetic

68. Percentage s-character in the hybrid orbital of BCl_3 is:

- (1) 25% (2) 33%
(3) 50% (4) 66%

69. Which of the following is not possible?

- (1) SF_4 (2) OF_2
(3) OF_4 (4) O_2F_2

70. The correct order of C—O bond strength of CO, CO_3^{2-} and CO_2 is :-

- (1) $CO_3^{2-} < CO_2 < CO$
(2) $CO_2 < CO_3^{2-} < CO$
(3) $CO < CO_3^{2-} < CO_2$
(4) $CO < CO_2 < CO_3^{2-}$





71. Among the following, the molecule with highest dipole moment is:

- (1) CH_3Cl (2) CH_2Cl_2
(3) $CHCl_3$ (4) CCl_4

72. The shapes of XeF_4, XeF_5^- and $SnCl_2$ are:

- (1) Octahedral, trigonal bipyramidal and bent
(2) Sq. pyramidal, pentagonal planar and linear
(3) Sq. planar, pentagonal planar and angular
(4) See-saw, T-shaped and linear

73. Which has maximum dipole moment?



74. Which of the following halides has different bond lengths?

- (1) BCl_3 (2) CCl_4 (3) $BeCl_2$ (4) PCl_5





75. The structure of diborane (B_2H_6) contains:

- (1) four $2C-2e$ bonds and two $3C-2e$ bonds
(2) two $2C-2e$ bonds and four $3C-2e$ bonds
(3) two $2C-2e$ bonds and two $3C-2e$ bonds
(4) four $2C-2e$ bonds and four $3C-2e$ bonds

76. The correct order of Cl—O bond lengths in ClO^-, ClO_2^-, ClO_3^- and ClO_4^- is:

- (1) $ClO^- < ClO_2^- < ClO_3^- < ClO_4^-$
(2) $ClO_4^- < ClO_3^- < ClO_2^- < ClO^-$
(3) $ClO_3^- < ClO_4^- < ClO_2^- < ClO^-$
(4) $ClO_4^- = ClO_3^- = ClO_2^- = ClO^-$

77. According to the VSEPR theory, the most stable arrangement is:



78. The hybridization of the central atom in BrF_5 molecule is:

- (1) sp^3 (2) dsp^2 (3) sp^3d^2 (4) d^2sp^3

79. How many bridging oxygen atoms are present in P_4O_{10} ?

- (1) 6 (2) 4 (3) 2 (4) 5

80. Which one of the following species does not exist under normal conditions?

- (1) Be_2^+ (2) Be_2 (3) B_2 (4) Li_2

81. Which is important in development of seed habit?
- Free-living gametophyte
 - Heterospory
 - Haplontic life cycle
 - Dependent sporophyte
82. Which of the following sets belongs to the same class of algae?
- Ectocarpus*, *Ulothrix*, *Porphyra*
 - Chara*, *Polysiphonia*, *Fucus*
 - Sargassum*, *Gracilaria*, *Laminaria*
 - Chlamydomonas*, *Spirogyra*, *Volvox*
83. Which is incorrect with respect to bryophytes?
- Fertilization takes place in presence of water
 - True stem, leaf and root are not found
 - Zygote undergoes meiosis to produce haploid spores
 - Zygote undergoes meiosis to produce haploid gametophyte
84. Select the incorrect statement :-
- Sporophyte of liverworts is more elaborate than that of mosses
 - Salvinia* is heterosporous
 - Life of all seed plants is diplontic
 - In *Pinus*, male and female cones are borne on different different branches of same plant.
85. Gametophyte is not an independent free-living generation in :-
- Liverworts / *Marchantia*
 - Mosses / *Polytrichum*
 - Ferns / *Funaria*
 - Gymnosperms / *Pinus*
86. Select the wrong statements :-
- In Oomycetes, female gamete is smaller and motile, while male gamete is larger and non-motile
 - Chlamydomonas* exhibits both isogamy and an-isogamy and *Fucus* shows oogamy.
 - Isogametes are similar in structure, function and behaviour.
 - Anisogametes differ either in structure, function or behaviour.
87. Pteridophytes are called vascular cryptogams as they are non-seeded plants containing
- Only xylem
 - Only phloem
 - Neither xylem nor phloem
 - Xylem and phloem
88. What is common in all the three, *Funaria*, *Dryopteris* and *Ginkgo*?
- Presence of archegonia
 - Well developed vascular tissues
 - Independent gametophyte
 - Independent sporophyte
89. Which of the following are called botanical snakes?
- Bryophytes
 - Pteridophytes
 - Gymnosperms
 - Angiosperms
90. Which of the following are heterosporous pteridophytes?
- Lycopodium*
 - Selaginella*
 - Equisetum*
 - Salvinia*
- I and II only
 - II and III only
 - III and IV only
 - II and IV only
91. From the following options, which option of column A matches with column B.
- | Column A | | Column B | |
|----------|--------------|----------|------------|
| P | Potato | i | Bulbil |
| Q | Dioscorea | ii | Mangrooves |
| R | Sweet potato | iii | Stem |
| S | Rhizophora | iv | Root |
- (P - i) (Q - ii) (R - iii) (S - iv)
 - (P - iii) (Q - i) (R - iv) (S - ii)
 - (P - ii) (Q - iii) (R - iii) (S - iv)
 - (P - iii) (Q - i) (R - ii) (S - iv)

92. (A) It is negatively geotropic.
(B) It is positively hydrotropic.
(C) It is positively phototropic.
(D) It is distinguished into nodes and internodes.
(E) It bears apical bud at tip and axillary bud in the axil of leaf.

Of the above, which statements are correct for stem ?

- (1) A, B, C, E (2) A, C, D, E
(3) A, D, E (4) A, D, C, B

93. Which of the following structure act as a organ of perennation.

- (a) Ginger (b) Zamikand
(c) Turnip (d) Colocasia
(1) a and b (2) c and d
(3) a, c and d (4) a,b, c and d

94. These are the figures representing the modification of :-



- (1) Roots for food storage
(2) Stem for food storage
(3) Leaf for food storage
(4) Inflorescence of plants

95. Thorn of Bougainvillea and tendrils of pumpkin are examples of:-

- (1) Homologous organs
(2) Analogous organs
(3) Retrogressive evolution
(4) Vestigial organs

96. Go through the following matches

- (i) Euphorbia - Cladodes
(ii) Asparagus - Phylloclades
(iii) Citrus - Winged petiole
(iv) Pandanus - Multiple root caps

Which of these are correct?

- (1) (i), (ii) and (iii) (2) (ii), (iii) and (iv)
(3) (ii) and (iii) (4) (iii) and (iv)

97. Some plants like *Colchicum*, zaminkand etc. produce corm, the corm is :-

- (1) A swollen root
(2) A swollen vertical underground stem
(3) A swollen horizontal underground stem
(4) A swollen leaf base

98. Match of the following column-I and II, and choose correct option :-

	Column-I		Column-II
(A)	Pinnately compound leaf	(i)	Venus-fly trap
(B)	Palmately compound leaf	(ii)	Banyan
(C)	Simple leaf	(iii)	Neem
(D)	Modified leaves	(iv)	Silk cotton

- | | | | |
|-----------|-------|------|------|
| A | B | C | D |
| (1) (iv) | (iii) | (i) | (ii) |
| (2) (ii) | (iii) | (iv) | (i) |
| (3) (iii) | (ii) | (iv) | (i) |
| (4) (iii) | (iv) | (ii) | (i) |

99. They are devoid of chlorophyll and generally possess small scaly leaves and sometimes store food. It is characteristics of :

- (1) Aerial stems
(2) Underground stems
(3) Subaerial stems
(4) All of the above

100. Some structures are given below. How many of them are modifications of stem ?

Rhizome of turmeric, Bulb of onion, insectivorous pitcher of *Nepenthes*, Potato tubers, tubers of sweet potato, Tendrils of *Pisum sativum*.

- (1) Four (2) Three
(3) Five (4) Six

101. Which of the following lacks respiratory pigment in Blood ?
(1) Earthworm (2) Cockroach
(3) Rat (4) All of these
102. In the evolution of animals a heart to pump the blood is found for the first time in
(1) Annelids (2) Round worms
(3) Arthropods (4) Flat worms
103. Hermaphrodite animals are maximum in
(1) Annelida (2) Mammals
(3) Nematoda (4) Cnidarians
104. Insects usually have pairs of wings.
(1) One (2) Two (3) Three (4) Four
105. A universal characteristic of insects is
(1) Two pair of wings
(2) Two pair of antennae
(3) Compound eyes
(4) Three pairs of thoracic legs
106. Insects are
(1) Ammonotelic
(2) Uricotelic
(3) Ureotelic
(4) None above as they excrete only guanine
107. The functional units of compound eye of an insect are called
(1) Fenestrae (2) Ocelli
(3) Radula (4) Ommatidia
108. The heart of cockroach is
(1) Myogenic (2) Neurogenic
(3) Neuro-myogenic (4) None of the above
109. One of the following character is not unique to phylum arthropoda
(1) Chitinous exoskeleton
(2) Jointed appendages
(3) Malpighian tubules for excretion
(4) Closed type of blood vascular system
110. In arthropods ecdysis is
(1) Removal of exoskeleton to increase in size
(2) Change in feeding habit from larva to adult
(3) Finding proper mate
(4) Retaining the shape from larva to adult
111. A pygostyle bone is the
(1) Part of pelvic girdle of Rabbit
(2) Last caudal vertebra in birds
(3) Part of skull of Frog
(4) Last caudal vertebra of Frog
112. Which one of the following statement is not true for **cyclostomata** ?
(1) Living member of cyclostomata are parasite on true fish.
(2) Cranium is bony
(3) Paired fins are absent
(4) They lack jaw
113. In which one of the following all four sets of animals give birth to young ones ?
(1) Kangaroo, Hedgehog, Dolphin, Scorpion
(2) Lion, Whale, Ostrich, Bat
(3) Penguin, Bat, *Hippopotamus*, Platypus
(4) Shrew, Bat, Cat, *Nereis*
114. Count the correct number of statements which are not related to the members of class chondrichthyes
(a) terminal mouth
(b) placoid scales on skin
(c) presence of air bladder
(d) poikilothermal
(e) internal fertilization
(f) vivipary
(1) one (2) two (3) three (4) Four
115. Which of the following is not a trait of marsupials ?
(1) Oviparous
(2) Presence of teats over mammary gland
(3) Presence of brood pouch
(4) All of the above
116. In the given list, how many animals are oviparous :-
Neophron, Balaenoptera, Bufo, Naja, Pteropus, Scoliodon, Hippocampus, Felis, Corvus, Hemidactyles.
(1) 4 (2) 5 (3) 6 (4) 7
117. Osteichthyes can be differentiated from chondrichthyes externally by the presence of
(1) Ventral mouth (2) Lateral line system
(3) Terminal mouth (4) Clasper
118. Which of the following is a true Amphibian ?
(1) *Testudo* (2) *Crocodylus*
(3) *Alytes* (4) *Scoliodon*
119. Which of the following is not an example of fish ?
(1) *Scoliodon* (2) *Carcharodon*
(3) *Ichthyophis* (4) *Clarius*
120. The most unique mammalian characteristic is the
(1) Mammary glands
(2) Internal fertilisation
(3) Warm blooded
(4) Heart is four chambered

Direction for Assertion & Reason questions. These questions consist of two statements each, printed as assertion and reason. while answering these questions you are required to choose any one of the following four responses.

- (1) If both Assertion & Reason are true & the reason is a correct explanation of the assertion.
- (2) If both Assertion & Reason are true but reason is not a correct explanation of the arrection.
- (3) If Assertion is true but the Reason is false
- (4) If both Assertion & Reason are false

121. Assertion : Mass is the measure of inertia of a body in linear motion.

Reason : Greater the mass, greater is the force required to change its state of rest or of uniform motion.

122. Assertion : Force of action and reaction do not cancel each other.

Reason : Forces of action and reaction are equal in magnitude and opposite in direction.

123. Assertion : A table cloth can be pulled from a table without disloading the dishes kept on the table.

Reason : If the net external force on a body is zero then its acceleration is zero.

124. Assertion : The passengers sitting in a bus fall backward, when the bus suddenly starts moving.

Reason : Every body has the inability to change by itself, its state of rest.

125. Assertion : Aeroplane always fly at low altitudes.

Reason : According to Newton's IIIrd law of motion, for every action there is an equal and opposite reaction.

126. Assertion : In Karate, a brick is broken with a bare hand.

Reason : In this process the impulse is sharp.

127. Assertion : In order to swim, a person pushes the water backwards.

Reason : To every action there is an equal and opposite reaction.

128. Assertion : Pulling a lawn roller is easier than pushing it.

Reason : Pushing increases the apparent weight and hence friction

129. Assertion : An athlete runs some distance, before taking a long jump.

Reason : It is due to inertia of motion.

130. Assertion : Rate of change of linear momentum is equal to external force.

Reason : There is always equal and opposite reaction to every action.

131. Assertion : A man who falls from a height on a cement floor receive more injury than when he falls from the same height on a heap of sand.

Reason : The impulse given by cement floor is more than the impulse given by a heap of sand.

132. Assertion : Two teams having a tug-of-war always pull equally hard on one another.

Reason : The team, that pushes harder against the ground, in a tug-of-war, wins.

133. Assertion : The equation of motion can be applied only if the acceleration is along the direction of velocity and is constant.

Reason : If the acceleration of a body is constant then its motion is known as uniform motion.

134. Assertion : Velocity-time graph of an object in uniform motion along a straight path is a straight line parallel to the time axis.

Reason : In uniform motion of an object, velocity increases as the square of time elapsed.

135. Assertion : Two balls of different masses are thrown vertically upward with same speed. They will pass through their point of projection in the downward direction with the same speed.

Reason : The maximum height and downward velocity attained at the point of projection are independent of the mass of the ball.

136. Assertion : The average speed of an object may be equal to arithmetic mean of individual speeds.

Reason : Average speed is equal to total distance travelled per total time taken.

137. Assertion : The average and instantaneous velocities have same value in a uniform motion.

Reason : In uniform motion, the velocity of an object increases uniformly.

138. Assertion : The speedometer of an automobile measures the average speed of the automobile.

Reason : Average velocity is equal to total displacement per total time taken.


139. Assertion : A cloth covers a table. Some dishes are kept on it. The cloth can be pulled out without dislodging the dishes from the table.

Reason : For every action, there is an equal and opposite reaction.

140. Assertion : Static friction is self adjusting force

Reason : The magnitude of static friction is less than the applied force.

141. Assertion : Bond energy has following sequence :



Reason : Bond energy increases with increase in bond order.

142. Assertion : F_2 molecule is diamagnetic.

Reason : Bond order of F_2 molecule is one.

143. Assertion : Catalyst alters the rate of a reaction.

Reason : Catalyst does not affect the position of equilibrium

144. Assertion : The equilibrium constant of the exothermic reaction decreases with increase in temperature.


$$\text{Reason : } \log_{10} \left(\frac{K_2}{K_1} \right) = \frac{\Delta H^\circ}{2.303R} \left[\frac{1}{T_1} - \frac{1}{T_2} \right]$$

145. Assertion : Equilibrium constant of a reaction changes on changing the stoichiometric coefficients of the reaction.

Reason : The reaction: $\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \rightleftharpoons 2\text{NH}_3(\text{g})$

and $\frac{1}{2}\text{N}_2(\text{g}) + \frac{3}{2}\text{H}_2(\text{g}) \rightleftharpoons \text{NH}_3(\text{g})$ have same equilibrium constant.

146. Assertion : For the reaction :




The unit of $K_p = \text{atm}^{-2}$

Reason : Unit of K_p for a gaseous reaction is given by the relation

$$\text{Unit of } K_p = (\text{Unit of Pressure})^{\Delta n_g}$$

147. Assertion : K_p is equal to K_c for the following reaction :



Reason : K_p and K_c are interrelated by the following equation :

$$K_p = K_c (\text{RT})^{\Delta n_g}$$

Δn_g = Number of gaseous moles of products - Number of gaseous moles of reactants

- 148. Assertion :** Sodium chloride (NaCl) does not undergo hydrolysis.
Reason : Salts of strong acids and bases are not hydrolysed.
- 149. Assertion :** pH of 10^{-8} M HCl lies between 6 and 7.
Reason : For very dilute solutions of acids, H^+ ion contribution from water is also taken into consideration.
- 150. Assertion :** When CH_3COONa is dissolved in water, the hydrolysis of CH_3COO^- ion takes place.
Reason : The ion which is derived (in the salt) from weak acid, undergoes hydrolysis.
- 151. Assertion :** Addition of $HCl(aq)$. to $HCOOH(aq)$. decreases the ionization of $HCOOH$.
Reason : Common ion effect of H^+ ion, reduces the ionization of $HCOOH$.
- 152. Assertion :** H_3PO_2 is mono basic acid.
Reason : H_3PO_2 involves sp^3 hybridization at phosphorus.
- 153. Assertion :** Superoxides of alkali metals are coloured and paramagnetic.
Reason : Superoxide ion O_2^- has one unpaired electron in its anti-bonding molecular orbital.
- 154. Assertion :** Dipole moment of NF_3 is less than NH_3 .
Reason : N–F bond is less polar than N–H bond.
- 155. Assertion :** Be_2 molecule does not exist in nature.
Reason : Bond order of Be_2 molecule is zero.
- 156. Assertion :** H_2^+ and H_2^- ions have same bond order.
Reason : H_2^+ is more stable than H_2^-
- 157. Assertion :** Molecules of larger size have higher polarizability.
Reason : Polarizability is observed only in those molecules which has permanent dipole moment.
- 158. Assertion :** SF_4 molecule has see-saw shape.
Reason : SF_4 molecule has four bond pairs and two lone pairs.
- 159. Assertion :** H_2O molecule has bent shape, involving sp^3 hybridization at oxygen.
Reason : Each H_2O molecule forms three hydrogen bonds in liquid state.
- 160. Assertion :** Electrovalent bonding is non-directional.
Reason : In electrovalent compounds, ions are symmetrically surrounded by oppositely charged ions.
- 161. Assertion :** Fibrous roots are adventitious roots.
Reason : Adventitious roots are always fibrous roots.
- 162. Assertion :** In few higher plants, some vegetative reproduction structures serve as means to tide over periods of stress, besides helping in dispersal.
Reason : Underground stems of potato, ginger, turmeric, zaminkand, and colocasia are modified to store food in them. Besides helping in vegetative propagation, they also act as organs of perennation to tide over unfavourable conditions for growth.
- 163. Assertion :** Leaves are the most important vegetative organs for photosynthesis.
Reason : Chlorophyll is present only in green leaves.

- 164. Assertion :** In monocotyledons, the leaf base expands into a sheath covering the stem partially or completely.
- Reason :** In some plants, leaf base is swollen and is called pulvinus, which is responsible for sleep movements as in cassia, mimosa and legumes.
- 165. Assertion :** When the incisions of the lamina reach up to the midrib breaking it into a number of leaflets, the leaf is known as compound.
- Reason :** In palmate compound leaves, the leaflets are attached at a common point of rachis, as in alstonia.
- 166. Assertion :** Sporophytes produce spores after sporic meiosis.
- Reason :** Sporic meiosis is common among bryophytes, pteridophytes, gymnosperms and angiosperms.
- 167. Assertion :** Gymnosperms include shrubs, medium-sized trees and tall trees.
- Reason :** The giant red wood tree, a gymnosperm, is one of the tallest tree species.
- 168. Assertion :** In mosses, zygote develops into a sporophyte consisting of a foot, seta and capsule.
- Reason :** The sporophyte in liverworts is more elaborated than in mosses.
- 169. Assertion :** The spread of living pteridophytes is limited and restricted to narrow geographical regions.
- Reason :** Gametophytes of pteridophytes require cool, damp and shady places to grow, and they require water for fertilization.
- 170. Assertion :** Phaeophytes are generally covered with a gelatinous coating.
- Reason :** Their cell wall is usually covered by algin.
- 171. Assertion :** In cyclostomes spawning occurs in sea water.
- Reason :** Cyclostomes are marine and their larva migrate to fresh water.
- 172. Assertion :** Urochordates are connecting link between non- chordates and chordates.
- Reason :** Notochord is found in urochordates only in tail of adults.
- 173. Assertion :** The digestive system in many platyhelminthes is incomplete.
- Reason :** In many platyhelminthes a single opening serves as both mouth and anus.
- 174. Assertion :** Members of aschelminthese are pseudocoelomates.
- Reason :** Body cavity is found in Aschelminthes but mesoderm is absent.
- 175. Assertion :** Members of phylum Annelida and Arthropoda are similar according to body symmetry.
- Reason :** Bilateral symmetry is found in all adult animals from platyhelminthes to chordata without exception.
- 176. Assertion :** Neotany is the retention of the larval form throughout the life.
- Reason :** It occurs in axolotl larva of *ambystoma*.
- 177. Assertion :** Bat and Whales are mammals.
- Reason :** They have 4 chambered heart.
- 178. Assertion :** In the adult birds only the left ovary is well developed.
- Reason :** A single ovary results in loss of weight that would help in flying.
- 179. Assertion :** *Sphenodon* is referred to as a living fossil.
- Reason :** It has retained many primitive characteristics of fossil reptiles belonging to past era.
- 180. Assertion :** Insects have an oxygen carrying pigment called haemoglobin.
- Reason :** Haemoglobin transport oxygen to tissues in insects.

Space for Rough Work

Space for Rough Work

ALLEN RESULT : NEET (UG) 2018

ALLEN MAINTAINS THE LEADERSHIP

With 55 Students in Top 100 AIR

#ItHappensOnlyAtALLEN

AIR - 2 AIR - 5 AIR - 6 AIR - 7 AIR - 9 AIR - 10



ROHAN PUROHIT
Distance



PRINCE CHOUDHARY
Classroom



VARUN MUPPIDI
Distance



AGARWAL KRISHNA
Distance



MADHVAN GUPTA
Distance



RAMNEEK K. MAHAL
Distance

✓ **6 in TOP 10 All India Ranks**

✓ **11 in TOP 20 All India Ranks**

✓ **31 in TOP 50 All India Ranks**

✓ **55 in TOP 100 All India Ranks**

AIR - 11  ADITYA GUPTA Distance	AIR - 12  KEERTHANA KASI Distance	AIR - 13  RITWIK K. SAHOD Distance	AIR - 15  SAHIL SHAH Distance	AIR - 20  AMULYA GUPTA Classroom	AIR - 21  GUNJAN A. GATTANI Distance	AIR - 22  SANGEET RATHI Classroom	AIR - 23  AADITYA V. AGGARWAL Distance	AIR - 24  SHLOK V. PATEL Classroom	AIR - 25  SIDDHARTH RAVI Distance	AIR - 26  MOHD. ANAS Y. MEMON Classroom	AIR - 28  SHIKHAR BANSAL Distance	AIR - 29  SHABISTA KHAN Distance	AIR - 31  MEHAK Classroom	AIR - 34  AMITABH P. CHAUHAN Classroom
AIR - 35  AVIKA JAIN Distance	AIR - 37  LOKESH MANOLECHA Distance	AIR - 38  VIRENDRA CHOUDHARY Distance	AIR - 41  ARJUN SARASWAT Distance	AIR - 42  NISHTHA AGRAWAL Classroom	AIR - 43  SANKALPA KESHARI Distance	AIR - 47  PARUL BERRY Classroom	AIR - 48  SAMAGRA SINGH Classroom	AIR - 49  SAGAR MISHRA Classroom	AIR - 50  AARUSHI KOLLANA VISHWESH M. BHARADIYA Distance	AIR - 51  PRATHAM SINGLA Distance	AIR - 52  RAGHAVEN KHANDAL Distance	AIR - 55  AYUSHI MITTAL Classroom	AIR - 58  AYUSHI BANSAL Classroom	AIR - 60  RIYA SINGH Classroom
AIR - 62  PRATEEK K. MISHRA Classroom	AIR - 65  VAIRAV MITTAL Classroom	AIR - 66  VAIRAV GARG Distance	AIR - 69  AYAN AGARWAL Distance	AIR - 70  SANJEEV REDDY Distance	AIR - 73  SAVI GADEGONE Distance	AIR - 74  PRANJAL PRASON Distance	AIR - 75  PRAGUN ARUJA Distance	AIR - 77  PARVA N. LADANI Distance	AIR - 78  PULKIT GUPTA Classroom	AIR - 79  V.N.T.V. BELLAMKONDA Distance	AIR - 81  PRABHJOT SINGH Classroom	AIR - 83  RUTUDHWAJ SAVALYA Classroom	AIR - 84  EISHVAIK AGARWAL Distance	AIR - 90  SHUBHAM MARODIA Distance
AIR - 91  KSHITIJ AGARWAL Classroom	AIR - 95  JITENDRA YADAV Classroom	81230* Classroom 50267 Distance 20022										AIR - 96  VRUSH VARSHEY Classroom	AIR - 100  VRUSH VARSHEY Classroom	

81230*

Classroom
50267
Distance
30963

Highest Number of Students Qualified above Cut Off Marks among All Institutes of INDIA

Heartiest
Congratulations!



www.allen.ac.in

Authenticity of Result:
Power of **ALLEN**

*As per result compiled so far

Result : AIIMS 2018

ALLEN Consistently Delivering
Best Results in **QUALITY** & **QUANTITY**

9 IN TOP 10 ALL INDIA RANK

AIR 2 AIR 3 AIR 4 AIR 5 AIR 6 AIR 7 AIR 8 AIR 9 AIR 10



RAMNEEK KAUR MAHAL Distance MEHAK ARORA Classroom MANRAJ SRA Distance AMITABH P. CHAUHAN Classroom ABDUR R. A. HAQUE Classroom SANGEET RATHI Classroom AMULYA GUPTA Classroom SOMAL AGARWAL Classroom EISHVAUK AGGARWAL Distance

AIR - 12 AIR - 13 AIR - 15 AIR - 16 AIR - 17 AIR - 18 AIR - 19 AIR - 20 AIR - 21 AIR - 22



PRATEEK K. MISHRA Classroom SAKSHAM GAGAL Classroom SAGAR MISHRA Classroom SAMEER PATRO Distance BHANU P. S. SHEKHAWAT Classroom PRINCE CHOUDHARY Classroom SYED FAZEEL MOHSIN Classroom VIRENDRA CHOUDHARY Distance UTKARSH S. CHHALLANI Classroom VISHWESH M. BHARADIYA Distance

AIR - 24 AIR - 26 AIR - 30 AIR - 31 AIR - 35 AIR - 36 AIR - 37 AIR - 38 AIR - 39 AIR - 40



KSHITIJ AGARWAL Classroom ADITYA SINGH Classroom PARUL BERRY Classroom KEERTHANA KASI Distance RAGHAVEN KHANDAL Distance STUTI P. SHAH Classroom SARANSH VERMA Classroom AYUSHI BANSAL Classroom PRABHJOT SINGH Classroom GIRISH PAYAL Classroom

AIR - 41 AIR - 42 AIR - 43 AIR - 45 AIR - 46 AIR - 47



LOKESH MANDECHA Distance AGARWAL KRISHNA Distance VIDUSHI VARSHNEY Classroom KAUSHAL JAIN Classroom MANSI JAISWAL Classroom ARJUN SARASWAT Distance

35 IN TOP 50 AIR

Authenticity of Result: Power of **ALLEN**

Heartiest
Congratulations!



www.allen.ac.in

Authenticity of Result:
Power of **ALLEN**