

**CLASSROOM CONTACT PROGRAMME**
(Academic Session : 2019 - 2020)NEET(UG)
MAJOR
21-02-2020**PRE-MEDICAL : ENTHUSIAST COURSE (ALL PHASE)***This Booklet contains 20 pages.*

Do not open this Test Booklet until you are asked to do so.

Read carefully the Instructions on the Back Cover of this Test Booklet.

Important Instructions :

1. On the Answer Sheet and fill in the particulars on Side-1 and Side-2 carefully with blue/black ball point pen only.
2. The test is of 3 hours duration and this Test Booklet contains 180 questions. Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.
3. Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses.
4. Rough work is to be done on the space provided for this purpose in the Test Booklet only.
5. On completion of the test, the candidate must hand over the Answer Sheet to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
6. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
7. Use of white fluid for correction is *not* permissible on the Answer Sheet.

Name of the Candidate (in Capitals) _____

Form Number : in figures _____

: in words _____

Centre of Examination (in Capitals) : _____


Candidate's Signature : _____ Invigilator's Signature : _____

Your Target is to secure Good Rank in Pre-Medical 2020


- A particle moves with a velocity $(6\hat{i} - 4\hat{j} + 3\hat{k})\text{ m/s}$ under the influence of a constant force $\vec{F} = (20\hat{i} + 15\hat{j} - 5\hat{k})\text{ N}$. The instantaneous power applied to the particle is
 (1) 35 J/s (2) 45 J/s
 (3) 25 J/s (4) 195 J/s
- Radius of the curved road on national highway is P. Width of the road is Q. The outer edge of the road is raised by H with respect to the inner edge so that a car with velocity x can pass safely over it the value of H is :-
 (1) $\frac{X^2Q}{Pg}$ (2) $\frac{P^2Q}{Xg}$
 (3) $\frac{Q^2P}{Xg}$ (4) $\frac{XP}{Pg}$
- The efficiency of Carnot's heat engine is 0.5 when the temperature of the source is T_1 and that of sink is T_2 . The efficiency of another Carnot's heat engine is also 0.5. The temperature of source and sink of the second engine are respectively :-
 (1) $2T_1, 2T_2$ (2) $2T_1, \frac{T_2}{2}$
 (3) $T_1 + 5, T_2 - 5$ (4) $T_1 + 10, T_2 - 10$
- A milliammeter of range of 10mA gives full deflection for a current of 100 mA. When a shunt of 0.1Ω is connected in parallel to it. The coil of milliammeter has a resistance of :-
 (1) 0.9Ω (2) 1Ω
 (3) 1.1Ω (4) 0.11Ω
- If the ratio of magnifications produced by a simple microscope in near point adjustment and far point adjustment is $\frac{6}{5}$, then the focal length of the lens is :- (Take $D = 25\text{ cm}$)
 (1) 5 cm (2) 10 cm
 (3) 55 cm (4) 0.2 cm

- A fixed volume of iron is drawn into a wire of length ℓ . The extension produced in this wire by a constant force F is proportional to -
 (1) $\frac{1}{\ell^2}$ (2) $\frac{1}{\ell}$
 (3) ℓ^2 (4) ℓ

- Two blocks of masses $m_1 = 2\text{ kg}$ and $m_2 = 5\text{ kg}$ are moving in the same direction along a frictionless surface with speeds 10m/s and 3m/s respectively. An ideal spring with $K = 1120\text{ N/m}$ is attached to the back side of m_2 . Find the maximum compression of the spring when the blocks collide.




- (1) 0.50 m (2) 0.25 m
 (3) 0.75 m (4) 1 m
- A particle of mass m is attached to three identical springs A, B and C each of force constant k as shown in figure. If the particle of mass m is pushed slightly against the spring A and released then the time period of oscillations is :




- (1) $2\pi\sqrt{\frac{2m}{k}}$
 (2) $2\pi\sqrt{\frac{m}{2k}}$
 (3) $2\pi\sqrt{\frac{m}{k}}$
 (4) $2\pi\sqrt{\frac{m}{3k}}$

9. A battery of emf E and internal resistance r is connected across a resistance R . Resistance R can be adjusted to any value greater than or equal to zero. A graph is plotted between the current (i) passing through the resistance and potential difference (V) across it. Select the correct alternative.




- (1) internal resistance of battery is 5Ω
 (2) emf of the battery is $20V$
 (3) maximum current which can be taken from the battery is $4A$
 (4) $V-i$ graph can never be a straight line as shown in figure.
10. In a single slit diffraction experiment first minimum for red light (660 nm) coincides with first maximum of some other wavelength λ' . The value of λ' is
 (1) $4400\text{ \AA}$ (2) $6600\text{ \AA}$ (3) $2000\text{ \AA}$ (4) $3500\text{ \AA}$
11. A man can swim in still water at speed 2 m/s . Water flows in river with speed $\sqrt{3}\text{ m/s}$. If person crosses the river of width 60 m in shortest path then time taken by him will be :-
 (1) 4 min (2) 1 min (3) 3 min (4) 2 min
12. A uniform rod of 20 kg is hanging in a horizontal position with the help of two threads. It also supports a 40 kg mass as shown in the figure. The tensions developed in each thread will be




- (1) 600 N , 500 N
 (2) 400 N , 200 N
 (3) 200 N , 100 N
 (4) None

13. Two masses m_1 and m_2 are suspended together by a massless spring of constant k . When the masses are in equilibrium, m_1 is removed without disturbing the system; the amplitude of vibration is :-



- (1) $m_1 g/k$ (2) $m_2 g/k$
 (3) $\frac{(m_1 + m_2)g}{k}$ (4) $\frac{(m_2 - m_1)g}{k}$

14. What will be the force on curved part of the current carrying loop placed in uniform field B as shown in fig. :-



- (1) 0 (2) BIL (3) $\frac{BIL}{2}$ (4) $\frac{BIL}{\sqrt{3}}$

15. The angle of incidence at which reflected light is totally polarized for reflection from air to glass (refractive index n) is

- (1) $\sin^{-1}(n)$ (2) $\sin^{-1}\left(\frac{1}{n}\right)$
 (3) $\tan^{-1}\left(\frac{1}{n}\right)$ (4) $\tan^{-1}(n)$

16. An arrow is shot into the air. Its range is 200 metres and its time of flight is 5 sec . If the value of g is assumed to be 10 m/sec^2 , then the horizontal component of the velocity of arrow is :-


- (1) 25 m/s (2) 40 m/s
 (3) 31.25 m/s (4) 12.5 m/s

17. A homogeneous ball is placed on an inclined plane of inclination θ . At what values of the coefficient of friction μ will the ball roll down the plane without slipping :-

(1) $\geq \frac{2}{7} \tan \theta$ (2) $\geq \frac{2}{5} \tan \theta$

(3) $\geq \frac{2}{3} \tan \theta$ (4) $\geq \frac{3}{4} \tan \theta$

18. A uniform rope of length 10 m and mass 15 kg hangs vertically from a rigid support. A block of mass 5 kg is attached to the free end of the rope. A transverse pulse of wavelength 0.08 m is produced at the lower end of the rope. The wavelength of the pulse when it reaches the top of the rope will be-




- (1) 0.08 m (2) 0.04 m
(3) 0.16 m (4) 0 m


19. The ratio of time periods of α -particle and proton moving on circular path in uniform transverse magnetic field :-

- (1) 2 : 1 (2) 1 : 2 (3) 4 : 1 (4) 1 : 4

20. The de Broglie wave present in fifth Bohr orbit is:-



21. On the floor of an elevator, a block of mass 50 kg is placed on which another block of mass 20 kg is also placed. The elevator is moving up with a constant acceleration 1.5 m/s^2 force exerted by 20 kg block on the 50 kg block is nearly :-



- (1) 250 N (2) 230 N
(3) 170 N (4) 150 N


22. A body of mass m starts falling from a point $2R$ above the earth's surface its kinetic energy when it has fallen to a point R above earth's surface:

- (1) $\frac{GMm}{2R}$ (2) $\frac{GMm}{6R}$ (3) $\frac{2}{3} \frac{GMm}{R}$ (4) $\frac{GMm}{3R}$

23. 25 tuning forks are arranged in series in the order of decreasing frequency. Any two successive forks produce 3 beats/sec. If the frequency of the first tuning fork is the octave of the last fork, then the frequency of the 21st fork is :


- (1) 72 Hz (2) 288 Hz
(3) 84 Hz (4) 87 Hz

24. In the given figure magnetic field at the centre of ring (O) is $10\sqrt{2} \text{ T}$. Now it is bent through 90° about XX' axis, so that two semicircular parts are mutually perpendicular. Then find the value of magnetic field (in Tesla) at centre:-




- (1) $10\sqrt{2}$ (2) $5\sqrt{2}$
(3) 5 (4) 10

25. In photoelectric effect if the intensity of light is doubled then maximum kinetic energy of photoelectrons will become :-
 (1) Double
 (2) Half
 (3) Four times
 (4) No change
26. The coefficient of friction between the block and surface is 0.5 the time after which block falls off the truck.



- (1) $t = 1$ sec. (2) $t = 2$ sec
 (3) $t = 3$ sec (4) $t = 4$ sec
27. Satellites orbiting the earth have finite life and sometimes debris of satellites fall to the earth. This is because,
 (1) The solar cells and batteries in satellites run out.
 (2) The laws of gravitation predict a trajectory spiralling inwards.
 (3) Of viscous forces causing the speed of satellite and hence height to gradually decrease.
 (4) Of collisions with other satellites.
28. The electric potential in a certain region is expressed by $V = 6x - 8xy^2 - 8y + 6yz - 4z^2$ volts. The magnitude of the force acting on a charge of 2 C situated at the origin will be :-
 (1) 2 N (2) 6 N
 (3) 8 N (4) 20 N
29. In the part of a circuit branch shown in figure the potential difference V_{ab} at $t = 1$ s is :




- (1) 30V (2) -30V
 (3) 20V (4) -20V


30. A radioactive nucleus (initial mass number A and atomic number Z) emits 3 α -particles and 2 positrons. The ratio of number of neutrons to that of protons in the final nucleus will be:

- (1) $\frac{A - Z - 8}{Z - 4}$ (2) $\frac{A - Z - 4}{Z - 8}$
 (3) $\frac{A - Z - 12}{Z - 4}$ (4) $\frac{A - Z - 4}{Z - 2}$

31. Mass of string connecting both blocks is 2kg. If complete system acceleration upwards with acceleration of 2m/s^2 , then tension at mid point (P) of string is :-




- (1) 20N (2) 40N
 (3) 48N (4) 60N
32. A large tank is filled with water ($\rho = 10^3 \text{ kg/m}^3$). A small hole is made at a depth 10 m below water surface. The range of water issuing out of hole is R on ground. What extra pressure must be applied on the water surface so that range becomes 2R ?




- (1) 9 atm (2) 4 atm
 (3) 5 atm (4) 3 atm

33. In given figure find charge on capacitor at steady state :-




- (1) $4\mu\text{C}$ (2) $6\mu\text{C}$
 (3) $1\mu\text{C}$ (4) zero
34. A transformer is used to light a 100 w and 110 V lamp from a 220V mains. If the main current is 0.5 amp, the efficiency of the transformer is approximately -
- (1) 10% (2) 30%
 (3) 50% (4) 90%
35. Binding energy per nucleon verses mass number curve for nuclei is shown in the figure. W, X, Y and Z are four nuclei indicated on the curve. The process that would release energy is :-




- (1) $Y \rightarrow 2Z$
 (2) $W \rightarrow X + Z$
 (3) $W \rightarrow 2Y$
 (4) $X \rightarrow Y + Z$


36. The two blocks in an Atwood machine have masses 2.0 kg and 3.0 kg. Find the work done by gravity during the fourth second after the system is released from rest :-



- (1) 70 J (2) 210 J
 (3) 140 J (4) -140 J
37. The temperature of the two outer surfaces of a composite slab, consisting of two materials having coefficients of thermal conductivity K and 2K and thickness x and 4x respectively are T_2 and T_1 ($T_2 > T_1$). The rate of heat transfer through the slab, in a steady state is $\left(\frac{A(T_2 - T_1)K}{x}\right)f$, with f equal to :-




- (1) 1 (2) $1/2$
 (3) $2/3$ (4) $1/3$
38. Find the potential difference between these two plates.




- (1) 2V (2) $\frac{4}{5}V$
 (3) $\frac{3}{5}V$ (4) None

39. If value of R is changed, then :-




- (1) Voltage across L remains same
 (2) Voltage across C remains same
 (3) Voltage across LC combination remains same
 (4) Voltage across LC combination changes
40. A Zener diode of power rating $1W$ is to be used as a voltage regulator. If Zener diode has a breakdown voltage of $5V$ and it has to regulate voltage which fluctuates between $3V$ and $7V$, what should be value of R_s for safe operation




- (1) $10\ \Omega$ (2) $20\ \Omega$
 (3) $30\ \Omega$ (4) $40\ \Omega$
41. When a ceiling fan is switched off its angular velocity reduces to 50% while it makes 36 rotations. How many more rotation will it make before coming to rest (Assume uniform angular retardation)
- (1) 18 (2) 12
 (3) 36 (4) 48
42. One mole of O_2 gas having a volume equal to 22.4 litres at $0^\circ C$ and 1 atmospheric pressure in compressed isothermally so that its volume reduces to 11.2 litres. The work done in this process is :-
- (1) $1672.5\ J$ (2) $1728\ J$
 (3) $-1728J$ (4) $-1572.5\ J$

43. Following figure shows cross-sections through three long conductors of the same length and material, with square cross-section of edge lengths as shown. Conductor B will fit snugly within conductor A, and conductor C will fit snugly within conductor B. Relationship between their end to end resistance is:-



- (1) $R_A = R_B = R_C$
 (2) $R_A > R_B > R_C$
 (3) $R_A < R_B < R_C$
 (4) Information is not sufficient
44. In a plane e.m. wave, the electric field oscillates sinusoidally at a frequency of $2.5 \times 10^{10}\ Hz$ and amplitude $480\ V/m$. The amplitude of oscillating magnetic field will be :-
- (1) $1.52 \times 10^{-8}\ Wb/m^2$ (2) $1.52 \times 10^{-7}\ Wb/m^2$
 (3) $1.6 \times 10^{-6}\ Wb/m^2$ (4) $1.6 \times 10^{-7}\ Wb/m^2$
45. In the following circuit, the output Y for all possible inputs A and B is expressed by the truth table:-



(1)

A	B	Y
0	0	1
0	1	1
1	0	1
1	1	0

(2)

A	B	Y
0	0	1
0	1	0
1	0	0
1	1	0

(3)


A	B	Y
0	0	0
0	1	1
1	0	1
1	1	1

(4)





A	B	Y
0	0	0
0	1	0
1	0	0
1	1	1

46. Which of the following is a polyamide :-


- (1) Bakelite (2) Terylene
(3) Nylon-6, 6 (4) Teflon



Product 'A' is -

- (1)  (2) 
(3)  (4) 

48. The following reaction occurs in the Blast Furnace where iron ore is reduced to iron metal:



Using the Le Chatelier's principle, predict which one of the following will **not** disturb the equilibrium?

- (1) Removal of CO_2 (2) Addition of Fe_2O_3
(3) Addition of CO_2 (4) Removal of CO


49. When 9.65 ampere current was passed for 1.0 hour into nitrobenzene in acidic medium, the amount of p-aminophenol produced is :-
(molar mass of p-aminophenol = 109)





- (1) 10.9 g (2) 98.1 g (3) 109.0 g (4) 9.81 g


50. Which of the following is incorrect :

- (1) B_2H_6 , $\text{Al}_2(\text{CH}_3)_6$, $(\text{AlH}_3)_2 \rightarrow 3\text{C}-2\text{e}^-$ Bond
(2) $\text{NO}_2 + \text{H}_2\text{O} \rightarrow \text{HNO}_2 + \text{HNO}_3$
(3) Malonic acid $\xrightarrow{\text{P}_4\text{O}_{10}}$ carbon suboxide
(4) $\text{H}_3\text{PO}_3 \xrightarrow{\Delta} \text{H}_3\text{PO}_2 + \text{PH}_3$

51. What is the final product ?





- (1)  (2) 
(3)  (4) 




- (1) Salicylaldehyde (2) Salicylic acid
(3) Phenyl acetate (4) Aspirin

53. Given




Free energy change, $\Delta_r G^\circ$ for the reaction



will be :-

- (1) $-112.4 \text{ kJ mol}^{-1}$ (2) $-56.2 \text{ kJ mol}^{-1}$
(3) $168.2 \text{ kJ mol}^{-1}$ (4) $208.0 \text{ kJ mol}^{-1}$

54. A variable, opposite external potential (E_{ext}) is applied to the cell







- (1) anode to cathode in both cases
(2) anode to cathode and cathode to anode
(3) cathode to anode in both cases
(4) cathode to anode and anode to cathode

55. Match the column :-

Column-I		Column-II	
(a)	IO_2F_2^+	(P)	Octahedral
(b)	$\text{N}_2\text{O}_{5(\text{s})}$ Cation	(Q)	Trigonal bipyramidal
(c)	XeO_3F_2	(R)	Tetrahedral
(d)	TeO_6^{-6}	(S)	Linear

- (1) a-R, b-Q, c-S, d-P
(2) a-P, b-Q, c-R, d-S
(3) a-R, b-S, c-Q, d-P
(4) a-S, b-P, c-Q, d-R

56. Decreasing order of reactivity of following esters towards hydrolysis is :-






- (1) I > II > III > IV (2) II > I > III > IV
(3) III > II > I > IV (4) II > I > IV > III


57. Which of the following will not give D.N.P. test?

- (1) $\text{CH}_3\text{-CHO}$ (2) $\text{CH}_3\text{-CO-CH}_3$
(3) $\text{CH}_3\text{-O-CH}_3$ (4)

58. Given



Based on the above thermochemical equations, the value of $\Delta_r H^\circ$ at 298 K for the reaction




- (1) +74.8 kJ mol⁻¹ (2) +144.0 kJ mol⁻¹
(3) -74.8 kJ mol⁻¹ (4) -144.0 kJ mol⁻¹

59. A particular adsorption process has the following characteristics : (i) It arises due to vander Waals forces and (ii) it is reversible. Identify the correct statement that describes the above adsorption process :

- (1) Enthalpy of adsorption is greater than 100kJ mol⁻¹
(2) Energy of activation is low.
(3) Adsorption is monolayer
(4) Adsorption increases with increase in temperature.

60. Correct statement is :

- (1) Ag_2CO_3 on strong heating gives $\text{Ag}_2\text{O} + \text{CO}_2$
(2) $(\text{NH}_4)_2\text{Cr}_2\text{O}_7$ & NH_4Cl both gives same gases on heating.
(3) In NaNO_2 1 coordinate bond is present
(4) In 3d series minimum melting point element = Zn



The correct order of $\text{S}_{\text{N}}1$ reactivity is :-

- (1) A > B > C (2) B > C > A
(3) B > A > C (4) C > B > A

62. mono chloro derivatives will be :-

- (1) 2 (2) 3 (3) 4 (4) 1

63. The minimum volume of water required to dissolve 0.1 g lead (II) chloride to get a saturated solution (K_{sp} of $\text{PbCl}_2 = 3.2 \times 10^{-8}$; atomic mass of Pb = 207 u) is :

- (1) 0.36 L (2) 0.18 L (3) 17.98 L (4) 1.798 L

64. Order of number of chelate ring is correct for:-

- (i) $[\text{Co}(\text{en})_2(\text{Ox})]^+$ (ii) $[\text{Fe}(\text{Trien})(\text{Ox})]^+$
(iii) $[\text{Ca}(\text{EDTA})]^{-2}$ (iv) $[\text{Pt}(\text{Ox})_2(\text{H}_2\text{O})_2]$
(1) iii > i > ii > iv (2) iii > ii > i > iv
(3) iii > iv > i > ii (4) ii > iii > i > iv

65. Do correct match for spin only magnetic moment?




	Column-I		Column-II
(a)	Co^{+3}	(i)	$\sqrt{8}$ B.M.
(b)	Cr^{+3}	(ii)	$\sqrt{35}$ B.M.
(c)	Fe^{+3}	(iii)	$\sqrt{3}$ B.M.
(d)	Ni^{+2}	(iv)	$\sqrt{24}$ B.M.
		(v)	$\sqrt{15}$ B.M.

- (a) (b) (c) (d)
(1) (iv) (v) (ii) (i)
(2) (i) (iii) (iv) (v)
(3) (iv) (i) (iii) (ii)
(4) (v) (iv) (i) (ii)

66. Glucose and mannose are :-

- (1) Anomers (2) Epimers
(3) Ketohexoses (4) Disaccharides

67. Which of the following is optically active :-



68. In KO_2 , the nature of oxygen species and the oxidation state of oxygen atom are, respectively.

- (1) Superoxide and $-1/2$ (2) Oxide and -2
(3) Peroxide and $-1/2$ (4) Superoxide and -1



69. $E_{M^{+3}/M^{+2}}^\circ$ maximum for :-

- (1) Fe (2) Cr (3) Co (4) Mn

70. Incorrect match of general electronic configuration?


- (1) $(n-2)f^{1-14}(n-1)d^{0-1}ns^2$ = f-block elements
(2) $(n-1)s^2p^6ns^{1-2}$ = s-Block elements
(3) $ns^{1-2}np^{0-5}$ = Representative elements
(4) $(n-2)f^{1-14}(n-1)d^{1-10}ns^2$ = d-Block elements

71. Correct order of free radical allylic substitution of following is :-




- (1) $\text{I} > \text{II} > \text{III}$ (2) $\text{III} > \text{I} > \text{II}$
(3) $\text{III} > \text{II} > \text{I}$ (4) $\text{I} > \text{III} > \text{II}$

72. How many geometrical isomers are possible from



- (1) 2 (2) 3 (3) 4 (4) 6

73. Which of the following arrangements shows the schematic alignment of magnetic moments of antiferromagnetic substance ?








74. The formula of copper matte is :-

- (1) $\text{CuS} + \text{Fe}_2\text{S}$ (2) $\text{Cu}_2\text{S} + \text{FeS}$
(3) $\text{CuS} + \text{FeS}$ (4) $\text{Cu}_2\text{S} + \text{Fe}_2\text{S}$

75. Identify the incorrect reaction product :-

- (1) $\text{Au} + \text{Aqua Regia} \rightarrow \text{H}[\text{AuCl}_4] + \text{NO} + \text{H}_2\text{O}$
(2) $\text{Cu} + \text{Conc HNO}_3 \rightarrow \text{Cu}(\text{NO}_3)_2 + \text{NO}_2$
(3) $\text{Zn} + \text{dilute HNO}_3 \rightarrow \text{Zn}(\text{NO}_3)_2 + \text{NO}_2$
(4) $\text{BF}_3 + \text{NaH} \rightarrow \text{B}_2\text{H}_6 + \text{NF}_3$



77. Which of the following is the energy of a possible excited state of hydrogen?

- (1) -3.4 eV (2) $+6.8 \text{ eV}$
(3) $+13.6 \text{ eV}$ (4) -16.8 eV

78. For a first order reaction, $\text{A} \rightarrow \text{P}$, $t_{1/2}$ (half life) is

10 days. The time required for $\frac{1}{4}$ conversion of

A (in days) is :- ($\ln 2 = 0.693$, $\ln 3 = 1.1$)




- (1) 5 (2) 4.1 (3) 3.2 (4) 2.5

79. Which of the following order is incorrect :-

- (1) $\text{CH}_4 < \text{CF}_4$:- E.N. of 'C'
(2) $\text{Li}^+ < \text{Na}^+ < \text{K}^+ < \text{Rb}^+$:- Ionic Radius
(3) $\text{Be}_{(\text{aq})}^{+2} > \text{Mg}_{(\text{aq})}^{+2} > \text{Ca}_{(\text{aq})}^{+2}$:- Ionic Mobility
(4) $\text{F}_{(\text{aq})}^- > \text{Cl}_{(\text{aq})}^- > \text{Br}_{(\text{aq})}^-$:- Hydration

80. Ammonium salt + Nessler's Reagent $\rightarrow$ x (Brown ppt) identify x ?

- (1) $\text{HgO} \cdot \text{Hg}(\text{NH}_3)\text{I}$ (2) $\text{HgO} \cdot \text{Hg} \cdot \text{NH}_2$
(3) $\text{HgO} \cdot \text{Hg}(\text{NH}_2)\text{I}$ (4) $\text{Hg}(\text{O})_2 \cdot \text{Hg}(\text{NH}_2)_2\text{I}$



82. Among the following, the incorrect statement is:

- At very low pressure, real gases show ideal behaviour
- At very large volume, real gases show ideal behaviour
- At Boyle's temperature, real gases show ideal behaviour
- At very low temperature, real gases show ideal behaviour

83. The mass of a non-volatile, non-electrolyte solute (molar mass = 50 g mol⁻¹) needed to be dissolved in 114 g octane to reduce its vapour pressure by 75%, is :-


- (1) 50 g (2) 37.5 g (3) 75 g (4) 150 g

84. For the following statements use 'T' true, 'F' for False.

- density increases regularly on moving down the IA group.
- LiHCO₃ and KHCO₃ both exist in solid state.
- Li with liquid NH₃ forms imide and rest s-block elements forms amide with liquid NH₃.
- Solvay ammonia process is used in formation of NaHCO₃ only.
- In cement composition clay is used to provide SiO₂ and Al₂O₃.

Option:-

(a)	(b)	(c)	(d)	(e)
(1) T	F	F	T	F
(2) F	F	T	T	T
(3) F	F	F	F	T
(4) F	T	T	T	F



x and y are respectively ?

- CO₂ and HCl
- HCl and H₂SO₄
- NaOH and HCl
- CO₂ and KOH

86. Primary alcohol is mainly formed in :-

- $\text{CH}_3-\text{CH}=\text{CH}_2 \xrightarrow{\text{H}^+/\text{H}_2\text{O}}$
- $\text{CH}_3-\text{CH}=\text{O} \xrightarrow[\text{(2) H}_2\text{O}]{\text{(1) CH}_3\text{MgBr}}$
- $\text{CH}_3-\text{CH}=\text{CH}_2 \xrightarrow[\text{(2) H}_2\text{O}_2/\text{OH}^-(\text{aq.})]{\text{(1) BH}_3, \text{THF}}$
- None

87. On treatment of 100 mL of 0.1 M solution of CoCl₃·6H₂O with excess AgNO₃; 1.2 × 10²² chloride ions are precipitated. The complex is :-

- [Co(H₂O)₄Cl₂].Cl.2H₂O
- [Co(H₂O)₃Cl₃].3H₂O
- [Co(H₂O)₆].Cl₃
- [Co(H₂O)₅Cl].Cl₂.H₂O

88. An aqueous solution of a salt MX₂ at certain temperature has a van't Hoff factor of 2. The degree of dissociation for this solution of the salt is :

- (1) 0.50 (2) 0.80 (3) 0.67 (4) 0.33

89. Correct statements regarding H₃BO₃ are :-

- It can work as lewis acid
 - It can form H-bond
 - Hybridisation of O-atom = sp²
 - Molecule is non planar & non polar
- (1) a, b (2) a, b, c
(3) a, d (4) b, c

90. Hybridisation of central atom in [Ni(CO)₄] and [NiCl₄]²⁻ is :

- sp³ and dsp² respectively
- dsp² and sp³ respectively
- sp³ and sp³ respectively
- dsp² and dsp² respectively

- 91.** Leydig cells are regulated by the pituitary hormone known as :-
 (1) FSH (2) GnRH
 (3) Testosterone (4) ICSH
- 92.** If we remove the all collecting ducts from both the kidneys of human than urine will be :-
 (1) more concentrated (2) less dilute
 (3) more dilute (4) no urine formation at all
- 93.** Maximum absorption and secretion takes place from which part of nephron :-
 (1) PCT (2) DCT
 (3) loop of henle (4) Bowman's capsule
- 94.** Cyclic photophosphorylation results in the formation of :-
 (1) ATP, NADPH & O₂ (2) ATP
 (3) NADPH (4) O₂
- 95.** Which is the correct order of cell cycle ?
 (1) G₁ → S → G₂ → Prophase → Metaphase → Anaphase → Telophase → Cytokinesis
 (2) G₂ → G₁ → S → Prophase → Metaphase → Anaphase → Telophase → Cytokinesis
 (3) S → G₁ → G₂ → Prophase → Metaphase → Anaphase → Telophase → Cytokinesis
 (4) Prophase → Metaphase → Anaphase → Telophase → Cytokinesis → S → G₂ → G₁
- 96.** Bird with lizard like tail was :-
 (1) *Archaeopteryx* (2) *Peripatus*
 (3) *Neopilina* (4) *Brachiosaurus*
- 97.** Which hormone acts on exocrine pancreas and stimulates secretion of water and bicarbonate ions?
 (1) Gastrin (2) Secretin
 (3) CCK (4) GIP
- 98.** Twisted aestivation is found in ?
 (1) *Cassia* (2) *Calotropis*
 (3) Cotton (4) *Asparagus*
- 99.** Largest reservoir of carbon is :-
 (1) Soil (2) Air
 (3) Oceans (4) Lakes and Rivers
- 100.** Spliceosomes are not found in cells of :-
 (1) Fungi (2) Animal
 (3) Bacteria (4) Plants
- 101.** Which structure of ovary in mammals acts as endocrine gland after ovulation ?
 (1) Graafian follicle (2) Corpus luteum
 (3) Corpus albicans (4) Trophoblast cells
- 102.** Match the following columns :-

Column-A		Column-B	
(a) Tarsals		(i) 1 × 2	
(b) Phalanges		(ii) 8 × 2	
(c) Carpals		(iii) 14 × 2	
(d) Femur		(iv) 7 × 2	
a	b	c	d
(1) i	ii	iii	iv
(2) iv	ii	iii	i
(3) iv	iii	ii	i
(4) iv	iii	i	ii
- 103.** Choose the incorrect match :-
 (1) Cyanobacteria - Nitrogen fixation
 (2) Mycoplasma - lack cell membrane
 (3) Eubacteria - rigid cell wall
 (4) Archaeobacteria - Production of methane
- 104.** When yeast ferments glucose the products are :-
 (1) CO₂ + H₂O + energy
 (2) C₂H₅OH
 (3) C₂H₅OH + CO₂ + energy
 (4) Pyruvic acid
- 105.** Go through the following events :-
 A. Terminalisation of chiasmata occurs
 B. Chromosomes are fully condensed
 C. Meiotic spindle is assembled
 D. By the end, Nuclear Membrane and nucleolus disappear
 The above points indicate that it is
 (1) Zygotene stage (2) Diakinesis stage
 (3) Metaphase II (4) Pachytene
- 106.** Match the following to select correct answer :-


(i) Golden age of dinosaur	(a) Devonian
(ii) Golden age of fishes	(b) Carboniferous
(iii) Golden age of amphibians	(c) Jurassic
(1) i-a, ii-c, iii-b	(2) i-a, ii-b, iii-c
(3) i-c, ii-a, iii-b	(4) i-b, ii-a, iii-c

- 107.** Which disease is transmitted by the bite of female mosquito vectors ?
 (1) Ascariasis (2) Filariasis
 (3) Amoebiasis (4) Ringworms
- 108.** Select the incorrect statement from the following?
 (1) Lemon have axile placentation
 (2) *Citrus* have polyadelphous condition
 (3) Gram have an endospermic seed
 (4) Cell of aleurone layer have 3N ploidy
- 109.** Which of the following statements is incorrect with regard to 'niche' ?
 (1) Niche includes distinct functional role of an organism in an ecosystem.
 (2) Niche includes the diversity in the resource utilization
 (3) Niche includes the range of habitat conditions organism can tolerate
 (4) Niches of organisms belonging to two coexisting species can show complete overlapping
- 110.** The genotype of a husband and wife are $I^A I^B$ and $I^B I^O$. Among the blood types of their children, how many different genotypes and phenotypes are possible ?
 (1) 3 genotypes ; 3 phenotype
 (2) 4 genotypes ; 4 phenotype
 (3) 4 genotypes ; 3 phenotype
 (4) 2 genotypes ; 2 phenotype
- 111.** Which extraembryonic membrane in humans prevents desiccation of embryo inside the uterus ?
 (1) Amnion (2) Chorion
 (3) Yolk sac (4) Allantois
- 112.** Which of the following part of a neuron lacks the Nissl's granules ?
 (1) Axon and dendrons
 (2) Only dendrons
 (3) Axon only
 (4) Axon and cyton
- 113.** Choose the incorrect statement :-
 (1) Algae have embryo
 (2) Bryophytes have tissue
 (3) Pteridophytes have vascular tissue
 (4) Gymnosperm have seed
- 114.** Match column-I with column-II & select correct option :-

Column-I	Column-II
(A) Auxin	(I) Cell division
(B) Gibberellin	(II) Apical dominance
(C) Cytokinin	(III) Internode elongation
(D) Ethylene	(IV) Fruit ripening
(1) A-I, B-II, C-III, D-IV	
(2) A-II, B-I, C-III, D-IV	
(3) A-II, B-III, C-I, D-IV	
(4) A-III, B-II, C-I, D-IV	
- 115.** The sequence of events by which a cell duplicates its genome synthesises other constituents of cells and eventually divides into daughter cell is termed as :-
 (1) Interphase
 (2) M-phase
 (3) Karyokinesis & cytokinesis
 (4) Cell cycle
- 116.** The binomial expansion of Hardy Weinberg equilibrium is :-
 (1) $p^2 + q = 1$ (2) $p^2 + 2pq + q^2 = 1$
 (3) $p^2 + q^2 = 1$ (4) $p^3 + q = 1$
- 117.** Which of the following is not a opioid ?
 (1) Smack (2) Heroin
 (3) Morphine (4) Marijuana
- 118.** Which one of the following is not a primary meristematic tissue ?
 (1) Apical meristem
 (2) Intrafascicular cambium
 (3) Marginal meristem
 (4) Interfascicular cambium
- 119.** Pyramids of biomass represent :-
 (1) Standing crop
 (2) Standing state
 (3) Rate of energy flow
 (4) Rate of production
- 120.** Restriction endonuclease enzyme cut the DNA molecule at which site :-
 (1) Between phosphate and base
 (2) Between two base pairs
 (3) Between sugar and base
 (4) Phosphate - sugar backbone

- 121.** In humans at the end of the second meiotic division, the male germ cells differentiate into the :-
 (1) Spermatogonia
 (2) Primary spermatocytes
 (3) Secondary spermatocytes
 (4) Spermatids
- 122.** $\text{Na}^+ - \text{K}^+$ pump
 (A) needs energy (ATP) to work
 (B) expels 3Na^+ for every 2K^+ ions imported
 (C) Works against a concentration gradient
 (D) Maintain resting membrane potential
 Select correct option :
 (1) A and B (2) A and C
 (3) C and D (4) All are correct
- 123.** Read the following terms :
 Pili, Pellicle, Peptidoglycan, Pseudopodia, Plasmodium, Cilia, Flagella, Protonema, Prothallus, Zygote, Embryo.
 How many term are related with kingdom protista
 (1) 7 (2) 5 (3) 8 (4) 6
- 124.** Select the type of enzyme involved in the following reaction :-
 $\text{S-G} + \text{S}' \rightarrow \text{S} + \text{S}' - \text{G}$
 (1) Dehydrogenase (2) Transferase
 (3) Hydrolase (4) Lyase
- 125.** Longest stage of cardiac cycle is :-
 (1) Atrial systole (2) Atrial diastole
 (3) Joint diastole (4) Ventricular diastole
- 126.** The cranial capacity of Cro-Magnon man was :-
 (1) 1650 cm^3 (2) 1450 cm^3
 (3) 1000 cm^3 (4) 650 cm^3
- 127.** Which disease is caused by a bacteria :-
 (1) Genital warts (2) Genital herpes
 (3) Trichomoniasis (4) Syphilis
- 128.** Which one is not simple permanent tissue ?
 (1) Prosenchyma (2) Collenchyma
 (3) Parenchyma (4) Primary xylem

- 129.** In a biosphere reserve there are three zones as represented in the diagram. Which statement is correct with respect to these zones ?



- (1) Transition zone is not a protected area.
 (2) Tribal men activities and their huts are allowed in transition zone.
 (3) Core zone is occupied only by endangered species.
 (4) Cutting of trees is allowed in all three zones.
- 130.** How many linkage group in human with chromosomal composition $44 + \text{XYY}$ (Jacob's syndrome) :-
 (1) 24 (2) 23
 (3) 22 (4) 21
- 131.** Which of the following statement incorrect about parturition in human ?
 (1) Signals for parturition originate from fully develop foetus and placenta
 (2) It is a complex neuroendocrine mechanism
 (3) Oxytocin induces myometrium contraction.
 (4) Decrease in estrogen and progesterone ratio
- 132.** Consider the following body activities regarding their regulation by different part of our brain :-
 (a) respiratory rate
 (b) gastric secretion
 (c) urge for eating and drinking
 (d) body temperature
 (e) cardiovascular reflex
 (1) a and c by cerebellum
 (2) c and d by medulla
 (3) c, d and e by cerebrum
 (4) a, b and e by medulla
- 133.** Agaricus belongs to :-
 (1) Phycomycetes
 (2) Basidiomycetes
 (3) Ascomycetes
 (4) Deuteromycetes

134. Which of the following correctly matches an organelle with its function ?

- (1) Mitochondria – Photosynthesis
- (2) Nucleus – Cellular respiration
- (3) Ribosome – Manufacture of Lipids
- (4) Vacuole – Storage

135. Chymotrypsinogen is activated by :-

- (1) HCl (2) Enterokinase
- (3) Trypsin (4) Enterogasteron

136. Choose the incorrect match :-

- (1) Neanderthal - Evolution of language
- (2) *Homo habilis* - Tool maker
- (3) *Homo erectus* - Discovered in Ethiopia
- (4) *Australopithecus* - Lucy

137. Which column is not matched correctly ?

- (1) IgG $\Rightarrow$ Protects body fluids
- (2) IgA $\Rightarrow$ Protects body surfaces
- (3) IgM $\Rightarrow$ Protects body blood stream
- (4) IgD $\Rightarrow$ Mediates regional hypersensitivity


138. Conjoint collateral closed vascular bundles are found in :-

- (1) Monocot root (2) Dicot root
- (3) Monocot stem (4) Dicot stem

139. In "Rivet popper hypothesis", wing rivets of an aeroplane are compared with :-

- (1) Dominant species
- (2) Critical link species
- (3) Rare species
- (4) Keystone species

140. Given below is a m-RNA chain :-



Choose the correct option

- (1) Replication unit (2) Translation unit
- (3) Transcription unit (4) Operon

141. Changes in GnRH pulse frequency in female is controlled by circulating level of :-

- (1) Only estrogen
- (2) Only progesterone
- (3) Estrogen and progesterone
- (4) Progesterone and inhibin

142. The inner layer of eye ball is retina and it contains three layer of cells from outside to inside :

- (1) Ganglion cells $\rightarrow$ Bipolar cells $\rightarrow$ Photo receptor cells
- (2) Ganglion cells $\rightarrow$ Photoreceptor cell $\rightarrow$ Bipolar cells
- (3) Photoreceptor cells $\rightarrow$ Bipolar cell $\rightarrow$ Ganglion cells
- (4) Photoreceptor cells $\rightarrow$ Ganglion cells $\rightarrow$ Bipolar cells

143. Which of the following statement is wrong :-

- (1) Cellulose is a polysaccharide
- (2) Uracil is a pyrimidine
- (3) Glycine is a sulphur containing amino acid
- (4) Sucrose is a disaccharide

144. Cellular organelles with membranes are :-

- (1) Lysosomes, Golgi apparatus & mitochondria
- (2) Nuclei, Ribosomes & mitochondria
- (3) Chromosomes, Ribosomes & endoplasmic reticulum
- (4) Endoplasmic reticulum, Ribosomes & Nuclei

145. Four chambered Heart, Homeothermy, Pinnae, are found in :-


- (1) *Psittacula* (2) *Neophron*
- (3) *Pteropus* (4) *Ornithorhynchus*

146. The primary product of honeybee is :-

- (1) Beewax (2) Honey and propolis
- (3) Milk (4) Pollen

147. Partial deletion of short arm of 5th chromosome leads to ?

- (1) Edward syndrome (2) Cat cry syndrome
- (3) Patau syndrome (4) Jacob syndrome




148.

Select the correct statement for above figure.

- (1) upper epidermis have more stomata
- (2) figure of leaf found in monocot plant
- (3) have palisade parenchyma on both side
- (4) figure of dorsiventral leaf

149.



In the given graph, which type of Biome is represented by 'X' ?

- (1) Tropical forest (2) Temperate forest
(3) Coniferous forest (4) Grassland

150. In serine amino acid R-group is :-

- (1) $-\text{CH}_3$ (2) $-\text{CH}_2\text{OH}$
(3) $-(\text{CH}_2)_4\text{NH}_2$ (4) $(\text{CH}_2)_3\text{COOH}$

151. Which of the following statement is correct about test tube baby ?

- (1) Fertilization inside female body and development in surrogate mother
(2) Fertilization outside female body and development inside female body
(3) Both fertilization and development outside female body
(4) Fertilization in surrogate mother and implantation in genetic mother


152. Identify the arthropod :-

- (1) Cuttle fish (2) Silver fish
(3) Lung fish (4) Star fish

153. Which of the following is not polymeric :-

- (1) Nucleic acid (2) Polysaccharide
(3) Proteins (4) Lipids

154. The accompanying diagram shows a chromosome A which is :-



- (1) Centromere (2) Kinetochore
(3) Chromosome (4) Chromocentric

155. Which of the following cell junction link the cells functionally ?

- (1) Tight junction (2) Gap junction
(3) Adhering junction (4) Interdigitiation

156. Aseel is a breed of :-

- (1) Poultry (2) Cattle
(3) Buffalo (4) *Apis*

157. Which is a subunit vaccine ?

- (1) BCG (2) MMR
(3) IPV (4) Hepatitis-B

158. Which of the following relationship in which one organism is benefited while another is harmed ?

- (1) Mutualism (2) Commensalism
(3) Amensalism (4) Parasitism

159. Some organisms are tolerant of a wide range of salinities, these are known as

- (1) Euryhaline (2) Stenohaline
(3) Eurythermal (4) Stenothermal

160. Choose the incorrect math :-

- (1) Rosie - Transgenic cow
(2) Molly - Transgenic sheep
(3) Tracy - Transgenic pig
(4) ANDI - Transgenic monkey

161. Which of the following method of contraception is effective only upto a maximum period of six months following parturition ?

- (1) LNG-20
(2) Coitus interrupts
(3) Lactational amenorrhoea
(4) Lips loop

162. Respiratory rhythm center is found in :-

- (1) Medulla oblongata (2) Pons
(3) Cerebrum (4) Cerebellum

163. The cause of the opening or closing of the stomata mainly depends on change in the turgidity of :-

- (1) Guard cell (2) Subsidiary cell
(3) Epidermal cell (4) Xylem

164. Which of the following is correctly matched ?

- (1) SER – Synthesis of protein
- (2) RER – Synthesis of steroid hormone
- (3) Golgi body – Formation of Nuclear membrane
- (4) Lysosome – Digestion of Nucleic acid

165. Which of the following statement is incorrect for *Periplanata* ?

- (1) Female produces 14-16 oothecae, each containing 9-10 eggs
- (2) sperms are transferred through spermatophores
- (3) Eye consists of 2000 hexagonal ommatidia
- (4) It is uricotelic

166. Protrusion of eye balls & increased BMR are features of ?

- (1) Simple goitre
- (2) Exophthalmic goitre
- (3) Cretinism
- (4) Myxoedema

167. Select the incorrect option for following figure:-



- (1) Show modified asparagus root
- (2) Tetramerous flower
- (3) Member of liliaceae
- (4) Flower have superior ovary

168. Synecology refers to the ecological study of :-

- (1) an organism of a species
- (2) a population of a species
- (3) a biotic community
- (4) Different type of organism of a species

169. Match the following :-

	Column-I		Column-II
A	Biomagnification	i	Natural ageing of a lake by nutrient enrichment of water
B	Eutrophication	ii	Increase in concentration of toxic substance in successive trophic levels
C	Pyrolysis	iii	Change in chemical composition of waste material by thermal decomposition
D	Incineration	iv	Burning of waste

- (1) A(i), B(ii), C(iii), D(iv)
- (2) A(ii), B(i), C(iii), D(iv)
- (3) A(i), B(iv), C(ii), D(iii)
- (4) A(iv), B(iii), C(i), D(ii)

170. Human proinsulin made up of

- (1) A-peptide, B-peptide, C-peptide
- (2) only A and B peptide
- (3) only C peptide
- (4) B and C peptide

171. Which of the following represents the correct sequence of cardiac cycle ?

- (1) Joint systole → Atrial systole → Atrial diastole
- (2) Joint diastole → Atrial systole → Ventricular systole
- (3) Joint diastole → Ventricular systole → Atrial systole
- (4) Atrial systole → Joint diastole → Atrial diastole

172. Pace maker of human heart is :-

- (1) AV node
- (2) SA node
- (3) Av bundle
- (4) Bundle of his

173. The function of leghaemoglobin in the root nodule of legume is :-

- (1) Nodule differentiation
- (2) Removal of oxygen
- (3) Photolysis
- (4) Nitrification

174. During meiosis, crossing over occurs between :-

- (1) Sister chromatids of homologous chromosome
- (2) Non-sister chromatids of homologous chromosome
- (3) Sister chromatids of non-homologous chromosome
- (4) Non-sister chromatids of non-homologous chromosome

175. The term 'protocell' is similar to :-

- (1) Eobiont (2) Prokaryote
- (3) Biogeny (4) Coacervate

176. A peptide hormone secreted from pancreas and causes hyperglycemia is ?

- (1) Insulin (2) Cortisol
- (3) Thyroxine (4) Glucagon

177. Perigynous flowers are found in which of the following plant ?

- (1) Rose (2) Mustard
- (3) *Lilium* (4) Tomato

178. Most developed stratification is observed in a :-

- (1) Tropical rain forest
- (2) Tropical deciduous forest
- (3) Temperate coniferous forest
- (4) Temperate deciduous forest

179. How many Barr bodies are present in female suffering from Turner syndrome :-

- (1) One (2) Two
- (3) Three (4) Zero

180. Main enzyme of transcription is :

- (1) DNA dependent DNA polymerase
- (2) DNA dependent RNA polymerase
- (3) RNA dependent RNA polymerase
- (4) RNA dependent DNA polymerase



SPACE FOR ROUGH WORK

Read carefully the following instructions :

1. Each candidate must show on demand his/her Allen ID Card to the Invigilator.
2. No candidate, without special permission of the Invigilator, would leave his/her seat.
3. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty.
4. Use of Electronic/Manual Calculator is prohibited.
5. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
6. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
7. The candidates will write the Correct Name and Form No. in the Test Booklet/Answer Sheet.

Note: In case of any Correction in the test paper, please mail to dlpcorrections@allen.ac.in within 2 days along with Paper code and Your Form No.

नोट: ;दि इस प्रश्न पत्र में कोई Correction हो तो कृपया Paper code एवं आपके Form No. के साथ 2 दिन के अन्दर dlpcorrections@allen.ac.in पर mail करें।

Corporate Office : **ALLEN** CAREER INSTITUTE, "SANKALP", CP-6, Indra Vihar, Kota (Rajasthan)-324005

 +91-744-2757575  info@allen.ac.in  www.allen.ac.in