

CLASSROOM CONTACT PROGRAMME

(ACADEMIC SESSION 2019-2020)

PRE-MEDICAL : ENTHUSIAST COURSE [PHASE-I]

TEST # 03

DATE : 16-11-2019

REVISION TEST

Test Pattern : NEET

INSTRUCTIONS

Do not open this Test Booklet until you are asked to do so

1. Immediately fill in the form number on this page of the Test Booklet with Blue/Black Ball Point Pen. Use of pencil is strictly prohibited.
2. The candidates should not write their Form Number anywhere else (except in the specified space) on the Test Booklet/Answer Sheet.
3. The test is of **3 hours** duration.
4. The Test Booklet consists of **180** questions. The maximum marks are **720**.
5. There are **three** parts in the question paper A,B,C consisting of **Physics, Chemistry** and **Biology** having **45 questions** each in Physics & Chemistry and **90 questions** in Biology part of equal weightage. Each question is allotted 4 (four) marks for **correct** response.
6. **One Fourth** mark will be deducted for indicated incorrect response of each question. **No deduction** from the total score will be made if no response is indicated for an item in the Answer Sheet.
7. Use **Blue/Black Ball Point Pen only** for writing particulars/markings responses on **Side-1** the Answer Sheet. **Use of pencil is strictly prohibited.**
8. No candidate is allowed to carry any textual material, printed or written, bits of papers, pager, mobile phone any electronic device etc, except the Identity Card inside the examination hall/room.
9. Rough work is to be done on the space provided for this purpose in the Test Booklet only.
10. On completion of the test, the candidate must hand over the Answer Sheet to the invigilator on duty in the Room/Hall. **However, the candidate are allowed to take away this Test Booklet with them.**
11. **Do not fold or make any stray marks on the Answer Sheet.**

Corporate Office

ALLEN CAREER INSTITUTE

"SANKALP", CP-6, Indra Vihar, Kota (Rajasthan)-324005

☎ +91-744-2757575 ☎ +91-744-2435003 ✉ info@allen.ac.in

Rajkot Centres

Kalawad Road

"ISHAVASYAM", B/h. Crystal Mall, Opp./O.C. Quarters,
Kalawad Road, Rajkot (Gujarat)-360005

☎ 0281-2562131 ☎ +91-85111-43783 ✉ rajkot@allen.ac.in

Limbudiwadi Centre

Opp. Landmark 2 Apartment, Limbudiwadi
Main Road, Off. Kalawad Road, Rajkot (Gujarat)- 360007

☎ 0281-2450228

www.allen.ac.in

Your Target is to secure Good Rank in NEET 2020

REVISION TEST # 03

Topics

DATE : 16 - 11 - 2019

PRE-MEDICAL ENTHUSIAST COURSE : PHASE - I – PATTERN : [NEET]

PHYSICS : NLM, Friction

CHEMISTRY : GOC (Electronic Effect)


ZOOLOGY : Endocrine System

SPACE FOR ROUGH WORK


HAVE CONTROL → HAVE PATIENCE → HAVE CONFIDENCE ⇒ 100% SUCCESS

BEWARE OF NEGATIVE MARKING


1. A block of mass M is on a stationary inclined plane inclined at an angle $\theta = 30^\circ$. A horizontal rope is attached to the block and is pulled to the right with tension T . The tension remains horizontal even in the event that the block moves down the plane. The coefficient of static friction is μ_s . The correct force body diagram of the block is :



2. The value of m so that $M = 10$ kg remains in equilibrium. (Inclined plane is smooth)




3. Two blocks of equal mass are tied with a light string which passes over a massless pulley as shown in figure. The magnitude of acceleration of blocks is : (neglect friction everywhere)




- (1) $\left(\frac{\sqrt{3}-1}{4}\right)g$
(2) $(\sqrt{3}-1)g$
(3) $\frac{g}{2}$
(4) $\left(\frac{\sqrt{3}-1}{\sqrt{2}}\right)g$

4. Two blocks are kept on a smooth fixed slopes as shown. 2kg block goes down with an acceleration of 2m/s^2 . The value of m is.




SPACE FOR ROUGH WORK

5. A 100 newton weight is suspended in a corner of a room by two chords A and B as shown in the figure below. The tension in the horizontal chord A is







- (1) 50 N
(2) 100 N
(3) 200 N
(4) 173.2 N

6. In the situation shown in figure surfaces are frictionless. Reading of the spring balance will be




- (1) 100 N
(2) 40 N
(3) 180 N
(4) 120 N


7. A different force is applied to each of four 1-kilogram blocks to slide them across a uniform steel surface at constant speed as shown below. In which diagram is the coefficient of friction between the block and steel smallest ?



8. What is the minimum value of applied force F so that one of the block lifts up. Consider string to be ideal and pulley to be massless & frictionless




- (1) $4g$ (2) $5g$ (3) $6g$ (4) $8g$
9. What is the maximum value of the force F (in N) such that the block shown in the arrangement, does not move?




SPACE FOR ROUGH WORK

10. Two masses of 10 kg and 20 kg respectively are connected by a massless spring as shown in the figure. A force of 200 N acts on the 20 kg mass. At the instant shown the 10 kg mass has an acceleration 4 m/s^2 rightwards. What is the acceleration of 20 kg mass ?



- (1) Zero (2) 10 m/s^2
(3) 4 m/s^2 (4) 8 m/s^2
11. The minimum force required to start pushing a body up a rough (frictional coefficient μ) inclined plane is F_1 while the minimum force needed to prevent it from sliding down is F_2 . If the inclined plane makes an angle θ from the horizontal such that $\tan \theta = 2\mu$ then the ratio $\frac{F_1}{F_2}$ is
- (1) 4 (2) 1 (3) 2 (4) 3
12. A frictionless cart of mass M carries two other frictionless carts having masses m_1 and m_2 connected by a string passing over a pulley as shown in figure. The horizontal force that must be applied on M so that m_1 and m_2 do not move relative to it will be




- (1) $(M + m_1 + m_2) (m_2 / m_1) g$
(2) $(M + m_1 + m_2) (m_1 / m_2) g$
(3) $(M + m_1) [(m_2 + m_2) / m_2]$
(4) $(M + m_2) [m_2 / (m_1 + m_2)] g$

13. A bullet is fired from a gun. The force on the bullet is given by :

$$F = 600 - 2 \times 10^5 t.$$

Where F is in newton and t in second. The force on the bullet becomes zero as soon as it leaves the barrel. What is the average impulse imparted to the bullet?


- (1) 9 N-s
(2) Zero
(3) 0.9 N-s
(4) 1.8 N-s
14. A mass M of 100 kg is suspended with the use of strings A, B and C as shown in the figure, where W is the vertical wall and R is a rigid horizontal rod. acceleration of pan A just after the string C is cut :-




- (1) g
(2) zero
(3) $\sqrt{2} g$
(4) $\frac{1}{\sqrt{2}} g$

SPACE FOR ROUGH WORK

15. A block A of mass 100 kg rests on another block B of mass 200 kg and is tied to a wall as shown in the figure. The coefficient of friction between A and B is 0.2 and that between B and the ground is 0.3. The minimum force F required to move the block B is : ($g = 10 \text{ m/s}^2$)




- (1) 900 N (2) 200 N
(3) 1100 N (4) 700 N
16. Two blocks of mass $M = 6 \text{ kg}$ and $m = 3 \text{ kg}$ are placed as shown in the figure. Coefficient of friction between M and m is 0.5. Coefficient of friction between M and the surface is zero. The maximum horizontal force that can be applied to the mass M so that they move without separation is : ($g = 10 \text{ m/s}^2$)




- (1) 41 N (2) 61 N
(3) 81 N (4) 36 N
17. The frictional force between two surfaces is independent of :
- (1) nature of surface
 - (2) size of the body
 - (3) area of contact
 - (4) mass of the body

18. A force of F N is applied as shown in the figure. Find the tensions in the string between BC, if the friction force is negligible :-




- (1) $F/3$ (2) $F/2$
(3) F (4) none of these
19. Bullets of 0.03 kg mass each hit a plate at the rate of 200 bullets per second, with a velocity of 50 m/sec and reflect back with a velocity of 30 ms^{-1} . The average force acting on the plate (in Newton) is :-
- (1) 120 (2) 180
(3) 300 (4) 480
20. In the set-up shown, a 200 N block is supported in equilibrium with the help of strings and a spring, all knotted at point O. Extension in the spring is 4 cm. Force constant of the spring is closest to [$g = 10 \text{ m/s}^2$]




- (1) 30 N/m
(2) 2500 N/m
(3) 3000 N/m
(4) 4000 N/m

SPACE FOR ROUGH WORK

21. Two masses of 1 kg and 2 kg are attached to the ends of a massless string passing over a pulley of negligible weight. The pulley itself is attached to a light spring balance as shown in figure. The masses start moving; during this interval the reading of spring balance will be:-




- (1) More than 3 kg.
(2) Less than 3 kg.
(3) Equal to 3 kg.
(4) None of the above
22. The force 'F' acting on a particle of mass 'm = 4 kg' is indicated by the force-time graph shown below. The change in velocity of the particle over the time interval from zero to 8 s is :-



- (1) 3 m/s
(2) 20 m/s
(3) 12 m/s
(4) 6 m/s

23. Find the minimum value of m that should be placed on 10kg. So that 10 kg block move with constant velocity.




- (1) 5 kg
(2) 10 kg
(3) 15 kg
(4) 20 kg

24. Find maximum force for which both the block will move with same acceleration.

- (1) 12 N
(2) 24 N
(3) 36 N
(4) 42 N

25. A metal sphere is hung by a string fixed to a wall. The forces acting on the sphere are shown in fig. Which of the following statements is correct ?



- (a) $\vec{R} + \vec{T} + \vec{W} = 0$
(b) $T^2 = R^2 + W^2$
(c) $T = R + W$
(d) $R = W \tan \theta$
(1) a, b, c
(2) b, c, d
(3) a, b, d
(4) a, b, c, d

SPACE FOR ROUGH WORK


26. With what minimum acceleration can a fireman slide down a rope whose breaking strength is $\frac{3}{4}$ th of his weight.

- (1) $\frac{g}{4} \text{ m/s}^2$ (2) $g \text{ m/s}^2$
(3) $\frac{3}{4} g \text{ m/s}^2$ (4) zero

27. A 20 kg body is pushed with just enough force to start it moving across a floor and the same force continues to act afterwards. The coefficient of static and kinetic friction are 0.6 and 0.2 respectively. The acceleration of the body is :- ($g = 10 \text{ m/s}^2$)


- (1) 1 m/s^2 (2) 2 m/s^2
(3) 3 m/s^2 (4) 4 m/s^2

28. A string of negligible mass going over a clamped pulley of mass m supports a block of mass M as shown in the figure. The force on the pulley by the clamp is given by :-




- (1) $\sqrt{2} Mg$
(2) $\sqrt{2} mg$
(3) $\left(\sqrt{(M+m)^2 + m^2} \right) g$
(4) $\left(\sqrt{(M+m)^2 + M^2} \right) g$

29. Three blocks of masses 4 kg, 6 kg and 8 kg are hanging over a fixed pulley as shown. The tension in the the string connecting 4 kg and 6 kg block is :- ($g = 10 \text{ m/s}^2$)



- (1) 4 N (2) 6 N
(3) $\frac{320}{9} \text{ N}$ (4) $\frac{40}{9} \text{ N}$

30. A force represented as show in figure acts on a body having a mass of 5 kg. The velocity of the body at $t = 10 \text{ s}$, if the body starts from rest:-



- (1) 100 m/s
(2) 50 m/s
(3) 49 m/s
(4) 101 m/s

SPACE FOR ROUGH WORK

31. When a horse pulls a wagon, the force that causes the horse to move forward is the force

- (1) He exerts on the wagon
- (2) The wagon exerts on him
- (3) The ground exerts on him
- (4) He exerts on the ground


32. If the force of gravity suddenly disappears :-

- (1) The mass of all bodies will become zero
- (2) The weight of all bodies will become zero
- (3) Both mass and weight of all bodies will become zero
- (4) Neither mass nor weight of all bodies will become zero

33. The velocity acquired by a mass m in travelling a certain distance d starting from rest under the action of a constant force is directly proportional to :-

- (1) $\sqrt{m}$ (2) m°
- (3) $\frac{1}{\sqrt{m}}$ (4) m

34. A water jet, whose cross sectional area is 'a' strikes a wall making an angle ' θ ' with the normal and rebounds elastically. The velocity of water of density 'd' is v . Force exerted on wall is :-



- (1) $2 av^2d \cos\theta$
- (2) $2 av^2d \sin\theta$
- (3) $2 avd \cos\theta$
- (4) $avd \cos\theta$

35. A player catches a ball of 200 g moving with a speed of 20 m/s. If the time taken to complete the catch is 0.5 s, the force exerted on the player's hand is :-

- (1) 8 N (2) 4 N
- (3) 2 N (4) 0

36. If force $F = 500 - 100t$, then average force in time t will be :-


- (1) $500 - 50t$
- (2) $50t - 10$
- (3) $50 - t^2$
- (4) $100t^2$

37. If a parrot starts flying upwards with an acceleration in an air tight cage, then the boy will feel the weight of the cage, if it is a open case then boy would feel :-

- (1) Zero weight
- (2) more weight
- (3) less weight
- (4) Nothing can be said


SPACE FOR ROUGH WORK

38. In the following figure, the pulley is massless and frictionless. The relation between T_1 , T_2 and T_3 will be



- (1) $T_1 = T_2 \neq T_3$
 (2) $T_1 \neq T_2 = T_3$
 (3) $T_1 \neq T_2 \neq T_3$
 (4) $T_1 = T_2 = T_3$
39. You are on a frictionless horizontal plane. How can you get off if no horizontal force is exerted by pushing against the surface
 (1) By jumping
 (2) By splitting or sneezing
 (3) By rolling your body on the surface
 (4) By running on the plane
40. A rocket with a lift-off mass $3.5 \times 10^4 \text{ kg}$ is blasted upwards with an initial acceleration of 10 m/s^2 . Then the initial thrust of the blast is
 (1) $1.75 \times 10^5 \text{ N}$
 (2) $3.5 \times 10^5 \text{ N}$
 (3) $7.0 \times 10^5 \text{ N}$
 (4) $14.0 \times 10^5 \text{ N}$


41. A 60 kg man stands on a spring scale in the lift. At some instant he finds, scale reading has changed from 60 kg to 50 kg for a while and then comes back to the original mark. What should we conclude
 (1) The lift was in constant motion upwards
 (2) The lift was in constant motion downwards
 (3) The lift while in constant motion upwards, is stopped suddenly
 (4) The lift while in constant motion downwards, is suddenly stopped
42. Two blocks of mass 4 kg and 6 kg are placed in contact with each other on a frictionless horizontal surface. If we apply a push of 5 N on the heavier mass, the force on the lighter mass will be



- (1) 5 N
 (2) 4 N
 (3) 2 N
 (4) None of the above

SPACE FOR ROUGH WORK

43. A block A of mass 7 kg is placed on a frictionless table. A thread tied to it passes over a frictionless pulley and carries a body B of mass 3 kg at the other end. The acceleration of the system is (given $g = 10 \text{ ms}^{-2}$)



- (1) 100 ms^{-2}
(2) 3 ms^{-2}
(3) 10 ms^{-2}
(4) 30 ms^{-2}
44. Two weights W_1 and W_2 are suspended from the ends of a light string passing over a smooth fixed pulley. If the pulley is pulled up with an acceleration g , the tension in the string will be


(1) $\frac{4W_1W_2}{W_1 + W_2}$

(2) $\frac{2W_1W_2}{W_1 + W_2}$

(3) $\frac{W_1W_2}{W_1 + W_2}$

(4) $\frac{W_1W_2}{2(W_1 + W_2)}$

45. The two pulley arrangements shown in the figure are identical. The mass of the rope is negligible. In (a) the mass m is lifted up by attaching a mass $2m$ to the other end of the rope. In (b), m is lifted up by pulling the other end of the rope with a constant downward force of $2mg$. The ratio of accelerations in two cases will be



- (1) 1 : 1
(2) 1 : 2
(3) 1 : 3
(4) 1 : 4

SPACE FOR ROUGH WORK


46. The order of the $-I$ effect orbitals in :

- (1) $sp^3 > sp^2 > sp$
- (2) $sp^2 > sp^3 > sp$
- (3) $sp > sp^2 > sp^3$
- (4) $sp^3 > sp > sp^2$

47. The number of electron present in the valence shell of carbon of carbanion bearing $-ve$ charge


- (1) 8 (2) 7 (3) 6 (4) 4

48. Arrange the following in the stability order :





- (1) $I > IV > III > II$
- (2) $II > III > I > IV$
- (3) $I > II > IV > III$
- (4) $II > IV > III > I$

49. Arrange given carbocations in decreasing order of their stability:




- (1) $I > III > II$ (2) $II > III > I$
- (3) $I > III > II$ (4) $I > II > III$

50. Arrange given anions in decreasing order of their stability



- (1) $I > IV > III > II$
- (2) $II > III > I > IV$
- (3) $I > II > IV > III$
- (4) $II > IV > III > I$

51. Arrange given compounds in decreasing order of their K_a value:



- (1) $I > III > II$ (2) $II > III > I$
- (3) $I > III > II$ (4) $I > II > III$

52. Which among the given acid has lowest pK_a value

- (1) Chloroacetic acid
- (2) Bromoacetic acid
- (3) Nitroacetic acid
- (4) Cyanoacetic acid

SPACE FOR ROUGH WORK

53. Arrange the compounds in order of decreasing acidity :

- (I) $\text{ClCH}_2 - \text{CH}_2 - \text{OH}$
 (II) $\text{Cl}_2\text{CH} - \text{CH}_2 - \text{OH}$
 (III) $\text{Cl} - \text{CH}_2 - \text{CH}_2 - \text{CH}_2 - \text{OH}$
 (IV) $\text{CH}_3 - \text{CH}_2 - \text{CH}_2 - \text{OH}$

(1) $\text{I} > \text{II} > \text{III} > \text{IV}$

(2) $\text{IV} > \text{III} > \text{II} > \text{I}$

(3) $\text{II} > \text{I} > \text{IV} > \text{III}$

(4) $\text{II} > \text{I} > \text{III} > \text{IV}$

54. Consider the given compounds :

- (1) $\text{CH}_3 - \text{CH}_2 - \text{NH}_2$
 (2) $\text{CH}_3 - \text{CH} = \text{NH}$
 (3) $\text{CH}_3 - \text{C} \equiv \text{N}$
 (4) $\text{C}_2\text{H}_5 - \text{NH} - \text{C}_2\text{H}_5$

Arrange basicity of these compounds in decreasing order :




(1) $4 > 1 > 2 > 3$

(2) $1 > 2 > 3 > 4$

(3) $1 > 4 > 2 > 3$


(4) $4 > 1 > 3 > 2$

55. In which of the following cases lone-pair is involved resonance :



(4) $\text{CH}_2=\text{CH}-\text{CH}=\ddot{\text{N}}\text{H}$

56. Acetic acid is considered as resonance hybrid



Which of the following order is correct for the stability of four contributing structure :


(1) $\text{I} > \text{II} > \text{III} > \text{IV}$

(2) $\text{I} > \text{II} > \text{IV} > \text{III}$

(3) $\text{I} > \text{III} > \text{II} > \text{IV}$

(4) $\text{I} > \text{IV} > \text{III} > \text{II}$


57. In which of the following molecule group present on ring is not involved in resonance :



58. Among the following compounds, the strongest base is :

- (1) $\text{NH}_2-\overset{\text{O}}{\underset{\text{||}}{\text{C}}}-\text{NH}_2$ (2) $\text{NH}_2-\overset{\text{NH}}{\underset{\text{||}}{\text{C}}}-\text{NH}_2$
 (3) $\text{C}_6\text{H}_5-\text{NH}_2$ (4) $\text{CH}_3-\text{NH}-\text{CH}_3$

59. The correct order of decreasing basic strengths of x, y and z is :



(1) $x > y > z$





(2) $x > z > y$

(3) $y > x > z$

(4) $y > z > x$

SPACE FOR ROUGH WORK

60. Consider the following compounds :



Arrange these compounds in decreasing order of their basicity :


(1) $1 > 2 > 3 > 4$

(2) $2 > 3 > 1 > 4$





(3) $4 > 1 > 3 > 2$

(4) $4 > 1 > 2 > 3$





61. Which shows aromatic character :






62. Among the following the aromatic compound is




63. Which of the following is anti-aromatic species :



64. Which of the following is non-aromatic :



65. Compare c-c bond rotation in the following molecules :-



(1) $I > II$


(2) $II > I$

(3) $I = II$


(4) can not be compared

SPACE FOR ROUGH WORK


66. Product (A) will be :-




(1)




(2)




(3)



(4)



67. Which of the following represents the correct order of stability of the given carbocations ?



(1) III > I > II

(2) I > III > II

(3) III > II > I

(4) II > III > I

68. Which of the following group has maximum hyperconjugation effect but minimum inductive effect




(1) $-\text{CH}_3$

(2) $-\text{CH}_2-\text{CH}_3$

(3) $-\text{CD}_3$

(4) $-\text{C}(\text{CH}_3)_3$


69. Which is more stable than :-




(4) None

SPACE FOR ROUGH WORK


70. Which have minimum pK_a :-




71.  is maximum acidic if 'z' is :-




72. Which of the following is most basic?




73. The correct order of the basic strength of the following:-




74. The correct order of bond length of C-N bonds:-



75. Which of the following is most acidic:-






76. Which of the following is most acidic?







SPACE FOR ROUGH WORK





77. Which is maximum stable :-



78. Which carbocation is the most stabilized ?



79. The most stable carbanion among the following is



80. Among the following alkene: 1 - butene (I), cis 2 - butene (II), trans 2 - butene (III), the decreasing order of stability is

(1) III > II > I

(2) III > I > II

(3) I > II > III

(4) II > I > III

81. The arrangement of $(\text{CH}_3)_3\text{C}-$, $(\text{CH}_3)_2\text{CH}-$, CH_3CH_2- when attached to benzene or unsaturated group in increasing order of activating effect is

(1) $(\text{CH}_3)_3\text{C}- < (\text{CH}_3)_2\text{CH}- < \text{CH}_3\text{CH}_2-$

(2) $\text{CH}_3\text{CH}_2- < (\text{CH}_3)_2\text{CH}- < (\text{CH}_3)_3\text{C}-$

(3) $(\text{CH}_3)_2\text{CH}- < (\text{CH}_3)_3\text{C}- < \text{CH}_3\text{CH}_2-$

(4) $(\text{CH}_3)_3\text{C}- < \text{CH}_3\text{CH}_2- < (\text{CH}_3)_2\text{CH}-$

82. Decreasing-I power of given groups is

(1) CN

(2) NO_2

(3) NH_3

(4) F

(1) 2 > 1 > 4 > 3

(2) 2 > 3 > 4 > 1

(3) 3 > 2 > 4 > 1

(4) 3 > 2 > 1 > 4

83. A free radical is

(1) neutral in character

(2) shortly lived

(3) paramagnetic

(4) all the above

84. Which amongst the following will be most stable?

(1) CH_3CH_2^+





(2) $(\text{CH}_3)_2\text{CH}^+$

(3) $(\text{CH}_3)_3\text{CCH}_2^+$





(4) $(\text{CH}_3)_3\text{C}^+$

SPACE FOR ROUGH WORK

85. Which among the following carbonocations is most stable?



86. Consider the following compounds




Arrange these compounds in decreasing order of their basicity

- (1) $1 > 2 > 3 > 4$ (2) $2 > 3 > 1 > 4$
(3) $4 > 1 > 3 > 2$ (4) $4 > 1 > 2 > 3$





87. Arrange given compounds in order of decreasing acidity

- (1) $\text{CH}_3 - \text{NO}_2$
(2) $\text{NO}_2 - \text{CH}_2 - \text{NO}_2$
(3) $\text{CH}_3 - \text{CH}_2 - \text{NO}_2$







- (1) $4 > 2 > 1 > 3$ (2) $4 > 2 > 3 > 1$
(3) $3 > 1 > 2 > 4$ (4) $3 > 1 > 4 > 2$


88. Which of the following will show aromatic behaviour



89. Which of the following will be most easily attacked by an electrophile



90. In the compound given below



The correct order of the acidity of the positions (X), (Y) and (Z) is

- (1) $(Z) > (X) > (Y)$
(2) $(X) > (Y) > (Z)$
(3) $(X) > (Z) > (Y)$
(4) $(Y) > (X) > (Z)$

SPACE FOR ROUGH WORK

- | | |
|--|--|
| <p>91. Normal physiological functions and regulation of body functions are performed by :</p> <ol style="list-style-type: none"> (1) Neural system (2) Circulatory system (3) Endocrine system (4) Endocrine & Neural system <p>92. Which statement is correct :</p> <ol style="list-style-type: none"> (1) Endocrine system provides a point to point rapid co-ordination among all organs of body (2) Neural coordination is fast but long lived (3) Denervated cellular functions are controlled by Hormones. (4) All are correct <p>93. Neurohypophysis of pituitary gland secretes oxytocin and vasopressin hormones which are actually synthesized in :</p> <ol style="list-style-type: none"> (1) Pars nervosa (2) Hypothalamus (3) Adenohypophysis (4) Pars intermedia <p>94. Biological clock of body secretes melatonin hormone which does not stimulates :</p> <ol style="list-style-type: none"> (1) Regulation of diurnal rhythm (2) Sleep-wake cycle regulation (3) Regulation of metabolism (4) Increased synthesis of melanin <p>95. Which of following is not caused due to hypothyroidism</p> <ol style="list-style-type: none"> (1) Cretinism (2) Grave's disease (3) Simple goitre (4) Gull's disease <p>96. Which of following is not secreted from thyroid follicles</p> <ol style="list-style-type: none"> (1) Triiodothyronin (2) Tetraiodothyronin (3) Thyrocalcitonin (4) Both (1) and (2) <p>97. Thymus secretes peptide hormones, thymosins which help in :</p> <ol style="list-style-type: none"> (1) Differentiation of T-lymphocytes (2) Cell mediated immunity (3) Humoral immunity (4) All of these <p>98. Select an incorrect statement related to PTH :</p> <ol style="list-style-type: none"> (1) Increases blood calcium level (2) Increases bone resorption (3) Its excess causes osteoporosis (4) Its excess also causes parathyroid tetany. | <p>99. Middle layer of adrenal cortex is also called as :</p> <ol style="list-style-type: none"> (1) Zona fasciculata (2) Zona glomerulosa (3) Zona reticularis (4) None of these. <p>100. Select the hormone/s which is/are secreted in a person suffering from dehydration ?</p> <ol style="list-style-type: none"> (1) ADH (2) Vasopressin (3) Pitressin (4) All of these <p>101. Which of following is not a function of thyroxine ?</p> <ol style="list-style-type: none"> (1) Regulation of body temperature (2) Regulation of BMR (3) To support RBC formation (4) Regulation of blood Ca^{2+} level. <p>102. The hormones secreted from adrenal medulla is/are :</p> <ol style="list-style-type: none"> (1) Adrenaline (2) Nor adrenaline (3) Catecholamines (4) All of these <p>103. Cortisol is principle glucocorticoid hormone which helps in :</p> <ol style="list-style-type: none"> (1) Regulation of carbohydrate, lipid & protein metabolism (2) Maintenance of cardiovascular system (3) Anti-inflammatory functions (4) All of these. <p>104. Which of following is/are function of aldosterone?</p> <ol style="list-style-type: none"> (1) Maintenance of electrolytes (2) Maintenance of body fluid volume (3) Osmotic pressure and Blood Pressure maintenance (4) All of these <p>105. Select an incorrect statement with respect to insulin :</p> <ol style="list-style-type: none"> (1) It is an anabolic hormone (2) Hyperglycemic hormone (3) Stimulates glycogenesis (4) Decreases blood glucose level |
|--|--|

106. Which of following is a secondary chemical messenger
 (1) cAMP (2) IP_3
 (3) Ca^{++} & DG (4) All
107. Which type of hormones interact with surface receptors of target cells and perform their function with help of secondary chemical messengers :
 (1) Peptide, polypeptide hormones
 (2) Protein hormones
 (3) Amino acid derivatives
 (4) All of these hormones
108. Select a hormone which does not perform their action by interacting with intracellular receptors ?
 (1) Hormones of adrenal cortex (corticoides)
 (2) FSH
 (3) Sex hormones / Steroid hormones
 (4) Iodothyronine
109. Underproduction of hormones by the adrenal cortex (mineralo and glucocorticoides) alters carbohydrate metabolism causing the acute weakness and fatigue which leads to :
 (1) Aldosteronism
 (2) Addison's disease
 (3) Diabetes insipidus
 (4) Acromegaly.
110. Which defines most appropriating definition of Hormones.
 (1) A chemical produced by endocrine gland and released into blood and transported to target organ and produce single effects in various target organs.
 (2) They are non - nutrient chemical substance act - as Intracellular messengers and produced in very large quantity.
 (3) They produced in trace amount by endocrine glands, non-nutrient chemicals and act as intercellular messengers and produce specific actions on target organs.
 (4) All are correct definition of Hormone
111. Which of following hypothalamic hormone is not a releasing hormone ?
 (1) Somatostatin
 (2) GnRH
 (3) GH-RH
 (4) TSH-RH / TRH
112. Which of following hormone of Adenohypophysis is not secreted from pars distalis ?
 (1) ACTH
 (2) LH & FSH
 (3) PRL
 (4) MSH
113. Which are the peptide Hormones :
 (1) Gastrin , Secretin, CCK, GIP
 (2) Secretin , GIP, Estradiole , CCK
 (3) Adrenaline, Gastrin , CCK, Insulin
 (4) glucagone, Thyroxine, CCK, GIP
114. Which is correct functions of Hormones :
 (1) Secretin acts on the endocrine part of pancreas and stimulate the secretion of pancreatic hormones
 (2) Gastric Inhibitory Peptidase Increases gastric secretion and Gastro Intestinal Tract motility
 (3) Erythropoietin is an amino acid derivative hormone which forms RBCs
 (4) CCK act on both pancreas & Gall bladder and stimulate to secrete enzyme & bile juice respectively
115. Growth factors are :
 (1) Secreted by endocrine tissues and they are essential for the normal growth of tissues and their repairing/regeneration
 (2) Several others secreted by non endocrine tissues and they are helpful for the normal growth of tissues and their repairing/regeneration
 (3) (1) and (2) both are correct
 (4) These factors act on endocrine cells and regulate secretion and synthesis of hormone

116. Atrial Natriuretic Factor (ANF) is :


- (1) secreted by ventricular walls of heart and it is peptide hormone
- (2) secreted by atrial wall of heart and it is amino-acid derivative hormone
- (3) Secreted by atrial wall of heart & its a peptide hormone and it increases blood pressure
- (4) Secreted by atrial wall of heart & its a peptide hormone and its secreted when the blood pressure is increased and it causes vasodilation

117. Choose Wrong statements :

- (a) Aldosterone acts on renal tubules and stimulates the reabsorption of Na^+ , H_2O and excretion of K^+ and phosphorus.
- (b) Small amount of Androgenic steroids are secreted by adrenal cortex.
- (c) Gluco-corticoids stimulate gluconeogenesis, lipolysis and proteolysis and inhibit cellular utilisation of Amino-acids
- (d) Cortisole produces anti inflammatory reactions and suppress immune responses
- (e) Cortisole decreases erythropoiesis

- (1) All are correct
- (2) (a), (b), (d) , (e) are correct (c) is incorrect
- (3) (b), (c), (d) are correct and (a), (e) are incorrect
- (4) (a), (b) , (c) , (d) are correct, only (e) is incorrect

118. Identify A,B,C structure of Thyroid gland



- (1) 'a' is ventral side , A = Vocal cord & B = Trachea
- (2) 'b' is dorsal side , C = Thyroid glands
- (3) 'a' is ventral side & 'b' is dorsal side in which A = Vocal chord, B = Thyroid, C = Parathyroid glands
- (4) 'a' is Dorsal side , 'b' is ventral side in which A = Vocal cords, B = Thyroid and C = Parathyroid glands

119. Which is not correct about PTH :

- (1) It is a peptide Hormone and its regulated by the circulating calcium ions.
- (2) It increases blood calcium level and its Hypercalcemic Hormone
- (3) It acts on bones and stimulate demineralisation or dissolution
- (4) It is protein Hormone and its regulated by the deposited Calcium ions in bones

120. Choose the wrong statement in respect to thymus gland

- (1) It is present at the dorsal side of Heart and the Aorta
- (2) It Secrete peptide hormone which play important role in the differentiation of T-lymphocytes
- (3) It also promote production of Antibodies and provide Humoral Immunity
- (4) Thymosin secretion increases as the age progresses and immunity decreases.

121. Which is not function of catecholamines

- (1) Increase Heart beat & Piloerection
- (2) Strength of heart contraction & Pupillary dilation
- (3) Rate of respiration & sweating
- (4) Production of RBCs & Reabsorption of Na^+

122. The layers of adrenal cortex from inner to outer are arranged as :

- (1) Zona Reticularis, Zona Fasciculata, Zona glomerulosa
- (2) Zona glomerulosa, Zona Fasciculata, Zona Reticularis
- (3) Zona Fasciculata, Zona Reticularis, Zona glomerulosa
- (4) Zona Reticularis, Zona glomerulosa, Zona Fasciculata

123. Aldosterone is a main hormone of :

- (1) Glucocorticoid
- (2) Mineralocorticoid
- (3) Catecholamines
- (4) Both (1) & (2)

124. Which is wrong statement about hypothalamus :

- (1) It is basal part of diencephalon and contain several groups of neurosecretory cells called nuclei and they produce hormones.
- (2) GnRH is stimulating hormone which increases and releases gonadotrophins
- (3) Somatostatin release from hypothalamus and inhibit release of growth hormone.
- (4) Posterior pituitary is not under direct control of hypothalamus

125. ACTH directly act on

- (1) Adrenal cortex only
- (2) Adrenal medulla only
- (3) Both Adrenal cortex & medulla
- (4) First attack on cortex then Medulla


126. Milk ejecting hormone is :

- (1) Prolactin
- (2) Pitocin
- (3) FSH
- (4) Relaxin

127. Which hormones are actually synthesised in hypothalamus and transported axonally to pars nervosa.

- (1) LH & FSH
- (2) Oxytocin & ACTH
- (3) Oxytocin & Vasopressin
- (4) ADH & Melatonin

128. Identify A, B, C, D structure of given diagram



- (1) A - Hypothalamus, B - Hypothalamic Neurons, C = Portal system, D = Anterior Pituitary
- (2) A - Anterior Pituitary, B - Hypothalamic Neurons, C = Portal system, D = Hypothalamus
- (3) A - Hypothalamic Neurons, B - Hypothalamus, C = Portal system, D = Anterior Pituitary
- (4) A - Hypothalamus, B - Hypothalamic Neurons, C = Anterior Pituitary, D = Portal system

129. Which hormone supports pregnancy, stimulate the formation of Alveoli in mammary gland and milk secretion :

- (1) Estrogen
- (2) Androgen
- (3) Progesterone
- (4) Estrogen and Progesterone both

130. What happen in Diabetes Insipidus

- (1) Diminished ability of kidney to conserve water
- (2) Excessive loss of water causes dehydration
- (3) An impairment in synthesis or release of vasopressin Hormone
- (4) All are correct statement

131. A woman whose pituitary gets damaged can have a baby if she is given :

- (1) 20 mg of estrogen & progesterone each for 14 days
- (2) Small quantity of estrogen everyday for 28 days
- (3) Small quantity of FSH & LH each day and large LH on 14-15th day.
- (4) Small quantity of FSH & LH on 10th day

132. Which is true for thyrocalcitonin :
- (1) Produced by parathyroid, decreases Ca^{++} in ECF
 - (2) Produced by thyroid, decreases Ca^{++} in blood
 - (3) Produced by parathyroid, increases Ca^{++} in ECF
 - (4) Produced by thyroid, increases Ca^{++} in blood
133. Hormones involved in fat metabolism are :
- (1) Insulin, glucagon, norepinephrine & melatonin
 - (2) Insulin, glucagon, epinephrine & parathormone
 - (3) Insulin, glucagon, glucocorticoid & calcitonin
 - (4) Insulin, glucagon, epinephrine & glucocorticoicoid
134. A person has protruding eyes, tachycardia & higher body temperature. He is suffering from :
- (1) Cretinism
 - (2) Hyperthyroidism
 - (3) Hypothyroidism
 - (4) Acromegaly
135. Hormones which support process of Red blood cell formation :
- (1) Cortisol
 - (2) Erythropoitin
 - (3) Thyroxine
 - (4) All the above
136. Find out correct match :
- (1) Thyroid – Hyperactivity in children causes cretinism
 - (2) Parathyroid – Secret parathormone which promote movement of Ca^{++} from blood into bones during calcification.
 - (3) Somatostatinin – Stop secretion of somatotropin
 - (4) Pancreas – Delta cells of Islet of lengerhans secret a hormone causing glycolysis in liver
137. Hormone of of flight or fight is :
- (1) Aldosterone
 - (2) Epinephrine
 - (3) Cortisone
 - (4) Estradiol
138. Choose the incorrect statement / statements :
- (1) Glucagon plays an important role in maintaining the normal blood glucose levels
 - (2) Glucagon stimulates glycogenolysis
 - (3) Glucagon also stimulates the process of gluconeogenesis
 - (4) None of these
139. Which of the following is a correct statement :
- (1) The exocrine pancreas consists of 'Islets of Langerhans'
 - (2) The two main types of cells in the 'Islets of Langerhans' are called α -cells and the β -cells
 - (3) There are 1 to 2 million 'Islets of Langerhans' in a normal human representing only 11 to 12% of the pancreatic tissue
 - (4) Prolonged hyperglycemia leads to a complex disorder called diabetes insipidus
140. Select the incorrect statement / statements :
- (1) The secretion of PTH is regulated by the circulating levels of Ca^{+2} ions.
 - (2) TCT is a protein Hormone
 - (3) Aldosterone is the main glucocorticoid in our body
 - (4) Androgens produce anabolic (Synthetic) effects on protein and carbohydrate metabolism
141. In case of severe tetany in muscle animal dies due to:-
- (1) Multiple fractures in bones
 - (2) Excessive spasm of limb muscles and destruction of muscle fibres.
 - (3) Asphyxia
 - (4) Excessive clotting in blood.

142. Which of the following is a correct statement ?

- (1) In an adult female, hypothyroidism may causes irregular menstrual cycle
- (2) Hyperthyroidism may result due to cancer of thyroid gland
- (3) Defeciciency of iodine in our diet results in hypothyroidism
- (4) All

143. Which of the following is not a function of thyroxine hormone ?

- (1) Stimulate the basal metabolic Rate
- (2) Stimulate the lipolysis
- (3) Stimulate glycogenesis in liver
- (4) Regulate menstrual cycle

144. I am a protein hormone and have no iodine in my structure. I can manage normal Ca^{2+} level in your body and my source gland is thyroid, can you identity me:-

- (1) Thymosin
- (2) Collips hormone
- (3) Thyroxin
- (4) TCT (Thyrocalcitonin)

145. How many hormones from the below list interact with intracellular receptors and regulate chromosome function and gene expression.

GH, Oxytocin, ADH, ANF, *Aldosterone*, *Cortisol*, *Thyroxin*, Epinephrine, *Estradiol*, GnRH, *Progesterone*.

- (1) Four
- (2) Five
- (3) Six
- (4) Seven

146. Grave's disease is characterized by :-

- (1) Hypo secretion of hypothalamic hormone
- (2) Hypo secretion of corticoides hormone
- (3) Hypo secretion of pituitary hormone
- (4) Hyper secretion of thyroid hormone

147. Read the following statements :

- (A)Hormone are always proteineous in nature.
- (B)Hormone are non-species specific and non-antigenic substance.
- (C)All hormone can be stored in the body.
- (D)Hormone is always secreted in a small quantity.

How many of above statement are correct?

- (1) 4
- (2) 3
- (3) 2
- (4) 1

148. Find out the correct matching–

- (1) Thyroid – Hyperactivity in young children causes cretinism
- (2) Parathyroid – Secretes parathormone which promotes movement of calcium ion from blood into bones during calcifications
- (3) Thymus – Starts undergoing atrophy after puberty
- (4) Pancreas – Delta cells of islets of Langerhans secrete a hormone which stimulates glycogenolysis in liver.

149. Which of the following hormones influences the production of oestrogen at puberty ?

- (1) FSH and LH
- (2) ACTH
- (3) TSH
- (4) GH

150. Identify the correct match of source of gland and its secretion -

	Source gland	Hormone	Function
(1)	Anterior pituitary	Oxytocin	Contraction of uterus muscles during child birth
(2)	Posterior Pituitary	Vasopressin	Stimulates reabsorption of water in the distal tubules in the nephron
(3)	Corpus luteum	Estrogen	Supports pregnancy
(4)	Thyroid	Thyroxine	Regulates blood calcium level


151. Hormones involved in carbohydrate metabolism are

- (1) Insulin, glucagon, epinephrine and parathormone.
- (2) Insulin, glucagon, epinephrine and glucocorticoids.
- (3) Insulin, glucagon, glucocorticoid and calcitonin.
- (4) Insulin, glucagon, norepinephrine and melatonin.

152. Hormone useful in suppressing allergies, rheumatoid arthritis and tissue inflammation is—

- (1) Mineralocorticoid
- (2) Glucocorticoid
- (3) Thyroxine
- (4) Adrenaline

153. In the given diagram, name the hormone secreted by the shown part a :-



- (1) Thyroxine
- (2) Adrenaline
- (3) Melatonin
- (4) Parathormone

154. The regulation of blood glucose level in the body is an example of :-

- (1) A hormonally regulated homeostatic mechanism.
- (2) A negative feedback loop.
- (3) Endocrine control of liver functions.
- (4) All of the above.

155. Which statement is not true about steroid hormones?

- (1) They include hormones such as estrogen.
- (2) They do not bind to cell surface receptors.
- (3) The hormone receptor complex can enter the nucleus.
- (4) Steroid hormones act faster than non-steroid hormones.


156. _____ possess simple endocrine system with few hormones whereas a large number of chemicals act as hormones and provide co-ordination in the _____

- (1) Insects, Arthropods
- (2) Annelids, Insects
- (3) Invertebrates, vertebrates
- (4) Porifera, Flukes

157. The hormones released from hypothalamus reach upto pituitary with the help of :-

- (1) Lymph
- (2) Portal circulation
- (3) Axons from hypothalamus to pituitary
- (4) Both (2) and (3)

158. In given diagram which part is vascular & nervous respectively in the gland :-




- (1) A & B
- (2) E & D
- (3) D & E
- (4) C & D

159. Which one is an example of negative feedback?


- (1) Nursing stimulates hypothalamus to release oxytocin that triggers mammary gland for milk production.
- (2) When blood becomes dilute, ADH is no longer released from hypothalamus.
- (3) Uterine stretching sends nerve impulses to hypothalamus that releases oxytocin which triggers uterine contraction.
- (4) FSH and LH stimulates gonads to produce sperms or eggs.

160. Which of the following is not the characteristic of diabetes mellitus?
 (1) Cells unable to take up glucose.
 (2) increased breakdown of fats and proteins.
 (3) frequent urination
 (4) bronzing of skin
161. Cancer may be more prevalent in elderly because of a decrease in immune function due to decrease output from the _____ gland.
 (1) Pineal (2) Thyroid
 (3) Thymus (4) Adrenal cortex
162. Why did a man experience nervousness and muscle spasms following surgical removal of the parathyroid glands?
 (1) because of removal of thyroid gland.
 (2) because of low level of calcium.
 (3) because adrenaline levels were too high.
 (4) because of increased levels of calcium.
163. Which endocrine organ acts like postganglionic neuron of sympathetic nervous system?
 (1) Thyroid
 (2) Thymus
 (3) Islets of Langerhans
 (4) Adrenal medulla
164. What is associated with steroid hormone?
 (1) Cyclic AMP
 (2) production of new proteins
 (3) Activation of proteins present in an inactive form
 (4) The secondary messenger system.
165. If we inject a mammal with radioactive iodine, most of it would end up in :-
 (1) the bone (2) the kidney
 (3) the liver (4) the thyroid
166. Each of the two _____ secreted by anterior pituitary is chemically identical in both sexes but produces very different, though homologous effect?
 (1) Corticotropins (2) thyrotropins
 (3) somatotropins (4) gonadotropins

167. How many of the below given glands are "organised endocrine glands"?
 Pituitary, Pineal, Thyroid, Adrenal, Pancreas, Parathyroid, Thymus, Gonads, Liver, Kidney, Heart.
 (1) 9 (2) 8 (3) 5 (4) 7
168. In the below given diagrams name the part shown by "a" :-



- (1) Hypothalamic neurons
 (2) Posterior pituitary
 (3) Portal circulation
 (4) Hypothalamus
169. Observe the given diagrams carefully and name the part which secretes a hormone which is related to formation of lymphocytes.




- (1) a and e (2) only e
 (3) f and g (4) only c
170. Which statements is not correct about PTH?
 (1) When Ca^{+2} level rises, PTH secretion is inhibited.
 (2) PTH has opposite effect of calcitonin.
 (3) PTH stimulates Ca^{+2} absorption from gut.
 (4) PTH decreases the activity of osteoclasts.

171. Water soluble hormones are fast acting and their effect is short lived as compared to fat soluble hormones because :-

- (1) They activate the enzymes which are already formed.
- (2) Soon after they show their effect they are destroyed by liver and kidney.
- (3) Both 1 and 2 are correct
- (4) Only 2 is correct.

172. In the given figure identify A and B :-



- (1) A → Receptor,
B → Hormone
- (2) A → Secondary Messenger,
B → Ovarian growth
- (3) A → Ovarian growth,
B → Secondary messenger
- (4) A → Biological response,
B → Ovarian growth

173. Find out the correct match between column-I and II.

Column - I		Column - II	
A	PTH	i.	Milk synthesis
B	Oxytocin	ii.	Hypertnatraemia
C	Calcitonin	iii.	Hypocalcaemia
D	Aldosterone	iv.	Blood pressure regulation
E	ADH	v.	Hypercalcaemia
		vi.	Milk ejection
		vii.	H ₂ O loss prevention

- | | | | | |
|---------|------|-------|-------|-------|
| A | B | C | D | E |
| (1) (i) | (iv) | (v) | (iii) | (ii) |
| (2) (v) | (vi) | (iii) | (ii) | (vii) |
| (3) (v) | (i) | (iii) | (ii) | (vii) |
| (4) (v) | (vi) | (iii) | (i) | (vii) |

174. Which one of the following hormones though synthesized elsewhere, is stored and released by the master gland?

- (1) ADH
- (2) LH
- (3) PRL
- (4) MSH

175. Which one of the following hormones is not involved in sugar metabolism?

- (1) Cortisone
- (2) Aldosterone
- (3) Insulin
- (4) Glucagon

176. The amino acid tryptophan is the precursor of the synthesis of :-

- (1) Thyroxine and Tri-iodothyronine
- (2) Estrogen and Progesterone
- (3) Cortisol and Cortisone
- (4) Melatonin and Serotonin

177. Which of the following hormones can play a significant role in osteoporosis?

- (1) Aldosterone and prolactin
- (2) Progesterone and aldosterone
- (3) Estrogen and parathyroid hormone
- (4) Parathyroid hormone and prolactin

178. Which of the following is an amino acid derived hormone?

- (1) Epinephrine
- (2) Ecdysone
- (3) Estradiol
- (4) Estriol

179. The posterior pituitary gland is not a 'true' edocrine gland because :

- (1) it is provided with a duct
- (2) it only stores and releases hormones
- (3) it is under the regulation of hypothalamus
- (4) it secretes enzymes.

180. Hypersecretion of growth hormone in adults does not cause further increase in height, because :-

- (1) epiphyseal plates close after adolescence
- (2) bones lose their sensitivity to growth hormone in adults
- (3) muscle fibres do not grow in size after birth
- (4) growth hormone becomes inactive in adults.

Result : NEET (UG) 2019

ALLEN है... तो मुमकिन है

AIR

✓ **8 in Top 10 All India Ranks**

✓ **61 in Top 100 All India Ranks**

TOTAL STUDENTS QUALIFIED

Classroom
63415

95102*

Distance
31687

1

NALIN KHANDELWAL
Classroom

AIR 2  BHAVIK BANSAL Distance	AIR 4  SWASTIK BHATIA Distance	AIR 5  ANANT JAIN Classroom	AIR 6  SARTHAK R. BHAT Distance	AIR 8  DHRUV KUSHWAHA Distance	AIR 9  MIHIR RAI Distance	AIR 10  RAGHAV DUBEY Classroom									
AIR-11  HEMANT KHANDELIA Distance	AIR-17  RICHAM AGARWAL Distance	AIR-18  HARSHVI N. J. Classroom	AIR-19  ARUNANGSHU B. Classroom	AIR-20  SATVIK LODHA Classroom	AIR-21  HARSH JAIN Distance	AIR-22  HARDIK GUPTA Classroom	AIR-24  LALIT AGARWAL Classroom	AIR-26  APOORV RAGHAV Classroom	AIR-27  PARTH GILL Distance	AIR-28  GAUTAM CHELLANI Distance	AIR-30  HARSH AGARWAL Classroom	AIR-37  LOHITASHYA GOYAL Distance	AIR-38  VISHWA RAKESH Distance	AIR-39  ANURAG GAUTAM Distance	AIR-44  M. H. SAYAN SHAH Classroom
AIR-45  SHIKHAR GUPTA Distance	AIR-46  DIPRASOM DAS Distance	AIR-47  BAHADUR SINGH Distance	AIR-48  AMAN AGRAWAL Classroom	AIR-49  VARUN CHOPRA Distance	AIR-51  ISHAAN MISHRA Distance	AIR-52  DISHA S. AGRAWAL Distance	AIR-53  SARVAGYA JAIN Distance	AIR-54  HARRY GOYAL Distance	AIR-56  ISHIKA GUPTA Distance	AIR-58  SHREYAS AGRAWAL Classroom	AIR-60  ABHAY MITTAL Classroom	AIR-61  CHIRAG JORVEKAR Distance	AIR-63  VINEET HARSH Distance	AIR-65  VANSHI K. NEELA Distance	AIR-66  SHREY MUDGAL Classroom
AIR-69  PRIYANSHU AGARWAL Classroom	AIR-70  ISHIKA KAMRA Classroom	AIR-71  STUTI KHANDWALA Classroom	AIR-72  NAVEEN SHARMA Distance	AIR-75  SARTHAK SHARMA Classroom	AIR-76  VANSHIKA ARORA Distance	AIR-79  SAYAM V. BHATTI Classroom	AIR-81  UDITH MOHAN Distance	AIR-84  PRAJNAPAN BASU Distance	AIR-85  HARSH RAMOLIYA Distance	AIR-86  UTKARSH SHARMA Classroom	AIR-87  NISHTHA Distance	AIR-89  ARYAN BANSAL Distance	AIR-91  SANGEETA AGRAWAL Classroom	AIR-92  YASHDEEP Classroom	AIR-93  ISHAN GUPTA Classroom
AIR-94  MEGHA GUPTA Classroom	AIR-96  GAUTAM KAUSHAL Classroom	AIR-97  POOJA YADAV Distance											AIR-99  PRAGYA MITRA Distance	AIR-100  VIVEK KUMAR Classroom	

*As Per Result Compiled so far

Authenticity of Result :
Power of **ALLEN**



Heartiest
Congratulations!