Tables (15)

Name	Type	Schema
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_permissions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
auth_user		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
auth_user_groups		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
auth_user_user_permissions		CREATE TABLE "auth_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)

Name	Type	Schema
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
donor_bloodrequest		CREATE TABLE "donor_bloodrequest" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(100) NOT NULL, "city" varchar(100) NOT NULL, "contact" varchar(15) NOT NULL, "reason" text NOT NULL, "status" varchar(10) NOT NULL, "requested_at" datetime NOT NULL, "blood_group" varchar(3) NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(100)	"name" varchar(100) NOT NULL
city	varchar(100)	"city" varchar(100) NOT NULL
contact	varchar(15)	"contact" varchar(15) NOT NULL
reason	text	"reason" text NOT NULL
status	varchar(10)	"status" varchar(10) NOT NULL
requested_at	datetime	"requested_at" datetime NOT NULL
blood_group	varchar(3)	"blood_group" varchar(3) NOT NULL
donor_bloodstock		CREATE TABLE "donor_bloodstock" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "blood_group"

Name	Type	Schema
		varchar(3) NOT NULL UNIQUE, "units" integer NOT NULL)
id	integer	"id" integer NOT NULL
blood_group	varchar(3)	"blood_group" varchar(3) NOT NULL UNIQUE
units	integer	"units" integer NOT NULL
donor_contactmessage		CREATE TABLE "donor_contactmessage" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(100) NOT NULL, "email" varchar(254) NOT NULL, "message" text NOT NULL, "created_at" datetime NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(100)	"name" varchar(100) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
message	text	"message" text NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
donor_donor		CREATE TABLE "donor_donor" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "age" integer NOT NULL, "gender" varchar(10) NOT NULL, "blood_group" varchar(3) NOT NULL, "contact" varchar(15) NOT NULL, "city" varchar(100) NOT NULL, "last_donation" date NULL, "name" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
age	integer	"age" integer NOT NULL
gender	varchar(10)	"gender" varchar(10) NOT NULL
blood_group	varchar(3)	"blood_group" varchar(3) NOT NULL
contact	varchar(15)	"contact" varchar(15) NOT NULL
city	varchar(100)	"city" varchar(100) NOT NULL
last_donation	date	"last_donation" date
name	varchar(100)	"name" varchar(100) NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

Indices (15)

Name	Type	Schema
auth_group_permissions_group_id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
auth_group_permissions_group_id_permission_id_0cd325b0_uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_permissions_permission_id_84c5c92e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permission_content_type_id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permission_content		CREATE UNIQUE INDEX

Name	Type	Schema
_type_id_codename_01ab375a_uniq		`"auth_permission_content_type_id_codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")`
content_type_id		`"content_type_id"`
codename		`"codename"`
auth_user_groups_group_id_97559544		`CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")`
group_id		`"group_id"`
auth_user_groups_user_id_6a12ed8b		`CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")`
user_id		`"user_id"`
auth_user_groups_user_id_group_id_94350c0c_uniq		`CREATE UNIQUE INDEX "auth_user_groups_user_id_group_id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")`
user_id		`"user_id"`
group_id		`"group_id"`
auth_user_user_permissions_permission_id_1fbb5f2c		`CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")`
permission_id		`"permission_id"`
auth_user_user_permissions_user_id_a95ead1b		`CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")`
user_id		`"user_id"`
auth_user_user_permissions_user_id_permission_id_14a6b632_uniq		`CREATE UNIQUE INDEX "auth_user_user_permissions_user_id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")`
user_id		`"user_id"`
permission_id		`"permission_id"`
django_admin_log_content_type_id_c4bce8eb		`CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")`
content_type_id		`"content_type_id"`
django_admin_log_user_id_c564eba6		`CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")`
user_id		`"user_id"`
django_content_type_app_label_model_76bd3d3b_uniq		`CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")`
app_label		`"app_label"`
model		`"model"`
django_session_expire_date_a5c62663		`CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")`
expire_date		`"expire_date"`

Views (0)

Name	Type	Schema

Triggers (0)

Name	Type	Schema