

Program.cs

```
var builder = WebApplication.CreateBuilder(args);

var app = builder.Build();

// Middleware 1: Request Logging
app.Use(async (context, next) =>
{
    Console.WriteLine($"Request: {context.Request.Method} {context.Request.Path}");

    await next();

    Console.WriteLine($"Response Status: {context.Response.StatusCode}");
});

// Middleware 2: Global Error Handling
app.UseExceptionHandler("/error");

// Middleware 3: HTTPS Enforcement
app.UseHttpsRedirection();

// Middleware 4: Security Headers (CSP)
app.Use(async (context, next) =>
{
    context.Response.Headers.Add("Content-Security-Policy", "default-src 'self'; script-src 'self'; style-src 'self';");

    await next();
});

// Middleware 5: Static Files
app.UseStaticFiles();
```

```
// Error Endpoint
app.Map("/error", (HttpContext context) =>
{
    return Results.Content("<h1>Something went wrong!</h1>", "text/html");
});
```

```
// Default route
app.MapGet("/", () => "Middleware App Running");
```

```
app.Run();
```

index.html

```
<!DOCTYPE html>
<html>
<head>
    <title>Middleware App</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <h1>Welcome to Middleware App</h1>
    <button onclick="showMessage()">Click Me</button>

    <script src="script.js"></script>
</body>
</html>
```