

# S LOCATION S BASED BASED Noll-Tax Nol



Project Supervisor: Dr. Periyanayagi

### Members



20BCE10471 20MIM10077 20BCG10091 20BCY10129 20BAI10192 20BME10038 20BAI10237 20BAS10081

### Problem statement

Transportation has emerged as a dominant part of India. Toll plazas play a crucial role in maintaining the road transportation. The existing toll plaza systems have a major problem of over charging drivers even if they don't travel the entire toll distance. So in order to overcome this problem our project will collect toll tax for the precise distance traveled by a vehicle over a highway stretch.

# Objectives

#### Location

To introduce location constraint in toll tax collection system. Collect tax only for the distance travelled



#### Hassle free experience

toSince the tax collection occurs automatically when toll road starts and stops while exiting the road.

2

#### **Reduce traffic**

to eliminate long queue in toll gated by automatic tax collection using location



#### **Automatic toll fee collection**

On getting the details of distance travelled the calculated amount will be automatically debited from users account

.

3

#### **Pay only for Distance Travelled**

Since location constraint is available .we can calculate accurate tax for distance traveeled in a toll road.

# Existing Work:

#### **Based on RFID tag:**

A vehicle passes a toll booth with an RFID tag. Detection, decoding and deduction occur, then the gate opens. Non-daily drivers must use a manual lane, reducing the need for a high-memory tag.

#### **Based on Computer Vision:**

Detection of vehicles by using the Open CV library on an embedded Linux architecture.

#### Based on GPS(Mobile Application):

An app that reads GPS and timestamps info to check journey/gantry data and calculate tolls, creating a charge and alerting user if on a toll road.


#### Based on NFC(Near Field Communication)

It is a tag that contains details of the vehicle and once it crosses the toll gate, the tag is scanned and the toll collection is started.

# Methodology

- With the existing GPS technology in Automobiles, we use a Raspberry Pi unit to track the start and end points of the car.
- This start and end points data are sent to the AWS cloud. With the use of AWS' own IOT services, we can connect the Raspberry Unit to the Cloud. The data can be stored and processed over the cloud.
- The cloud receives a trigger when the end point is received where the payable amount is calculated and deducted from the user.
- The part where the user has to pay extra for untraveled distance and vehicle stoppage are avoided.

### Block Diagram



# Novelty:

- The large traffic jams near the toll plazas which cause a wastage of time and fuel can be reduced by installing a toll collection system that uses GPS tracking.
- This system enables the toll-road users to pay the toll fees without stopping or slowing down.
- This proposed system automatically identifies the vehicle that advance towards the toll plazas and observes the vehicle number and the time of arrival. By comparing the position of the vehicle and toll plaza, the owner of the vehicle can be charged from the account
- The Raspberry Pi 2 micro controller is configured as a personal cloud server to allow online access of travel logs.

### Hardware Requirements

#### **Arduino**

Arduino is an open hardware development board that can be used by tinkerers, hobbyists, and makers to design and build devices that interact with the real world

#### Nav G.P.S Module

GPS modules contain tiny processors and antennas that directly receive data sent by satellites through dedicated RF frequencies.

#### **Raspberry Pi**

The fast and versatile microcontroller board, three ways.

From light displays and IoT devices to signage and manufacturing processes, Raspberry Pi Pico gives you the power to control countless home, hobby, and industrial operations



### Module Splitup

#### **GPS Module:**

It contains tiny processors and antennas that directly receive data sent by satellites through dedicated RF frequencies. From there, it'll receive timestamp from each visible satellites, along with other pieces of data.

#### **AWS IOT Core:**

AWS IoT Core is a managed cloud service that enables connected devices to securely interact with cloud applications and other devices. AWS IoT Core can support many devices and messages, and it can process and route those messages to AWS IoT endpoints and other devices.

#### **Payment Service:**

A payment gateway is a merchant service provided by an e-commerce application service provider that authorizes credit card or direct payments processing

### ThankYou