

GO

Low cost subscription for open coding models.

OpenCode Go is a low cost subscription – \$5 for your first month, then \$10/month – that gives you reliable access to popular open coding models.

Go works like any other provider in OpenCode. You subscribe to OpenCode Go and get your API key. It's completely optional and you don't need to use it to use OpenCode.

It is designed primarily for international users, with models hosted in the US, EU, and Singapore for stable global access.

Background

Open models have gotten really good. They now reach performance close to proprietary models for coding tasks. And because many providers can serve them competitively, they are usually far cheaper.

However, getting reliable, low latency access to them can be difficult. Providers vary in quality and availability.

TIP

We tested a select group of models and providers that work well with OpenCode.

To fix this, we did a couple of things:

We tested a select group of open models and talked to their teams about how to best run them.

We then worked with a few providers to make sure these were being served correctly.

Finally, we benchmarked the combination of the model/provider and came up with a list that we feel good recommending.

OpenCode Go gives you access to these models for \$5 for your first month, then \$10/month.

How it works

OpenCode Go works like any other provider in OpenCode.

You sign in to [OpenCode Zen](#), subscribe to Go, and copy your API key.

You run the `/connect` command in the TUI, select **OpenCode Go**, and paste your API key.

Run `/models` in the TUI to see the list of models available through Go.

NOTE

Only one member per workspace can subscribe to OpenCode Go.

The current list of models includes:

GLM-5.1
GLM-5
Kimi K2.7 Code
Kimi K2.6
MiMo-V2.5
MiMo-V2.5-Pro
MiniMax M3
MiniMax M2.7
Qwen3.7 Max
Qwen3.7 Plus
Qwen3.6 Plus
DeepSeek V4 Pro
DeepSeek V4 Flash

The list of models may change as we test and add new ones.

Usage limits

OpenCode Go includes the following limits:

5 hour limit – \$12 of usage
Weekly limit – \$30 of usage
Monthly limit – \$60 of usage

Limits are defined in dollar value. This means your actual request count depends on the model you use. Cheaper models like DeepSeek V4 Flash allow for more requests, while higher-cost models like GLM-5.1 allow for fewer.

The table below provides an estimated request count based on typical Go usage patterns:

MODEL	REQUESTS PER 5 HOUR	REQUESTS PER WEEK	REQUESTS PER MONTH
GLM-5.1	880	2,150	4,300
GLM-5	1,150	2,880	5,750
Kimi K2.6	1,150	2,880	5,750
Kimi K2.7 Code	1,350	4,630	9,250
MiMo-V2.5	30,100	75,200	150,400
MiMo-V2.5-Pro	3,250	8,150	16,300
MiniMax M3	3,200	8,000	16,000
MiniMax M2.7	3,400	8,500	17,000
Qwen3.7 Max	950	2,390	4,770
Qwen3.7 Plus	4,300	10,800	21,600
Qwen3.6 Plus	3,300	8,200	16,300
DeepSeek V4 Pro	3,450	8,550	17,150
DeepSeek V4 Flash	31,650	79,050	158,150

The estimates are based on observed average request patterns:

GLM-5/5.1 – 700 input, 52,000 cached, 150 output tokens per request

Kimi K2.7/K2.6 – 870 input, 55,000 cached, 200 output tokens per request

DeepSeek V4 Pro – 750 input, 82,000 cached, 290 output tokens per request

DeepSeek V4 Flash – 790 input, 68,000 cached, 280 output tokens per request

MiniMax M3 – 510 input, 56,000 cached, 190 output tokens per request

MiniMax M2.7 – 300 input, 55,000 cached, 125 output tokens per request

MiMo-V2.5 – 830 input, 71,500 cached, 295 output tokens per request

MiMo-V2.5-Pro – 790 input, 86,000 cached, 305 output tokens per request

Qwen3.7 Max – 420 input, 66,000 cached, 200 output tokens per request

Qwen3.7 Plus – 500 input, 57,000 cached, 190 output tokens per request

Qwen3.6 Plus – 500 input, 57,000 cached, 190 output tokens per request

The estimates are also based on the following prices per 1M tokens:

MODEL	INPUT	OUTPUT	CACHED READ	CACHED WRITE
GLM-5.1	\$1.40	\$4.40	\$0.26	-
GLM-5	\$1.00	\$3.20	\$0.20	-
Kimi K2.7 Code	\$0.95	\$4.00	\$0.19	-
Kimi K2.6	\$0.95	\$4.00	\$0.16	-
MiMo V2.5	\$0.14	\$0.28	\$0.0028	-
MiMo V2.5 Pro	\$1.74	\$3.48	\$0.0145	-
MiniMax M3	\$0.30	\$1.20	\$0.06	-
MiniMax M2.7	\$0.30	\$1.20	\$0.06	\$0.375
MiniMax M2.5	\$0.30	\$1.20	\$0.06	\$0.375
Qwen3.7 Max	\$2.50	\$7.50	\$0.50	\$3.125
Qwen3.7 Plus ($\leq$ 256K tokens)	\$0.40	\$1.60	\$0.04	\$0.50
Qwen3.7 Plus ($>$ 256K tokens)	\$1.20	\$4.80	\$0.12	\$1.50
Qwen3.6 Plus ($\leq$ 256K tokens)	\$0.50	\$3.00	\$0.05	\$0.625
Qwen3.6 Plus ($>$ 256K tokens)	\$2.00	\$6.00	\$0.20	\$2.50
DeepSeek V4 Pro	\$1.74	\$3.48	\$0.0145	-
DeepSeek V4 Flash	\$0.14	\$0.28	\$0.0028	-

You can track your current usage in the [console](#).



TIP

If you reach the usage limit, you can continue using the free models.

Usage limits may change as we learn from early usage and feedback.

Usage beyond limits

If you also have credits on your Zen balance, you can enable the Use balance option in the console. When enabled, Go will fall back to your Zen balance after you've reached your usage limits instead of blocking requests.

Endpoints

You can also access Go models through the following API endpoints.

MODEL	MODEL ID	ENDPOINT	AI SDK PACKAGE
GLM-5.1	glm-5.1	https://opencode.ai/zen/go/v1/chat/completions	@ai-sdk/openai-compatible
GLM-5	glm-5	https://opencode.ai/zen/go/v1/chat/completions	@ai-sdk/openai-compatible
Kimi K2.7	kimi-k2.7	https://opencode.ai/zen/go/v1/chat/completions	@ai-sdk/openai-compatible
Kimi K2.6	kimi-k2.6	https://opencode.ai/zen/go/v1/chat/completions	@ai-sdk/openai-compatible
DeepSeek V4 Pro	deepseek-v4-pro	https://opencode.ai/zen/go/v1/chat/completions	@ai-sdk/openai-compatible
DeepSeek V4 Flash	deepseek-v4-flash	https://opencode.ai/zen/go/v1/chat/completions	@ai-sdk/openai-compatible
MiMo-V2.5	mimo-v2.5	https://opencode.ai/zen/go/v1/chat/completions	@ai-sdk/openai-compatible
MiMo-V2.5-Pro	mimo-v2.5-pro	https://opencode.ai/zen/go/v1/chat/completions	@ai-sdk/openai-compatible
MiniMax M3	minimax-m3	https://opencode.ai/zen/go/v1/messages	@ai-sdk/anthropic
MiniMax M2.7	minimax-m2.7	https://opencode.ai/zen/go/v1/messages	@ai-sdk/anthropic
MiniMax M2.5	minimax-m2.5	https://opencode.ai/zen/go/v1/messages	@ai-sdk/anthropic
Qwen3.7 Max	qwen3.7-max	https://opencode.ai/zen/go/v1/messages	@ai-sdk/anthropic
Qwen3.7 Plus	qwen3.7-plus	https://opencode.ai/zen/go/v1/messages	@ai-sdk/anthropic
Qwen3.6 Plus	qwen3.6-plus	https://opencode.ai/zen/go/v1/messages	@ai-sdk/anthropic

The model id in your OpenCode config uses the format **opencode-go/<model-id>**. For example, for Kimi K2.7 Code, you would use **opencode-go/kimi-k2.7-code** in your config.

Models

You can fetch the full list of available models and their metadata from:

```
https://opencode.ai/zen/go/v1/models
```

Privacy

The plan is designed primarily for international users, with models hosted in the US, EU, and Singapore for stable global access. Our providers follow a zero-retention policy and do not use your data for model training.

Goals

We created OpenCode Go to:

Make AI coding accessible to more people with a low cost subscription.

Provide reliable access to the best open coding models.

Curate models that are tested and benchmarked for coding agent use.

Have no lock-in by allowing you to use any other provider with OpenCode as well.