

RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Source on Save Go to file/function Addins

Environment History Connections Tutorial

R - Global Environment

p2 List of 8

sales_table 3 obs. of 2 variables

Values

category	chr [1:3]	"Electronics" "Clothing" "Appliances"
city	chr [1:3]	"City A" "City B" "City C"
department	chr [1:3]	"Sales" "HR" "Marketing"
dept_count	'table' int [1:3(1d)]	1 1 1
elevation	num [1:3]	1000 800 1200
employee_id	num [1:3]	1 2 3
performance_score	num [1:3]	85 92 78
population	num [1:3]	5e+05 7e+05 6e+05
sales	num [1:3]	50000 35000 40000
temperature	num [1:3]	75 68 80
years_service	num [1:3]	5 3 7

Files Plots Packages Help Viewer Presentation

Zoom Export Publish

```
1 city <- c("City A","City B","City C")
2 population <- c(500000,700000,600000)
3 temperature <- c(75,68,80)
4 elevation <- c(1000,800,1200)
5 data <- data.frame(city,population,temperature,elevation)
6 print(data)
7
8 map("world",
9     fill=TRUE,
10     col="lightblue",
11     main="Geographic Distribution of Cities")
```


Console Terminal Background Jobs


R - R461 - ~/

package 'maps' successfully unpacked and MD5 sums checked

The downloaded binary packages are in
C:\Users\thala\AppData\Local\Temp\Rtmp86ofin\downloaded_packages

```
> library(maps)
> city <- c("City A","City B","City C")
> population <- c(500000,700000,600000)
> temperature <- c(75,68,80)
> elevation <- c(1000,800,1200)
> data <- data.frame(city,population,temperature,elevation)
> print(data)
  city population temperature elevation
1 City A    5e+05         75     1000
2 City B    7e+05         68         800
3 City C    6e+05         80     1200
>
> map("world",
+     fill=TRUE,
+     col="lightblue",
+     main="Geographic Distribution of Cities")
>
```





```
1 city <- c("City A","City B","City C")
2 population <- c(500000,700000,600000)
3 temperature <- c(75,68,80)
4 elevation <- c(1000,800,1200)
5 data <- data.frame(city,population,temperature,elevation)
6 print(data)
7
8 map("world",
9     fill=TRUE,
10     col="lightblue",
11     main="Geographic Distribution of Cities")
12
13 plot(population,
14      temperature,
15      pch=19,
16      col="red",
17      xlab="Population",
18      ylab="Average Temperature",
19      main="Population vs Temperature")
20
21 geo_table <- data.frame(
22   City=city,
23   Population=population,
24   Temperature=temperature,
25   Elevation=elevation
26 )
27 print(geo_table)
```

20:1 (Top Level) ↕

R Script ↕

```
Console Terminal Background Jobs
R 4.6.1 ~/>
+ col="lightblue",
+ main="Geographic Distribution of Cities")
> plot(population,
+      temperature,
+      pch=19,
+      col="red",
+      xlab="Population",
+      ylab="Average Temperature",
+      main="Population vs Temperature")
> geo_table <- data.frame(
+   City=city,
+   Population=population,
+   Temperature=temperature,
+   Elevation=elevation
+ )
> print(geo_table)
  City Population Temperature Elevation
1 City A      5e+05         75       1000
2 City B      7e+05         68         800
3 City C      6e+05         80       1200
> |
```

