







RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Go to file/function Addins

Source on Save Run Source

```
1 customer_id <- c(1,2,3)
2 age <- c(28,35,42)
3 gender <- c("Female","Male","Female")
4 income <- c(50000,60000,75000)
5 data <- data.frame(customer_id, age, gender, income)
6 print(data)
7
8 barplot(age,
9         names.arg=customer_id,
10        col="skyblue",
11        main="Customer Age Distribution",
12        xlab="Customer ID",
13        ylab="Age")
14
15 gender_count <- table(gender)
16 pie(gender_count,
17     labels=names(gender_count),
18     col=c("pink","lightblue"),
19     main="Gender Distribution")
20
21 customer_table <- data.frame(
22   Customer_ID=customer_id,
23   Age=age,
24   Gender=gender,
25   Income=income
26 )
27 print(customer_table)
```

21:1 (Top Level) R Script

Console Terminal Background Jobs

R 4.6.1 ~/
+ col= skyblue ,
+ main="Customer Age Distribution",
+ xlab="Customer ID",
+ ylab="Age")
> gender_count <- table(gender)
> pie(gender_count,
+ labels=names(gender_count),
+ col=c("pink","lightblue"),
+ main="Gender Distribution")
> customer_table <- data.frame(
+ Customer_ID=customer_id,
+ Age=age,
+ Gender=gender,
+ Income=income
+)
> print(customer_table)
Customer_ID Age Gender Income
1 1 28 Female 50000
2 2 35 Male 60000
3 3 42 Female 75000
> |

