▼ Your quiz solution has been submitted successfully. 

x

## Understanding SAP Fiori Launchpad Ali Chalhoub, Joaquin Fornas

## Unit 7: Self-test

mode

Question 1 0.0/3.0What are some benefits of the cache buster mechanism in the SAP Fiori launchpad? Note: There are 2 correct answers to this question. With the cache buster, the SAP Fiori launchpad always loads the latest version, release, and patch level of the SAPUI5 libraries released by SAP. If cache busting is not used, the static resources are not cached in the browser and must be retrieved from the server. The cache buster optimizes the reliability and performance of SAPUI5 Correct! applications. The cache buster allows the application to notify the browser to refresh the resources only when the application resources have been changed. Otherwise the resources can always be fetched from the browser's cache. 0.0 / 2.0Question 2 When is the sap-cache-id token invalidated? When executing the report /UI2/INVALIDATE\_GLOBAL\_CACHES Correct Answer When the UI2 cache is invalidated on the server side

Question 3 0.0 / 2.0

You have installed a new patch of the SAPUI5 libraries in the ABAP system. Which report do you have to execute to load the newest SAPUI5 libraries to the SAP Fiori launchpad when cache busting is used?

When executing the report /UI2/INVALIDATE\_CLIENT\_CACHES

When executing the report /UI5/APP\_INDEX\_CALCULATE with full calculation

○ /UI2/INVALIDATE_CLIENT_CACHES	,
None; the deployed SAPUI5 libraries are loaded automatically.	Correct Answer
/UI <del>2/INVALIDATE_GLOBAL_CACHES     // **  **The image of the imag</del>	Your Answer
○ /UI5/APP_INDEX_CALCULATE	
Question 4	3.0 / 3.0
Where are the cache buster tokens returned when the SAP Fiori launchpad is launched <i>Note: There are 2 correct answers to this question.</i>	?
■ In the response of the PageSets request	,
✓ In the response of the start_up request	Correct!
■ In the bootstrap script of the SAP Fiori launchpad HTML page	
✓ In the ServerSideConfig object of the SAP Fiori launchpad HTML page	Correct!
Question 5	0.0 / 4.0
Which of the following URLs support the injection of a cache buster token? <i>Note: There are 3 correct answers to this question.</i>	
✓ /sap/bc/ui5_ui5/ui2/ushell/shells/abap/FioriLaunchpad.html	Your Answer
✓ /sap/bc/ui5_ui5/ui2/ushell/resources/sap/ushell_abap/bootstrap/abap.js	Correct!
□ /sap/bc/ui5_ui5/sap/hcm_my_srv/Component-preload.js	Correct Answer
✓ /sap/bc/ui2/flp	Your Answer
sap/bc/ui5_ui5/ui2/ushell/chips/applauncher.chip.xml	Correct Answer



Total: 3.0 of 14.0 points achieved

This quiz can be repeated indefinitely!

## About openSAP

openSAP provides free Massive Open Online Courses (MOOCs) to everyone interested in learning about SAP's latest innovations and how to survive in the digital economy. openSAP Enterprise MOOCs leverage tried and trusted classroom concepts, including gamification, and discussion forums to interact with peers and experts.





© 2013 - 2018 Copyright SAP - Legal Disclosure - Privacy - Terms of Use

Powered by HPI / openHPI (r5513)