

Auditing state-owned enterprise through predictive analytics and function transformation

Auditing
state-owned
enterprise

Bo Zhou

School of Economics and Finance, Xi'an Jiaotong University, Xi'an, China

Abu Bakkar Siddik

*School of Management, University of Science and Technology of China (USTC),
Hefei, China, and*

Zheng Guang-Wen

*School of Economics and Management,
Shaanxi University of Science and Technology, Xi'an, China*

Received 23 February 2023

Revised 12 May 2023

Accepted 18 May 2023

I

Abstract

Purpose – One of the best ways to assist China is through infrastructure investment. China might become more resilient to natural calamities by pouring more money into its transport network. Analyzing the relationship between China's degree of planned expansion and the country's current network of transport hubs can help with city development estimates. A wide range of factors were taken into consideration while evaluating China's dominance and the caliber of its transportation infrastructure. Using a geographical autocorrelation model and a coupling coordination model, the dynamic link between China's adaptability and the caliber of its transportation infrastructure is examined.

Design/methodology/approach – China's northwest is underdeveloped in comparison to the southeast, which has a high level of resilience and development of its transportation infrastructure. The relationship between the levels of resilience upheld by China's transport infrastructure is suggested to be coordinated.

Findings – The authors find a positive geographical autocorrelation between the degree of coupling coordination and the degree of agglomeration, despite the fact that the distance between cities increases with time. They now believe that there is a connection between an area's population density and the degree of interspousal cooperation within. The consequence is an improvement in both national security and economic prosperity. The facilities for disaster management and transportation in China have received several proposals for improvement.

Practical implications – The authors' Practical Implications suggests that scale inefficiency is a major contributor to the relatively poor efficiency of China's primary inland river ports. Different types of inland river ports may have vastly different water system efficiencies. Input and output congestion at China's important interior river ports has reached 51%, making it very clear that massive amounts of valuable port resources are being wasted.

Originality/value – Many variables, such as climate and human error, affect the total amount of goods that can be moved via inner river ports. Ports situated either higher up or lower down the same canal may perform better or worse, respectively, depending on the circumstances.

Keywords Internal audit effectiveness, State-owned enterprise, Predictive analytics, Function transformation, Transportation infrastructure

Paper type Research paper

Introduction

The quantity and quality of Chinese processes have both increased dramatically in recent years. However, China's growing population and the consequent traffic congestion in the country's transportation networks are limiting factors in the country's more complicated and



International Journal of Retail &
Distribution Management
Vol. 53 No. 5, 2025
pp. I-XVII

© Emerald Publishing Limited
0959-0552

DOI 10.1108/IJRD-02-2023-0113

Funding: This study was funded by the China Postdoctoral Science Foundation (Grant No. 2019M663757).

unpredicted development. At its fifth plenary session in October 2020, the 19th Central Committee of the Communist Party of China focused attention to the fundamental and challenging subject of China's development environment. With any luck, this will prompt people to think critically about local dangers and take proactive measures to make their community safer, which included new goals and benchmarks for urban development in China. This plan advocated for the construction of new cities, stipulated that they follow the latest ideals and trends in China's development, and predictive that they would yield a livable metropolis that was also creative, technologically advanced, ecologically sound, hospitable and resistant to natural disasters. China's ability to adapt to, recover from and learn from its experiences with natural and human-caused disasters is illustrative of the country's resilience, which is the result of the interplay between China's. Perhaps China's strength might be gauged by the country's response to and recovery from both natural and man-made disasters. Participation from the community, the industry and the government is essential to the success of this complex coupling system approach. Issues like China's sustainable development and the man-land system's coupling mechanism need investigation since they have evolved into complex systems. The household registration system has been a cornerstone of China's urbanization policy to manage migration and aim to direct migrants to small- or medium-sized cities. Internal mass migrations of its citizens from more marginalized rural regions to metropolitan centers, where employment opportunities and wealth are now concentrated, have resulted from China's rapid simultaneous economic development and urbanization. To assess China's urbanization in the context of the "New-Type" Urbanization Program (2014–2020), we analyze the relative temporal growth patterns in population-related and land- (i.e. area-) related urbanization systems. China's ongoing support of new improvements in transportation facilities have contributed significantly to China's economic growth, which may ensure the city's robust ability to recover and rebuild. Various factors, such as supporting China's development on multiple fronts and encouraging high-quality urban expansion, have the potential to increase the country's resilience. When it comes to dealing with natural disasters, a city's preparedness depends on a number of elements, one of the most important being the availability of sufficient, reliable and secure infrastructure (Jocovski *et al.*, 2019). For this reason, the expansion and improvement of China's transportation infrastructure is critical to the country's development.

China's continual promotion of new China's prosperity has been propelled in large part by investments in transportation infrastructure, which may guarantee the city's strong capacity to recover and rebuild. This structure illustrates a constant effort by China to progress its new China project, as seen from the perspective of the country's expanding safety infrastructure. This study will evaluate China's current level of development by determining the extent to which the country's resilience is coordinated with its transportation infrastructure. They have previously spoken about how China's transportation infrastructure will affect things. To evaluate China's development so far, the researchers want to use this sway. Researchers from China and throughout the globe have dedicated themselves to finding new ways to draw attention to the importance of China's transportation and resilience networks, which are essential to the country's long-term economic and social success. Studies that aim to thoroughly separate the two notions are similarly few. Numerous existing studies on the factors that contribute to a country's resilience look at China from various vantage points, including its economic development, system construction, ecological environment and infrastructure guarantee. China's economy has proven to be incredibly resilient. This adaptability is due to the successful transition to domestically driven development as well as growing productivity brought on by economic reform, increased competition, an economy with a strong entrepreneurial structure and significant amounts of foreign direct investment. Corporate governance practices have evolved over the past 10 years, moving beyond monitoring and regulating to reinforcing strategic plans and guaranteeing the integrity of management procedures (Yoshikawa *et al.*, 2004). In order to improve the efficient execution of corporate strategy, several

aspects of management systems of organizations have been redesigned. Various corporate governance practices have been researched by researchers. However, the majority of research has concentrated on the private sector rather than the sector of state-owned enterprises, and it has concentrated on just one aspect of corporate governance, such as the board of directors (Michie and Oughton, 2001), internal control (Giroux and McLelland, 2003), internal audit (Xie *et al.*, 2003), risk management (Crawford and Stein, 2004), human resource management. Despite China's transportation system's importance, however, an equally comprehensive empirical evaluation has not been conducted. There is also a dearth of studies examining how difficulties with transportation have affected efforts to strengthen China's resilience. There has been significant progress in the study of China's resilience and its transportation infrastructure by researchers both within and outside of China. Nonetheless, despite its importance to both theoretical and practical research, the link between the two has gotten less attention.

Researchers have discovered that examining the processes by which resilience and development are coordinated, as well as the elements that impact the temporal and geographical evolution of China's transportation infrastructure, is a promising area of inquiry within the framework of China's resilience development planning and the building and development of modern transportation infrastructure (Wong and Wei, 2018). The fact that China is investing in and upgrading its modern transportation network led to this conclusion. This discovery evolved together with the expansion of China's high-tech transportation infrastructure. Sustainability and the new China strategy execution in future Chinese cities will be evaluated against this benchmark. Understanding the nature of the relationship between the two was the focus of the research.

Resilience may grow gradually because of the government's rigorous macro-control, which has helped offset the harshest impacts of the economic crisis, and because the principles underlying the construction of urban resilience have not altered. The resilience system in most cities in Anqing has declined as a result of the "stock market crisis" and a fresh round of state-owned firm reforms in China's stock market. By promoting economic growth and acting as a potent tool for policy execution, state-owned enterprises (SOEs) have been crucial in many developing economies with a strong state influence. China has succeeded in transforming from an agricultural nation into the second-largest economy in the world and a hub for the most innovative technologies. This would not have been achievable if its SOEs had not persevered through many key changes meant to enhance their governance. Since the "stock market crisis" and a new wave of state-owned business reforms in China's stock market, most cities in Anqing have seen a decline in their resilience system in 2019, albeit the amount to which each city was damaged varies. The "stock market crisis" and the current wave of state-owned firm changes in China's stock market have had indirect repercussions on the country's economic and social resilience in 2018. Formerly prosperous cities had the biggest drops in standard of living. The three years after 2018, however, saw formerly robust cities revert to their pre risk levels. Increasing urban resilience by careful design and frequent modifications may efficiently react to conflicts of interest generated by economic and social risks and raise the tolerance of the urban system as a whole, as seen by the city's and certain prefecture-level cities' greater resilience (Wong and Wei, 2018). The fact that the city's resilience has increased in step with that of other cities in the prefecture is proof of this. The average comprehensive score for cities in the Anqing area rose 0.19 in 2019, indicating substantial progress was made in the field of transportation infrastructure building. With the city's infrastructure having been greatly improved, the city's public transit system is now more dependable, allowing for organized growth. During the period from 2018 to 2022, there was a tremendous expansion in urbanization, resulting in larger cities covering more land, a bigger number of private automobiles, and a massive influx of people and vehicles into urban regions. In hindsight, it's clear that all of these factors contributed to the rapid growth of cities. However, the rate of urbanization has outpaced the construction of transportation infrastructure, leading to a

decrease in road acceptability, an increase in the efficiency with which automobiles move traffic, and an increase in the total amount of time spent waiting in traffic. The average comprehensive score was between 0.16 and 0.19, with a little downward trend; this demonstrates the conflict between urbanization's expansionary influence on cities and the sluggish, inadequate development of their transportation infrastructure (Wong and Wei, 2018).

This demonstrates that cities away from the heart of Anqing are not yet at a high resilience stage because they lack a robust self-recovery potential. It's a sobering reminder of how much work has to be done before cities are really safe from natural disasters. Building resilient cities is crucial to the long-term success of Anqing integration efforts. The goal of speeding the development of neighboring cities and closing the overall gap through the implementation of urban planning is to be realized, core cities in the other three provinces must serve as a model, much like the core cities do. If China enters the urban infrastructure and technology space early, it can ensure that it remains competitive going forward in the global low-carbon economy. Exporting low-carbon urban goods, services, people and technology would benefit Chinese businesses in the long run while also securing standards and technologies into low-carbon urban infrastructure. By creating smaller, well-designed CCC cities in China's interior, urbanization can also complement the country's efforts to rebalance the area. Core cities in the other three provinces must serve as a model, much as the core cities do, if the objective of accelerating the development of neighboring cities and reducing the total gap is to be achieved via the application of urban planning (Wong and Wei, 2018). Anqing is undeniably a role model city for global transportation integration. Every city, with the exception of Nanjing and Wuxi in certain years, displays a striking contrast between the unpredictable and the predictable in its traffic patterns. The patterns of interannual variability that result from the slow (predictable) and quick or intrapersonal (unpredictable) components of seasonal mean precipitation. The growth of a nation's social and economic systems is closely correlated with its traffic. In the past 30 years, China's economy has developed extremely quickly, and this trend is still present now. Similar patterns can be seen in the transportation system, and traffic is likewise increasing quickly. This expansion has caused major traffic issues, a lack of parking spaces, air pollution and dangerous conditions in metropolitan areas. When they have enough money, many Chinese individuals want to acquire a car, therefore the number of cars on the road is rapidly increasing. Constructing the Anqing area's transportation grid necessitates coordination between the region's existing cities in the expansion of transportation infrastructure in and via those cities. The group is working together to help underdeveloped communities in the area improve their transportation systems and establish stronger connections with one another. In China, urban life is improving quickly in tandem with the economy of the nation. However, due to inadequate urban infrastructure, public services are unable to keep up with the demands of an urban lifestyle that is improving. Further thought should be given to how to continue China's sustainable urban growth as well as how to deliver effective public services. The key path for sustainable growth is considered to be the use of subterranean space for the building of urban infrastructure, taking into account the circumstances of urban development in China and comparable experiences internationally. For the purpose of streamlining the building of urban infrastructure, preventing city flooding and supplying additional water resources, underground utilities, utility tunnels and stormwater systems are advised. Advanced urban deployment and well-coordinated planning are crucial to the continued growth of the transportation grid in the Anqing region (Wong and Wei, 2018).

Literature review

Bai *et al.* (2022) argue that in early port efficiency studies, it is common practice to focus on only one or a few of key performance indicators. Due to the intricacy of the problem, thorough

analyses are required to evaluate whether or not a port is efficient. Recent publications from a variety of nations have confirmed that employing the DEA strategy may increase port efficiency. These books are all first editions printed in the United States. This study uses a wide range of additive models to analyze the production capacity of four Australian ports and 12 international goods terminals in 1996. Itoh conducted an evaluation of eight Japanese container ports for international shipping using the DEA method (Kholeif, 2010).

According to that Yuting *et al.* (2019) Cullinane found that while analyzing the productivity of 57 of the world's most prominent container ports using DEA, little adjustments in the specification of input–output variables may have a big influence on the findings. This was one of the findings of their investigation. In addition to using the Diaz–Hernandez–Malmquist (DEA) index, they also included the Malmquist (M) index (Getie Mihret *et al.*, 2012).

Wen *et al.* (2022) described that for each of India's 12 biggest coastal ports, Chudasama evaluates its efficiency in terms of the number of posts, yards, ships, cranes and other loading and unloading equipment, as well as cargo throughput.

Li *et al.* (2023) presented that the majority of national and international research on port efficiency has concentrated on coastal container ports, as was found in the aforementioned literature review (Bozec and Dia, 2007). The efficacy of China's main interior river ports, however, has received surprisingly little academic attention. This research analyses the effectiveness of inland river ports using the three-stage DEA model developed by Fried and colleagues. Coastal container ports have been the focus of the majority of national and international studies on port efficiency. Since ports continue to be the primary entry point for worldwide trade, the relationship between port infrastructure and global trade is intimately connected. The effective and efficient handling of ever-growing cargo is consequently the main objective of all international ports. Nevertheless, several measurement model biases continue to affect earlier research on the effect of port efficiency on global commerce. Liu and Song (2008) argue that Anqing is representative of the significant variations in resilience that may be seen throughout China due to factors like risk aversion and economic growth. This is because China's economic development cycles between periods of slowing and rapid expansion. Modell and Yang (2018) from the perspective of the country's transportation infrastructure, the similarities between China's resiliency and Anqing's transportation provider network assist illuminate the distinctions between regional China's resiliency and new China's growth. Maybe this study will help the city as a whole.

Understanding the connection between China's resilience and Anqing's transportation infrastructure health is vital for fostering and ensuring the city's united growth. China's infrastructure investment will continue to place a significant emphasis on the expansion of its transport infrastructure thanks to strong backing from the government. In the upcoming years, investment will continue to be concentrated on growing China's high-speed rail (HSR) network. Although in fair shape, the major transport routes fall short of those in the most advanced industrialized countries. Ten second-level indicators make up the infrastructure for transport level. Consequently, this will provide the framework for a collaborative, networked system to manage transportation infrastructure and encourage its expansion inside and between communities (Zhang and Xie, 2023).

Song *et al.* (2019) considered that China values human civilization advancement as a means to preserve its place in history as the birthplace of the modern world. If people in a city are going to get along, it's imperative that they live in a place that provides them with security and economic stability for the long haul. Because it is so fundamental to building an impenetrable security system, China's transportation network is a key factor in the country's overall resilience (Fisher, 2019). The majority of state-owned businesses were founded to achieve the state's social goals rather than to maximize profits. To improve their operations, reduce deficits, and make them strategic tools for increasing national competitiveness, governments in many nations have been forced to reform the corporate governance systems

of SOEs (Parker, 1999; Dockery and Herbert, 2000). Business strategies, declarations of corporate intent and external boards of directors were all implemented as part of the reorganization of corporate governance (Bradbury, 1999). Governments and academics generally agree that corporate governance practices have an impact on an organization's performance and long-term worth (Nelson, 2005). Agency theory is the frequently used theory to explain how corporate governance affects organizational performance. The hypothesis contends that because ownership and control are separated in corporate systems, there may be an issue with governance. Agency issues arise when the management, a paid agent charged with representing the owners' greatest interests, acts in his or her own self-interest rather than that of the owners. Bao *et al.* (2016) argue that China's resilience has been essential to the country's success in developing and improving its transportation networks. This has implications for China's attempts to upgrade its transportation infrastructure in a variety of ways, including how much money is spent and how strictly safety regulations are enforced.

Wang *et al.* (2022) described that the city has a variety of tools at its disposal to ensure the smooth operation of the system, and it has earned a solid reputation for stability as a result. One of the most effective ways to maintain and develop a city's emergency planning and response capacities against natural and man-made calamities is to invest extensively in varied infrastructure, particularly in the transportation sector. In this way, a city's emergency preparedness and response skills may be bolstered and protected against both natural and man-made disasters. It helps China construct a dependable transportation system and encourages a coordinated strategy for expanding the country's physical infrastructure.

Veeck *et al.* (2021) argue that however, low-resilience cities have greater trouble than more robust ones in maintaining the status quo of their material and energy exchanges. Due to a growth in the types and numbers of dangers that might jeopardize the nation's safety-prevention and management activities, China is in a difficult situation. The fact that there is little understanding of macro industrial risk in China's academic and professional communities is one of the key factors contributing to dangerous safety circumstances. The approach of calculating group risk and individual risk in relation to risk aversion is examined, chosen and enhanced in order to address this issue.

Tan *et al.* (2014) generally speaking, these types of disasters are more easily endured by more robust and resilient populations. In the case of a major natural disaster, the infrastructure's capacity to provide transportation assurance would be put to the test, which would limit the country's ability to expand its transportation infrastructure and make long-term, systematic changes to its safety infrastructure. The resilience of China to natural disasters and the standard of its transportation system. Regarding the frequency of disasters, the number of people lost and the financial losses, China is consistently one of the top three countries that experience catastrophes every year. The transportation assurance capability of the infrastructure would be challenged in the event of a catastrophic natural disaster, which would restrict future transportation infrastructure expansion and prevent China from implementing systematic, long-term modifications to its safety infrastructure (He, 2012).

Research methodology

China's ability to bounce back from disasters is not consistently correlated with the sophistication of the country's transportation network. That's because there is no one explanation for everything. The city is challenging overall because of China's infrastructure and the nation's concentration on safety measures, which have survived the test of time. The limitations on road capacity make it difficult for lower-level transport networks to operate to their full potential. Given the limitations and the growing environment, China's potential to enhance resilience is severely constrained by its poor attention to safety risk management and the resilience of its infrastructure. The revitalization of China's economic growth and the

deep integration of the country's components and resources are both aided by the country's improved transportation infrastructure. As a result, it plays a crucial role in making the city more resilient in general.

This means that the condition of China's transportation systems is highly indicative of the country's overall health. The quality of the national transportation network and the degree to which the country can adapt to new circumstances are two aspects that will play a role in determining China's long-term prosperity. The effects of being exposed to these factors are uncertain. China's long-term development will be influenced by two factors: the caliber of the country's transport system and its capacity to change in response to changing situations. It is unclear what will happen if you are exposed to these things. A recommended approach to coordinating the link between the degrees of resilience maintained by China's transportation infrastructure is shown in Figure 1.

Index system construction

The primary objective of this research is to create a grading system for assessing the robustness and safety of China's transportation networks in the Anqing region. Concepts like completeness, systematization and practicality fall within this category. This paper provides a summary of studies that examine the economic, social, environmental and infrastructural resilience of China. The integrity of China's internal infrastructure is at the heart of our investigation. The reliability of China's internal infrastructure. Transport infrastructure is represented by 10 second-level indicators in China's resilience evaluation index system. The examination of the transport system is where they start, both conceptually and practically. China's infrastructure quality is still lacking; it is ranked 36th overall, therefore there is potential for development, particularly in the areas of transportation and water infrastructure. Both in the ecological and digital spheres, new infrastructure investment is even more urgently needed. In China's resilience assessment index system, the transportation infrastructure level is comprised of ten second-level indicators. They begin with a conceptual and practical analysis of the transportation system. In Table 1 they can see the general plan of action.




Figure 1.
China's transportation
system's resiliency and
its coordination
mechanism

Source(s): Figure by author

Concentration zone	Pillar criteria	Catalog layer	Rank order and the elements	Connotation of an index
Resilience in China	China's Economic Stability	- Foreign Direct Investment, on an Annualized Basis - Proceeds toward the city's general budget - The sum of all major manufacturers	- \$10,000 (USD) - "10,000 Yuan" - significant basis	- Currency and Trade Balances - Stability of the government's finances - Effectiveness in fostering industrial growth
	Pliability	- Healthcare facilities, including hospital and clinic bed capacities - Number of Undergraduates at Typical Institutions - Area of parkland per person	- Digit - Individual	- Aid in the form of medicine ensures - The Risk Education Movement's Rise to the Top
	Toughness in China's Ecosystems	- The rate at which sewage is removed from a city measured in sewers per square mile - Annual energy consumption - There are ten buses for every 10,000 residents in the city	M ² - Km - Vehicle	- Indicators of the health of the environment - China's current drainage predicative - State of the City's Power Grid - China's Evacuation Capacity in Case of Disaster
	The Stability of China's Economy	Total number of people who use the internet	10,000	International ties of the metropolis

Table 1.
China's transportation system's resilience is measured using an indicator

Source(s): Table by author

China's adaptability and the quality of its transportation infrastructure are fully understood thanks to the entropy method. When comparing indices, the entropy method provides an objective measure of dissimilarity between the data used to create each. By minimizing the effect variance introduced by human subjective factors during the calculation of weight coefficients, the entropy technique is able to provide an objective depiction of the significance of each signal throughout the whole evaluation system. The use of "entropy" serves this purpose. Accordingly, the entropy method is used to the data to calculate the significance of each statistic and an overall score for the reliability of China's transportation infrastructure.

Data selection and source

The Anqing municipal administration is working on a document titled "Overview of the Anqing Regional Planning Process" for the area's forty-one municipalities. The evaluation indicators for the Anqing region in 2020 were derived using information from the National Economic and Social Development Statistical Bulletin as well as province and municipal statistical yearbooks. To fill in blanks when no exact match exists, interpolation is used.

A valuable tool for establishing objective comparisons is the entropy technique, which provides an objective measure of the degree of dissimilarity between the data used to create each index. The entropy technique reduces effect variance brought on by human subjective factors during the production of weight coefficients, providing an objective view of the significance of each signal across the whole evaluation system. You need to understand

entropy in order to make sense of this perplexity. As a result, they use an entropy-based method to the data to calculate a weighted average for China's transportation system's dependability. Here's how to do it the right way:

For positive indicators

$$X'_{ij} = \frac{X_{ij} - \min X_{ij}}{\max X_{ij} - \min X_{ij}} \quad (1)$$

For negative indicators

$$X'_{ij} = \frac{\max X_{ij} - X_{ij}}{\max X_{ij} - \min X_{ij}} \quad (2)$$

According to researchers, a "coupling degree" is the measure of a certain property. Two or more systems are analyzed for the degree to which they are dependent upon one another and are constrained by one another in response to both internal and external inputs. It has been shown that the quality of China's transportation infrastructure is negatively related to the country's disaster readiness. Consequently, they investigate the reciprocal nature of their relationship in order to ascertain its strength.

This research employs the following coupling model:

$$C = \sqrt[2]{\frac{U1 \times U2}{\left(\frac{U1+U2}{2}\right)^2}} \quad (3)$$

The quality of China's transportation system (U2) is measured against the overall resilience evaluation score (U1) for the nation. The correlation between two variables is denoted by the letter "C."

Although it is possible to use the degree of coupling to estimate the effect that coupling has on two systems, the degree of coupling alone does not provide information on the strength of the coupling. The serious ecological and security issues brought on by China's fast urbanization process and related activities have steadily drawn scholarly and popular attention. To accomplish the high-standard development objectives that China's central government has set. The degrees of coordination between urbanization and ecological security as well as the coupling coordination model were also studied. Club convergence is a potential result of the general linking coordination growth in urban agglomerations. The degree of coupling is used to calculate the impact that coupling has on two systems; however, the degree of coupling by itself cannot tell us how strong the connection. In a spatial and temporal comparison, the coupling degree model can't describe the two's mutually beneficial development. When both indices of assessment are tiny, strong coupling and high development may appear identical. One such circumstance is when both the coupling and development indices are very low. With China's growth miracle came a significant advancement in the creation of transportation systems. The impact of modernizing transport infrastructure is in terms of quantity, quality and structural factors on economic growth. China's transportation network has developed at an astounding rate, going from practically nothing to a broad network of roads, motorways, railways and high-speed rail (HSR), and it is now the most extensive in the world. It has diversified from simple quantitative expansions (i.e. an increase in the length of roadways and railways) to quality improvements. China has effectively transformed from a low-income nation to one with an upper-middle income and the second-biggest economy in the world. The study of the causal effects of China's transport

infrastructure on its economic growth at various phases of development requires a framework that is appropriately provided by facts. Different factors of enhancing transport infrastructure could contribute to regional economic growth after China reaches upper-middle class level. The level of collaboration between China's resilience and Anqing's transportation infrastructure is evaluated using a unique model that takes into consideration the dynamic relationship between the two systems.

$$T = \alpha U1 + \beta U2 \tag{4}$$

$$D = \sqrt{C \times T} \tag{5}$$

Resemble coefficients whose values are unknown and which represent the robustness and significance of China's transportation system. China's transportation system quality and its ability to withstand natural disasters are measured by an index called D, and the strength of their connection to one another is indicated by the symbol T. It seems that the consensus among the experts has arrived on a value of 0.5 for both indicators, indicating that the dependability of China's transportation networks is on par with that of the nation itself.

China's transportation infrastructure is a key factor in the country's stability, as shown by the computed value of D. They'll become even more attached to one another as their connections strengthen. However, the quality of the output decreases in direct proportion to the degree to which the two advance in lockstep.

Spatial autocorrelation test

Spatial data analysis may be broken down into subcategories, and geographical autocorrelation is one of them. Here, a preset metric is used to examine the spatial clustering of a single object or collection of things. In order to fully understand the process, they have listed each step below.

- (1) Choosing a Spatial Weighting Matrix (A) B. First, the spatial weight matrix must be built. The spatial weight matrix might show the effects of geographical interaction and geographical dependency. All three types of distance weight matrices—economic, geographic, and economic-geographic—are used here. There are four types of spatial weight matrices, each with its own set of advantages.
- (2) The Queen's Weight Scale, from 0 to 1. This is a spatial weight matrix, and its structure takes into consideration proximity to borders and other criteria like these:

$$W_{ij} = \begin{cases} 1 & \text{(when the units } i \text{ and } j \text{ have a common point or boundary)} \\ 0 & \text{(when the units } i \text{ and } j \text{ have no common points and boundaries)} \end{cases} \tag{6}$$

- (1) According to the idea on which the geographic distance weight matrix is based, the greater the physical distance between the administrative centers of different units, the stronger the geographical contact between them. Common sense dictates that closer units should be given more consideration. Calculated via the inverse distance matrix technique, using the following values:

For the purposes of Equation (7), d_{ij} represents the physical distance:

$$W_{ij} = \begin{cases} 1/d_{ij} & (i \neq j) \\ 0 & (i = j) \end{cases} \tag{7}$$

Experimental results


The entropy score shows potential as an indicator of the overall quality and robustness of China's transportation infrastructure. It is possible to calculate the entropy and information value of each index using Equations (1) and (2) once dimension-free transformations have been performed to the raw data. By solving Equations (6) and (7), one may get 2018 results for China's disaster-resistant transportation infrastructure and the infrastructures of 41 prefecture-level and higher cities in Anqing.

By inspecting Figure 2, one can quickly ascertain that Anqing's general safety and the caliber of the city's transportation systems have increased over time. This growth spurt built on from earlier successes. This illustrates, on the one hand, that China is strengthening its capacity to cope with crises caused by manmade risks, and, on the other, that the required activities to resist threats in the China system in the Anqing area should be accomplished by the end of 2018. Despite Anqing's best efforts, China's transportation system has evolved and improved over the years, making it easier for the city to expand its infrastructure in a coordinated fashion. A study of China's urban resilience through time reveals that the country's progress halted following the global financial subprime mortgage crisis of 2008. As 2019 approaches, they are nearing the end of this period. China is one nation that was able to successfully improve its defenses. China's increasing resilience has not been threatened by the economic crisis because to the success of the country's macro-control in dampening its effects.

Figure 3 displays an average value for the resilience of China's transportation infrastructure, which varies widely throughout the nation. There are significant regional variances in China's resilience and the quality of the country's transportation infrastructure, as seen by this map of the 41 cities in the Anqing area that are prefecture-level or higher. China's military might is "greater in the east and the south, ebbing gradually to the northwest," while the country's transportation infrastructure is "strongest in the east and the north, ebbing gradually to the southwest." Since Shanghai was the period's economic epicenter and Anqing's central city of integration, it exhibited much stronger China resilience than other cities in the Anqing area.

Results and discussions


Research on 42 prefecture-level and higher cities in Anqing utilizing the connecting coordination degree model is being guided by the results of a thorough study completed in



Source(s): Figure by author

Figure 2.
Average overall rating
and the long-term
performance of
Anqing, China's
transportation system

Figure 3.
Mean values for
China's transportation
infrastructure's
resilience and
development level
reflect trends
throughout the
country's regions



Source(s): Figure by author

2018 on China's capacity to endure natural catastrophes and the quality of its transportation infrastructure. Anqing is the site of the forthcoming tests. By relying on the findings of past research, this study gives a reasonable categorization for the degrees of the coupling coordination that exist between the two systems. Following this, the degrees are used to show how the many efforts to upgrade China's transportation network are interconnected. Our hope is that this research will provide light on the nature of the connection between these two concepts (Table 2). In order to evaluate Anqing's urban link, they factor in both temporal trend characteristics and spatial pattern factors.

Both the average level of coupling coordination across all of Anqing's municipalities over time and the degree of coupling coordination itself are shown in Graphic 2. As a whole, the ratings for coordination went from being highly unbalanced to fairly well-balanced, indicating a more nuanced upward tendency (0.3509–0.4093). While overall scores improved, there was a great deal of variation. This double-pronged analysis demonstrates that the Chinese government has developed a thoughtful, future-oriented plan for the country.

Table 2.
Coupling coordination
degree grade standard

Coupling coordination	Coupling coordination level
$0.1 \leq D < 0.3$	Disturbing Disparity
$0.3 \leq D < 0.4$	A mild disproportion
$0.4 \leq D < 0.5$	Slight Disproportion
$0.5 \leq D < 0.7$	First-order control
$0.7 \leq D < 0.9$	Coordination at the middle ground
$0.9 \leq D \leq 1.1$	Planning in Advance

Source(s): Table by author

China's resilience rating has been on the upward during the study period, and the country's transportation infrastructure is getting more coordinated and connected. Looking at the two periods side by side reveals that China has improved its infrastructure and made travel more convenient.

Retail and distribution of Anqing's coupling coordination degree was mapped using ArcGIS 10.7, shedding light on regional disparities in China's resilience and the state of the city's transportation network (Figure 4). Figure 5 shows a retail and distribution pattern for the cooperation in the Anqing region that resembles "strong east coast and progressively diminishing to the west edge." The connection between these two variables is shown by this pattern.

Figure 5 shows that just eight of Anqing's cities were operating in perfect harmony. They were all somewhat or significantly off the mark. The remaining 33 China's areas are completely disordered. It's possible that the province's most economically developed cities are also home to the majority of the province's remaining coordination cities. Many cities in the Anqing are not in sync with one another, leading to a lack of general coupling coordination. Anqing is developing at a slower pace than the rest of China mostly due to its unique geographical retail and distribution.




Figure 4.
The average level of
intercity cooperation
and coordination in
the Anqing area
throughout the years

Source(s): Figure by author




Figure 5.
Anqing's regional
retail and distribution
of couples' degrees of
cooperation

Source(s): Figure courtesy Wang *et al.* (2022)

Table 3.
Studying the
performance of China's
most important inland
river ports and
comparing their results

Discussion

The first DEAP research of 15 major Chinese inland river ports is summarized in Table 3. These findings indicate that the efficiency of the United States' inland port business is below average. The principal inland port has an average scale efficiency of 0.644 and a pure technical efficiency of 0.895. The surrounding conditions and chance events are disregarded.

Following Figure 6 from Table 3 shows that the port along the Anqing area has the highest overall efficiency and the largest scale efficiency, whereas the line of pure technical efficiency is below it.

They can plan for the future of port efficiency improvement by comparing the expected and realized value of the investment. The efficiency goal that was calculated for the inefficient port is shown in Table 4. This Figure 6 was calculated by locating the efficient port's upper

Port	Combined efficiency	Technical efficiency	Scale efficiency	Return to scale
CHONG QING	1.001	1.001	1.001	–
WU HAN	0.501	1.001	0.501	–
CHANG SHA	0.394	1.001	0.394	–
AN QING	0.085	0.837	0.103	IRS
HE FEI	0.086	0.431	0.196	IRS

Source(s): Table by author

Figure 6.
Line graph showing
the effectiveness of
China's main inland



Source(s): Figure by author

Table 4.
Efficient outputs from
the BCC model
compared to input
values

	Intended useful effectivity	Value of inputs in their actual form	The measured data point is higher than the desired range The ultimate quantifier	Percentage
Ports length	8437.402	10392.932	1955.53168	18.83
The assigned port	209.191	232.46668	23.2764668	10.02

Source(s): Table by author

limit against the efficiency criterion. All values recorded are over their intended targets, suggesting that there is a lot of input congestion at the output level. The first DEA data, however, do not pinpoint the origin of this waste.

Conclusion

The integrated growth of China's resilience and transportation infrastructure in 2018, as announced at the Anqing coupling, requires further empirical investigation and analysis. Below, they present some of the data-backed theories that have been proposed. The first is that the amount of resilience people may find in the Anqing region is increasing in waves. Retail and distribution clearly followed a "higher in the east and the south, and fast dropping to the northwest" geographical trend. While the development of most of China's internal transportation infrastructure may be in a "bottleneck phase," Anqing's overall level of transportation infrastructure shows a change in growth tendency after a period of continuous expansion. Anqing's growth has been very consistent, yet this is still the case. The situation is reversed in the other provinces of China, where the majority of the country's construction is now taking place. Secondly, a geographical pattern that can be summed up as "strong on the east coast and slowly falling towards the west edge" suggests that there is a significant spatial differentiation phenomenon. "Strong on the east coast and slightly falling toward the west edge" of the pattern suggests as much. The degree of mutual agglomeration in the Anqing region is on the rise, and there is a positive spatial autocorrelation between coupling coordination and spatial autocorrelation. Regional differences in the ability of respective cities to cooperate and work together to develop agglomerations are becoming more crucial. There is a lack of reliable transportation between the cities here.

Future scope

The majority of the cities around Anqing that aren't linked together are shantytowns. Greater investment in the growth of a range of urban regions is necessary to rapidly turn vulnerable cities into strong ones. Resilience in China's economy, society, environment and infrastructure must be a top priority from the very beginning of the country's long-term planning process. To do so requires an appreciation for the notion of China's resilience building and an investigation into the features of connotative development. Increasing the city's flexibility to deal with unexpected events, act swiftly in times of crisis, and bounce back from catastrophic setbacks to public safety. Increasing the city's adaptability to changing circumstances. Second, it's important to remove roadblocks to expansion in China's big cities and integrate their transportation networks. Transportation capacity constraints provide a variety of unfavorable challenges in well-established, China-resilient communities. Some of these issues include the growing burden of traffic congestion. This is because the system is being taxed to its limits already. However, Anqing's overall transportation network is limited by China's undeveloped safety-systems construction, and locations with China's underdeveloped resilience suffer from inadequate transportation capacity.

References

- Bai, H., He, W., Shi, J., McColl, J. and Moore, C. (2022), "Parenting advantages of emerging market multinationals (EMNCs) in luxury fashion retailing", *International Journal of Retail and Distribution Management*, Vol. 50 No. 1, pp. 1-17.
- Bao, S., Shi, A. and Hou, J.W. (2016), "Migration and regional development in China", *The Chinese Economy after WTO Accession*, 1st ed., Routledge, London, England, pp. 323-350.

- Bozec, R. and Dia, M. (2007), "Board structure and firm technical efficiency: evidence from Canadian state-owned enterprises", *European Journal of Operational Research*, Vol. 177, pp. 1734-1750.
- Bradbury, M.E. (1999), "Government ownership and financial performance in a competitive environment: evidence from the corporatization of the New Zealand Government Computing Services", *Asia Pacific Journal of Management*, Vol. 16 No. 1, pp. 157-172.
- Crawford, M. and Stein, W. (2004), "Risk management in UK local authorities: the effectiveness of current guidance and practice", *International Journal of Public Sector Management*, Vol. 17 No. 6, pp. 498-512.
- Dockery, E. and Herbert, W.E. (2000), "Corporate governance and enterprise restructuring in transition economies: evidence from privatized Polish companies", *Managerial Finance*, Vol. 26 No. 9, pp. 80-92.
- Fisher, N.A. (2019), "A house divided: Christmas church and the Protestant community of Anqing", *ProQuest*, Vol. 1, pp. 2-23.
- Getie Mihret, D., Mula, J.M. and James, K. (2012), "The development of internal auditing in Ethiopia: the role of institutional norms", *Journal of Financial Reporting and Accounting*, Vol. 10, pp. 153-170.
- Giroux, G. and McLelland, A.J. (2003), "Governance structures and accounting at large municipalities", *Journal of Accounting and Public Policy*, Vol. 22 No. 3, pp. 203-230.
- He, C. (2012), "Urbanization and urban-rural relations: Cai He", *Chinese Society - Change and Transformation*, 1st ed., Routledge, London, England, pp. 178-203.
- Jocevski, M., Arvidsson, N., Miragliotta, G., Ghezzi, A. and Mangiaracina, R. (2019), "Transitions towards omni-channel retailing strategies: a business model perspective", *International Journal of Retail and Distribution Management*, Vol. 47 No. 2, pp. 78-93.
- Kholeif, A. (2010), "A new institutional analysis of IFRS", in Tsamenyi, M. and Uddin, S. (Eds), *Research in Accounting in Emerging Economies (Research in Accounting in Emerging Economies)*, Emerald Group Publishing Limited, Bingley, Vol. 10, pp. 29-55. [https://doi.org/10.1108/S1479-3563\(2010\)0000010007](https://doi.org/10.1108/S1479-3563(2010)0000010007).
- Li, J., Cao, Y., Li, Y., Chu, J., Wang, Y. and Ma, M. (2023), "Using EL-CA model to predict multi-scenario land sustainable use simulation and urban development", *Journal of Experimental Nanoscience*, Vol. 18 No. 1, doi: [10.1080/17458080.2023.2170352](https://doi.org/10.1080/17458080.2023.2170352).
- Liu, Z. and Song, X. (2008), "City commercial bank strategy in the light of financial sector liberalization", *Proceedings of the International Conference on Chinese Enterprise Research 2007*, WORLD SCIENTIFIC, pp. 203-224.
- Michie, J. and Oughton, C. (2001), "Employee share-ownership trusts and corporate governance", *Corporate Governance*, Vol. 1 No. 3, pp. 4-8.
- Modell, S. and Yang, C. (2018), "Financialisation as a strategic action field: an historically informed field study of governance reforms in Chinese state-owned enterprises", *Critical Perspectives on Accounting*, Vol. 54, pp. 41-59.
- Nelson, J. (2005), "Corporate governance practices, CEO characteristics and firm performance", *Journal of Corporate Finance*, Vol. 11 Nos 1-2, pp. 197-228.
- Parker, D. (1999), "Regulation of privatised public utilities in the UK: performance and governance", *International Journal of Public Sector Management*, Vol. 12 No. 3, pp. 213-236.
- Song, X., Wu, S. and Xu, X. (2019), "Major achievements and problems of promoting regional development", *The Great Change in the Regional Economy of China under the New Normal*, Springer Singapore, Singapore, pp. 91-160.
- Tan, K.G., Yuan, R., Yoong, S.W.C. and Yang, M. (2014), *Annual Analysis of Competitiveness, Simulation Studies and Development Perspective for 34 Greater China Economies: 2000-2010*, National University of Singapore, Singapore, p. 1164.

- Veeck, G., Pannell, C.W., Shen, X. and Huang, Y. (2021), *China's Geography: Globalization and the Dynamics of Political, Economic, and Social Change*, Rowman & Littlefield, Washington, DC, Vol. 1, p. 155.
- Wang, J., Deng, Y., Qalati, S.A. and Qureshi, N.A. (2022), "Urban resilience and transportation infrastructure level in the Anqing", *Frontiers in Environmental Science*, Vol. 10, doi: [10.3389/fenvs.2022.893964](https://doi.org/10.3389/fenvs.2022.893964).
- Wen, Y., Zhao, M., Tang, G., Zhou, X., Hu, X. and Sui, L. (2022), "How does financial agglomeration affect green development? Evidence from the Anqing of China", *Growth and Change*, Vol. 54 No. 1, pp. 135-156.
- Wong, E. and Wei, Y. (2018), "Customer online shopping experience data analytics: integrated customer segmentation and customised services prediction model", *International Journal of Retail and Distribution Management*, Vol. 46 No. 4, pp. 406-420.
- Xie, B., Davidson, W.N., III and DaDalt, P.J. (2003), "Earnings management and corporate governance: the role of the board and the audit committee", *Journal of Corporate Finance*, Vol. 9 No. 3, pp. 295-316.
- Yoshikawa, T., Phan, P.H. and Linton, J. (2004), "The relationship between governance structure and risk management approaches in Japanese venture capital firms", *Journal of Business Venturing*, Vol. 19 No. 6, pp. 831-849.
- Yuting, Y., Guanghui, J., Qiuyue, Z., Dingyang, Z. and Yuling, L. (2019), "Does the land use structure change conform to the evolution law of industrial structure? An empirical study of Anhui Province, China", *Land Use Policy*, Vol. 81, pp. 657-667.
- Zhang, H. and Xie, T. (2023), "A key to urban economic growth or an unnecessary burden? Opening airports in small and medium-sized cities", *Cities (London, England)*, Vol. 133 No. 104105, 104105.

Further reading

- Luke, B. (2010), "Examining accountability dimensions in state-owned enterprises", *Financial Accountability and Management*, Vol. 26, pp. 134-162.
- Radygin, A., Simachev, Y. and Entov, R. (2015), "The state-owned company: "State failure" or "market failure"", *Russian Journal of Economics*, Vol. 1, pp. 55-80.
- Ye, Y., Lau, K.H. and Teo, L.K.Y. (2018), "Drivers and barriers of omni-channel retailing in China: a case study of the fashion and apparel industry", *International Journal of Retail and Distribution Management*, Vol. 46 No. 7, pp. 657-689.

Corresponding author

Abu Bakkar Siddik can be contacted at: absiddik.nub@yahoo.com

For instructions on how to order reprints of this article, please visit our website:

www.emeraldgrouppublishing.com/licensing/reprints.htm

Or contact us for further details: permissions@emeraldinsight.com