Ministry of Health, Republic of Examplia (fictional)

Community Newborn Visit Protocol

Protocol EX-MNH-07, edition 3. Applies to community health workers at every postnatal home visit.

1. Visit schedule

Visit	When
Visit 1	Within 24 hours of birth (or before facility discharge)
Visit 2	Day 3 (48 to 72 hours after birth)
Visit 3	Between day 7 and day 14
Visit 4	Week 6 after birth

2. Danger sign check (Table 2)

Check every sign at every visit. If ANY sign in Table 2 is present, refer the newborn to a health facility for further evaluation. If no sign is present, give routine postnatal care.

Sign	Danger if	Action
Feeding	Not feeding well	REFER
Convulsions	Any history of convulsions	REFER
Breathing rate	More than 60 breaths per minute	REFER
Chest	Severe chest in-drawing	REFER
Movement	No spontaneous movement	REFER
Temperature (high)	Above 37.5 °C	REFER
Temperature (low)	Below 35.5 °C	REFER
Jaundice	Any jaundice when the baby is less than 24 hours old	REFER
Palms and soles	Yellow palms and soles, at any age	REFER
None of the above	—	Routine postnatal care

Clinical content adapted from: WHO recommendations on maternal and newborn care for a positive postnatal experience. Geneva: World Health Organization; 2022. Licence: CC BY-NC-SA 3.0 IGO. This adaptation was not created by WHO; WHO is not responsible for its content.