

# Rajalakshmi Engineering College

Name: Nirthy Thara  
Email: 241001153@rajalakshmi.edu.in  
Roll no: 241001153  
Phone: 8939729044  
Branch: REC  
Department: IT - Section 1  
Batch: 2028  
Degree: B.E - IT

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 7\_Q4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Maria, a software developer, is working on an inventory management system project using Java that utilizes an inventory interface to manage a store's products.

The interface should define two methods: `addProduct`, which adds a product by accepting its name, price, and quantity, and `calculateTotalValue`, which computes the total value of all products in the inventory. Implement the interface in a class called `SimpleInventory`, which internally manages a list of `Product` objects.

Each `Product` object should encapsulate the product's name, price, and quantity and include a method to calculate its value as  $\text{price} \times \text{quantity}$ . The system should allow users to dynamically add products to the inventory and calculate the total value of all products stored.

Help Maria achieve the task.

### ***Input Format***

The first line of input consists of an integer to choose one of the following options:

- 1 - to add a product to the inventory.
- 2 - to calculate and view the total inventory value.
- 3 - to exit the program.

For Choice 1 (Add Product):

The next input line is the string representing the product name as a string (single or multi-word, without quotes).

The next line is a double value representing the price as a decimal value

The next line is an integer value representing the quantity as an integer

For Choices 2 and 3, no additional input is required

### ***Output Format***

The output displays the results of the commands as follows:

- For the addProduct command, the program should display "Product added to inventory."
- For choice 2, the program should display "Total inventory value [totalvalue].  
"The total value should be displayed with one decimal place. If there is no product in the inventory, print the total as 0.0.
- For choice 3, the program should exit

If the choice is not 1, 2, or 3, then print "Invalid choice. Please select a valid option (1/2/3).".

Refer to the sample output for the formatting specifications.

### Sample Test Case

Input: 1

Laptop

800.0

3

2

5

3

Output: Product added to inventory.

Total inventory value: \$2400.0

Invalid choice. Please select a valid option (1/2/3).

### Answer

```
import java.util.Scanner;
```

```
// You are using Java
```

```
interface Inventory{
```

```
    void addProduct(String name, double price, int quantity);
```

```
    double calculateTotalValue();
```

```
}
```

```
class Product{
```

```
    String name;
```

```
    double price;
```

```
    int quantity;
```

```
    Product(String name, double price, int quantity){
```

```
        this.name=name;
```

```
        this.price=price;
```

```
        this.quantity=quantity;
```

```
    }
```

```
    public double value(){
```

```
        return price*quantity;
```

```
    }
```

```
}
```

```
class SimpleInventory implements Inventory{
```

```
    public Product[] products;
```

```
    int count;
```

```
    SimpleInventory(int n){
```

```
        products=new Product[n];
```

```
        count=0;
```

```
    }
```

```
    public void addProduct(String name, double price, int quantity){
```

```

if(count<products.length){
products[count]=new Product(name, price, quantity);
count++;
System.out.println("Product added to inventory.");
}
}

public double calculateTotalValue(){
double total=0;
for(int i=0;i<count;i++)
total+=products[i].value();
return total;
}
}

public class Main {
public static void main(String[] args) {
Scanner scanner = new Scanner(System.in);
Inventory inventory = new SimpleInventory(10);
while (true) {
int choice = scanner.nextInt();
if (choice == 1) {
scanner.nextLine();
String productName = scanner.nextLine();
double price = scanner.nextDouble();
int quantity = scanner.nextInt();
inventory.addProduct(productName, price, quantity);
} else if (choice == 2) {
double totalValue = inventory.calculateTotalValue();
System.out.println("Total inventory value: $" + totalValue);
} else if (choice == 3) {
break;
} else {
System.out.println("Invalid choice. Please select a valid option
(1/2/3).");
}
}
scanner.close();
}
}

```

**Status :** Correct

**Marks :** 10/10