

Rajalakshmi Engineering College

Name: Nirthya Thara

Email: 241001153@rajalakshmi.edu.in

Roll no: 241001153

Phone: 8939729044

Branch: REC

Department: IT - Section 1

Batch: 2028

Degree: B.E - IT

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 7_Q3

Attempt : 1

Total Mark : 10

Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

A financial analyst, Alex, needs a program to calculate simple interest for various financial transactions. He requires a straightforward tool that takes in the principal amount, interest rate, and time in years and computes the interest.

The formula to be used is: $\text{Interest} = \text{Principal} \times \text{Rate} \times \text{Time} / 100$

Implement this functionality using the `InterestCalculator` interface and the `SimpleInterestCalculator` class.

Input Format

The first line of input consists of the principal amount `P` as a double value.

The second line of input consists of the annual interest rate r as a double value.

The third line of input consists of the number of years t as a positive integer, which is an integer value.

Output Format

The output displays the calculated simple interest in the following format:
"Simple Interest: [interest_value]", Here, [interest_value] should be replaced with the actual interest value calculated by the program.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 1000.00
5.00
2

Output: Simple Interest: 100.0

Answer

```
import java.util.Scanner;  
  
// You are using Java  
interface InterestCalculator{  
    double simpleInterest(double principal,double rate,int time);  
}  
class SimpleInterestCalculator implements InterestCalculator  
{  
    double principal,rate;  
    int time;  
    public double simpleInterest(double principal,double rate,int time){  
        this.principal=principal;  
        this.rate=rate;  
        this.time=time;  
        double interest =principal*rate*time/100;  
        return interest;  
    }  
}  
class Main {  
    public static void main(String[] args) {
```

```
Scanner scanner = new Scanner(System.in);
double principal = scanner.nextDouble();
double rate = scanner.nextDouble();
int time = scanner.nextInt();
InterestCalculator calculator = new SimpleInterestCalculator();
double interest = calculator.simpleInterest(principal, rate, time);
System.out.println("Simple Interest: " + interest);
```

Status : Correct

Marks : 10/10