#### **Image Model**

Name	Dharini Baskaran
Identity Key	dhba5060

	Level	Completed
O	Beginner	14
	Intermediate	6
$\Diamond$	Advanced	0
<b>♦</b>	Expert	0

Goal					
4722	16				
5722	18				
Total Completed					
2	20				

# Image Model

CSCI 5722/4722: Computer Vision

Spring 2024

Dr. Tom Yeh


Dr. Mehdi Moghari

## ROC Curve

CSCI 5722/4722 Computer Vision



#### Discriminator = Binary Classifier




#### Threshold vs. TPR / FPR

.7	.7	.7	.9	1	1	1
.5	.5	.5	+	.9	+	1
.3	.3	.3	-5-	7	.9	1
.1	.1	.1	+	.5	<del>.7</del>	.9
0	+	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7

.7	.7	.7	.9	1	1	1
.5	.5	.5	+	.9	+	1
.3	.3	.3	-5-	+	.9	1
.1	.1	.1	+	.5	<del>.7</del>	.9
0	+	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7

.7	.7	.7	.9	1	1	1
.5	.5	.5	+	.9	+	1
.3	.3	.3	-5	+	.9	1
.1	.1	.1	+	.5	<del>.7</del>	.9
0	4	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7




#### Threshold vs. TPR / FPR

.7	.7	.7	.9	1	1	1
.5	.5	.5	+	.9	+	1
.3	.3	.3	-5-	7	.9	1
.1	.1	.1	+	.5	<del>.7</del>	.9
0	+	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7

.7	.7	.7	.9	1	1	1
.5	.5	.5	+	.9	+	1
.3	.3	.3	-5-	7	.9	1
.1	.1	.1	+	.5	<del>.7</del>	.9
0	+	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7

.7	.7	.7	.9	1	1	1
.5	.5	.5	+	.9	+	1
.3	.3	.3	-5	+	.9	1
.1	.1	.1	+	.5	-7	.9
0	4	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7
0	0	0	.1	.3	.5	.7





.5	.5	.7	.9	.7
.3	.3	.5	.7	.5
.1	.1	.3	.5	.3
0	o	.1	.3	.1
0	0	0	.1	0

$$\frac{b}{A} = 0.76$$

$$TPR = \frac{2}{A} = 0.76$$

$$\frac{e}{5} = 0.2$$

$$FPR = \frac{1}{5} = 0.2$$


.5	.5	.7	.9	.7
.3	.3	.5	.7	.5
.1	.1	.3	.5	.3
0	0	.1	.3	.1
0	0	0	.1	0

$$\frac{C}{TPR} = \frac{4}{4} = 1$$


$$f = \frac{3}{5} = 0.6$$

$$FPR = \frac{3}{5} = 0.6$$

#### Receiver Operating Characteristic (ROC) Curve




#### Area Under ROC Curve (AUC)








# ✓ Calculate the improvement in AUC












Match each movement segment to the correct interpretation of the changes in TP and FP



- 1. More true positives but at the cost of a lot more false positives.
- 2. More true positives without any new false positives.
- 3. No more true positives, just more false positives.
- 4. More true positives, but at the cost of about the same number of false positives.
- 5. More true positives at the cost of additional, but relatively fewer false positives.

# Probabilities

CSCI 5722/4722 Computer Vision



1: Correct, 0: Incorrect

A. How are you?	
B. How do you do?	
C. Howdy?	
D. How are you doing?	
E. How is you?	
F. How am you?	

3: very high, 2: high, 1: low, 0: wrong

A. How are you?	
B. How do you do?	
C. Howdy?	
D. How are you doing?	
E. How is you?	
F. How am you?	


#### Context: Texas +2

A. How are you?	3
B. How do you do?	2
C. Howdy?	1
D. How are you doing?	3
A. How are you?	3
B. How do you do?	2
C. Howdy?	1
D. How are you doing?	3

## Context: Formal +1, Texas +2

		A. How are you?	3
	Toyos	B. How do you do?	2
	Texas	C. Howdy?	1
		D. How are you doing?	3
		A. How are you?	3
	IToyos	B. How do you do?	2
	!Texas	C. Howdy?	1
		D. How are you doing?	3
		A. How are you?	3
	Texas	B. How do you do?	2
		C. Howdy?	1
		D. How are you doing?	3
		A. How are you?	3
	IToyas	B. How do you do?	2
	!Texas	C. Howdy?	1
		D. How are you doing?	3

#### Language Model: Input and Output



#### Aggregate

		A. How are you?	3
	Toyos	B. How do you do?	3
	Texas	C. Howdy?	3
Formal		D. How are you doing?	3
FOITIM		A. How are you?	3
	IToyas	B. How do you do?	3
	!Texas	C. Howdy?	1
		D. How are you doing?	3
		A. How are you?	3
	Texas	B. How do you do?	2
		C. Howdy?	2
!Formal		D. How are you doing?	3
!FOIIIIal		A. How are you?	3
	IToyas	B. How do you do?	2
	!Texas	C. Howdy?	1
		D. How are you doing?	3

## Joint probability

		A. How are you?	3	
	Toyos	B. How do you do?	3	
	Texas	C. Howdy?	3	
Гоимоо	12	D. How are you doing?	3	
Formal		A. How are you?	3	
	IToyos	B. How do you do?	3	
	!Texas	C. Howdy?	1	
22	10	D. How are you doing?	3	
		A. How are you?	3	
	Texas	B. How do you do?	2	
		C. Howdy?	2	
I Farmal	10	D. How are you doing?	3	
!Formal		A. How are you?	3	
	IToyos	B. How do you do?	2	
	!Texas	C. Howdy?	1	
19	9	D. How are you doing?	3	

41

#### Conditional probability

		A. How are you?	3	3/41
	Toyos	B. How do you do?	3	3/41
	Texas	C. Howdy?	3	3/41
Гоммоо	12	D. How are you doing?	3	3/41
Formal		A. How are you?	3	3/41
	IToyos	B. How do you do?	3	3/41
	!Texas	C. Howdy?	1	1/41
22	10	D. How are you doing?	3	3/41
		A. How are you?	3	3/41
	Texas	B. How do you do?	2	2/41
		C. Howdy?	2	2/41
I Гомио о I	10	D. How are you doing?	3	3/41
!Formal		A. How are you?	3	3/41
	IToyos	B. How do you do?	2	2/41
	!Texas	C. Howdy?	1	1/41
19	9	D. How are you doing?	3	3/41

41

#### Joint probability

 $p(x_3|x_2,x_1)$ 

 $p(x_1, x_2, x_3)$ 

			A. How are you?	3	3/41	3/12
	Toyas		B. How do you do?	3	3/41	3/12
	Texas		C. Howdy?	3	3/41	3/12
Formal	12		D. How are you doing?	3	3/41	3/12
Formal			A. How are you?	3	3/41	3/10
	!Texas		B. How do you do?	3	3/41	3/10
	! Texas		C. Howdy?	1	1/41	1/10
22	10		D. How are you doing?	3	3/41	3/10
			A. How are you?	3	3/41	3/10
	Texas		B. How do you do?	2	2/41	2/10
			C. Howdy?	2	2/41	2/10
!Formal	10		D. How are you doing?	3	3/41	3/10
!FOITIal			A. How are you?	3	3/41	3/9
	IToyas		B. How do you do?	2	2/41	2/9
	!Texas		C. Howdy?	1	1/41	1/9
19	9		D. How are you doing?	3	3/41	3/9

#### Conditional probability

 $p(x_3|x_2,x_1)$ 

	7	$o(x_1, x_2)$	2)		$p(x_1)$	$_{1},x_{2},x_{3}$	3)
				A. How are you?	3	3/41	3/12
	Toyos	12		B. How do you do?	3	3/41	3/12
	Texas	$\frac{12}{41}$		C. Howdy?	3	3/41	3/12
Formal	12	41		D. How are you doing?	3	3/41	3/12
Formal				A. How are you?	3	3/41	3/10
	IToyas	10		B. How do you do?	3	3/41	3/10
	!Texas	$\frac{3}{41}$		C. Howdy?	1	1/41	1/10
22	10	41		D. How are you doing?	3	3/41	3/10
				A. How are you?	3	3/41	3/10
	Texas	10		B. How do you do?	2	2/41	2/10
		$\frac{3}{41}$		C. Howdy?	2	2/41	2/10
	10	41		D. How are you doing?	3	3/41	3/10
!Formal				A. How are you?	3	3/41	3/9
	IToyas	9		B. How do you do?	2	2/41	2/9
	!Texas	$\frac{1}{41}$		C. Howdy?	1	1/41	1/9
19	9			D. How are you doing?	3	3/41	3/9

#### Probability

 $p(x_2|x_1)$   $p(x_3|x_2,x_1)$ 

 $p(x_1, x_2) p(x_1, x_2, x_3)$ 

						A. How are you?	3	3/41	3/12
	Toyas		12	12	B. How do you do?	3	3/41	3/12	
		Texas				C. Howdy?	3	3/41	3/12
Formal			12	41	22	D. How are you doing?	3	3/41	3/12
Formal						A. How are you?	3	3/41	3/10
		IToyas		10	10	B. How do you do?	3	3/41	3/10
		!Texas		${41}$	$\overline{22}$	C. Howdy?	1	1/41	1/10
22			10	41		D. How are you doing?	3	3/41	3/10
						A. How are you?	3	3/41	3/10
		Texas		10	10	B. How do you do?	2	2/41	2/10
				${41}$	<del>1</del> 9	C. Howdy?	2	2/41	2/10
!Formal			10	41	19	D. How are you doing?	3	3/41	3/10
!FUIIIIaI						A. How are you?	3	3/41	3/9
	ITov	!Texas		9	9	B. How do you do?	2	2/41	2/9
		: IEXaS		${41}$	<del>1</del> 9	C. Howdy?	1	1/41	1/9
19			9	1.1		D. How are you doing?	3	3/41	3/9



#### Calculate Joint Probabilities $p(x_1, x_2)$

X <sub>1</sub>	$X_2$	Freq	$p(x_1, x_2)$	
	A. woof	40	0.4	
!Angry	B. growl	20	0.2	
80	C. bark	20	0.2	
	A. woof	4	0.04	
Angry	B. growl	8	0.06	
20	C. bark	8	0.08	





#### $\bigcirc$ Calculate Conditional Probabilities p( $x_2|x_1$ )


a

X <sub>1</sub>	$X_2$	Freq	$p(x_2 \mid x_1)$
	A. woof	40	0.5
!Angry	B. growl	20	0.25
80	C. bark	20	0.25
	A. woof	4	0.2
Angry	B. growl	8	0.4
20	C. bark	8	0.4





#### ✓ Calculate p(home?)







		A. woof	12
	!Angry	B. growl	4
Homo	20	C. bark	4
Home		A. woof	2
	Angry	B. growl	5
30	10	C. bark	3




#### Calculate p(angry? | home?)

		A. woof	3
	!Angry	B. growl	2
ILlama	10	C. bark	5
!Home		A. woof	1
15	Angry	B. growl	3
	9	C. bark	1

	nlangryl	Ihama)		
а	p(angry)	!home) = <b>-</b>	3	



		A. woof	12
	!Angry	B. growl	4
Homo	20	C. bark	4
Home		A. woof	2
2.5	Angry	B. growl	5
30	lo	C. bark	3





#### Calculate p(angry?, home?)

		A. woof	3
	!Angry	B. growl	2
IHama	10	C. bark	5
!Home		A. woof	1
	Angry	B. growl	3
6	5	C. bark	1

		\	
	•		
Ξ			



		A. woof	12
	!Angry	B. growl	4
Homo	20	C. bark	4
Home		A. woof	2
30	Angry	B. growl	5
	10	C. bark	3



### Calculate p(sound?, angry?, home?)

		A. woof	3
	!Angry	B. growl	2
Illama	10	C. bark	5
!Home		A. woof	1
	Angry	B. growl	3
15	5	C. bark	1

a	
p(growl, angry, !home) = -	·
	15

b	1
p(woof, angry, !home) =	45

С	2
p(woof, angry, home) =	45

d	4
p(bark, !angry, home) =	45





		A. woof	12
	!Angry	B. growl	4
Homo	20	C. bark	4
Home		A. woof	2
30	Angry	B. growl	5
	10	C. bark	3



### Calculate p(sound? | angry?, home?)

(Simplify the fractions)

		A. woof	3
	!Angry	B. growl	2
IHama	(6)	C. bark	5
!Home	Angry	A. woof	1
		B. growl	3
		C. bark	1

9	C. bark
	A. woof
!Angrv	B. grow

		A. woof	12
	!Angry	B. growl	4
Homo	20	C. bark	4
Home		A. woof	2
20	Angry	B. growl	5
		C. bark	3

a	3		
p(growl  angry, !home) = -	5		

1/5 p(woof| angry, !home) =

p(woof| angry, home) =

p(bark | !angry, home) =

# The Chain Rule of Probabilities


CSCI 5722/4722 Computer Vision



#### Conditional → Joint Probabilities

 $p(x_3|x_2,x_1)$ 

$p(x_2 x_1)$									
	$p(x_1)$		p(	$(x_1, x_2)$	)		$p(x_1)$	$_{L},x_{2},x_{3}$	3)
						A. How are you?	3	3/41	3/12
		Toyos		12	12	B. How do you do?	3	3/41	3/12
Formal	Texas		<u></u>	$\frac{12}{22}$	C. Howdy?	3	3/41	3/12	
		12 41	41	22	D. How are you doing?	3	3/41	3/12	
	IToyos		10		A. How are you?	3	3/41	3/10	
				10	B. How do you do?	3	3/41	3/10	
	! lexa	!Texas	5	$\left  \frac{1}{41} \right $	$\frac{1}{22}$	C. Howdy?	1	1/41	1/10
22			10	41		D. How are you doing?	3	3/41	3/10



#### Probability Distribution vs. Values

$$P(x_1) =$$


Υ	0.54
Z	0.46

$$P(x_1 = Y) =$$

$$P(x_1 = N) =$$


#### Conditional Probability Distributions

$$P(x_2 \mid x_1 = Y) =$$



$$P(x_2 \mid x_1 = N) =$$

#### Conditional Probability Values




$$P(x_2 \mid x_1 = Y) = \begin{pmatrix} .55 \\ .54 \end{pmatrix}$$

$$P(x_2 = Y | x_1 = Y) =$$

$$P(x_2 \mid x_1 = N) = \begin{pmatrix} .53 \\ .47 \end{pmatrix}$$

$$P(x_2 = N | x_1 = N) =$$


## Joint Probability "Values" by the Chain Rule



$$P(x_1 = Y, x_2 = N) =$$

$$P(x_1 = N, x_2 = Y) =$$


## Joint Probability "Distributions" by the Chain Rule



$$P(x_1 = Y, x_2) =$$

$$P(x_1 = N, x_2) =$$


## Conditional Probability Distributions



$$P(x_3 | x_1 = N, x_2 = Y) =$$

$$P(x_3 | x_1 = Y, x_2 = N) =$$

## Conditional Probability Values




$$P(x_3 | x_1 = N, x_2 = Y) = \begin{pmatrix} 3 \\ 2 \\ 3 \end{pmatrix}$$

$$P(x_3 = C | x_1 = N, x_2 = Y) =$$

$$P(x_3 | x_1 = Y, x_2 = N) = \begin{pmatrix} .3 \\ .3 \\ .1 \\ .3 \end{pmatrix}$$

$$P(x_3 = D | x_1 = Y, x_2 = N) =$$

## Joint Probability "Values" by the Chain Rule



```
Joint Probability of x1, x2, x3


= p(_____, ____, ____)

= p(_____) x p(_____)
```

$$P(x_1 = Y, x_2 = N, x_3 = A) =$$

$$P(x_1 = N, x_2 = N, x_3 = B) =$$


## Joint Probability "Distributions" by the Chain Rule



$$P(x_1 = Y, x_2 = N, x_3) =$$



## Calculate Joint Probability




a 
$$p(x1=B, x2=Y) = \frac{0.6 \times 0.2 = 0.12}{}$$

b 
$$p(x1=W, x2=N) = 0.7 \times 0.8 = 0.56$$

c 
$$p(x1=W, x2=Y) = 0.24$$




## Calculate Conditional Probability





## Calculate Joint Probability




- a p("you are rich") =  $0.2 \times 0.3 \times 0.4 = 0.024$ 
  - b p("you can swim") = <u>0.2 x 0.2 x 0.2 ε 0.00</u>%
  - c p("how is she") = 0.2 × 0.4 × 0.4 = 0.032
  - d p("how is he") =  $0.2 \times 0.4 \times 0.4 = 0.03$

# Pixel-based Image Model

CSCI 5722/4722 Computer Vision



## Color Image




## Part Labels

1 = skin, 2 = hair

2	2	2	1
1	1	1	2
1	1	1	1
1	1	1	1


## Generative Image Model (Joint Probability)

С	С	В	А
В	В	В	А
В	С	В	А
В	В	В	В



2	2	2	1
1	1	1	2
1	1	1	1
1	1	1	1


## Tree Representation




1 = skin, 2 = hair

2	2	2	1
1	1	1	2
1	1	1	1
1	1	1	1


## Conditional Probability Distribution




## Conditional Probability Values



## Joint Probability Distribution



## Joint Probability Values







## Fill the aggregation tree


b

white	2
blue	8
green	0
brown	3



1	1	1	1	1
1	1	1	1	2
1	2	2	2	2
2	2	2	2	2
2	2	2	2	2






а



## Conditional Probability Values

$$1 = sky, 2 = land$$

1	1	1	1	1
1	1	1	1	2
1	2	2	2	2
2	2	2	2	2
2	2	2	2	2



p(color = blue | part = sky) = 
$$\frac{4}{5}$$




## Joint Probability Values

(Simplify the fractions)

$$1 = sky, 2 = land$$

1	1	1	1	1
1	1	1	1	2
1	2	2	2	2
2	2	2	2	2
2	2	2	2	2



p(color = blue, part = sky) = 
$$\frac{2}{5} \times \frac{4}{5}$$

p(color = white, part = sky) = 
$$\frac{25}{5}$$

d p(color = green, part = land) = 
$$\frac{3}{25}$$

# Autoregressive Image Model

CSCI 5722/4722 Computer Vision



### What would AI draw next?

**Prompt:** First, describe the scene in this photo. Second, add the most probable object to the scene.

### Input Image



#### Text Response

First, the photo depicts a child lying on the snow with arms and legs spread out, likely making a snow angel. The child is wearing a blue jacket with a hood and black snow pants. The sun is shining, and the sky seems clear, suggesting it's a bright winter day. The child's expression is difficult to discern, but they appear to be looking directly at the camera. There are traces of previous activity in the snow around the child, including what seem to be footprints and marks in the snow.

Second, the most probable object to add to this scene would be a pair of brightly colored mittens on the child's hands, which are commonly worn during snow play to keep hands warm and dry. Let's proceed with adding this object to the scene.

The scene has been enhanced with the addition of a pair of bright red mittens on the child's hands, contributing to the playful and colorful aspect of the winter activity.

### Generated Image






## What would AI draw next?

Input Image

Generated Image

Shared in the post




- 1. Export the previous slide with your images as a PNG image
- 2. Increase the width to 1440 so that the image can be seen more clearly.
- 3. Add a comment to the activity post
- 4. Attach your image to the comment




Note: This counts as a separate activity. It is entirely up to you whether or not you want to share.

## What to draw next?



## Sketch Tree



## **Conditional Probability**

$$p(x4|)=$$

## Joint Probability



## Joint Probability

a p( )= 
$$0.2 \times 0.4 \times 0.3 = 0.024$$

c p( )= 
$$0.2 \times 0.3 \times 0.4 = 0.024$$

# NumPy by Hand <u>(</u> [Entropy]

CSCI 5722/4722 Computer Vision



## Cross Entropy by @

- 1. g = -1 \* np.log(q)
- 2. pt = np.transpose(p)
- 3. CE = pt @ g

-log(0) ≈32

 $-\log(0.1)\approx 3$ 


 $-\log(0.3)\approx 2$ 

 $-\log(0.5)\approx 1$ 

 $-\log(0.7) \approx 0.5$ 

 $-\log(0.9) \approx 0.2$ 


 $-\log(1)=0$ 



## Cross Entropy by \*

- 1. g = -1 \* np.log(q)
- 2. pg = p \* g
- 3. CE = np.sum(b)


- -log(0) ≈32
- $-\log(0.1)\approx 3$
- $-\log(0.3)\approx 2$
- $-\log(0.5)\approx 1$
- $-\log(0.7) \approx 0.5$
- $-\log(0.9) \approx 0.2$
- $-\log(1)=0$



## Categorical CE

- 1. g = -1 \* np.log(q)
- 2. pt = np.transpose(p)
- 3. CE = pt @ g


- -log(0) ≈32
- $-\log(0.1)\approx 3$
- $-\log(0.3)\approx 2$
- $-\log(0.5)\approx 1$
- $-\log(0.7) \approx 0.5$
- $-\log(0.9) \approx 0.2$
- $-\log(1)=0$



## Categorical CE

- 1. g = -1 \* np.log(q)
- 2. pg = p \* g
- 3. CE = np.sum(pg)

- -log(0) ≈32
- $-\log(0.1)\approx 3$
- $-\log(0.3)\approx 2$
- $-\log(0.5)\approx 1$
- $-\log(0.7) \approx 0.5$
- $-\log(0.9) \approx 0.2$
- $-\log(1)=0$



## Batch Categorical CE

1. 
$$g = -1 * np.log(q)$$

- 2. pg = p \* g
- 3. CE = np.sum(pq)

-log(0) ≈
-----------

- $-\log(0.1)\approx 3$
- $-\log(0.3)\approx 2$
- $-\log(0.5)\approx 1$
- $-\log(0.7) \approx 0.5$
- $-\log(0.9) \approx 0.2$
- $-\log(1)=0$


2	.1	1								
.3		• 1								
_	.5	1								:
.5	.5	.Т								
		_					:	:	:	:
1.1	.3	.5								
				 			:	: :	:	:
1 .1	.1	.3								
			l	 			:	:	:	:
-				 						:
1	0	0								
0	1	0								
	_	U							:	:
0	0	0								
U	U	U								
	$\sim$	1								:
0	0	1								
						:	:	:	:	:
				 						:
				 		:	:	:	:	:
					:	:	:	:	:	:

## Batch Categorical CE

1. 
$$q1 = q[c, [0,1,2]]$$

- 2. g = np.log(q1)
- 3. CE = np.sum(g)

- -log(0) ≈32
- $-\log(0.1)\approx 3$
- $-\log(0.3)\approx 2$
- $-\log(0.5)\approx 1$
- $-\log(0.7) \approx 0.5$
- $-\log(0.9) \approx 0.2$
- $-\log(1)=0$



Binary Cross Entropy

1. q = np.vstack((y, 1 - y))

2. p = np.vstack((t, 1-t))

3. g = -np.log(q)

4. pg = p \* g

5. CE = np.sum(pg)

-log(0) ≈32

 $-\log(0.1)\approx 3$ 


 $-\log(0.3)\approx 2$ 

 $-\log(0.5)\approx 1$ 

 $-\log(0.7) \approx 0.5$ 

 $-\log(0.9) \approx 0.2$ 


 $-\log(1)=0$ 



### Batch BCE

- 1. q = np.vstack((y, 1 y))
- 2. p = np.vstack((t, 1-t))
- 3. g = -np.log(q)
- 4. pg = p \* g
- 5. CE = np.sum(pg)


- -log(0) ≈32
- $-\log(0.1)\approx 3$
- $-\log(0.3)\approx 2$
- $-\log(0.5)\approx 1$
- $-\log(0.7) \approx 0.5$
- $-\log(0.9) \approx 0.2$
- $-\log(1)=0$



## O BCE

- 1. q = np.vstack((y, 1 y))
- 2. p = np.vstack((t, 1-t))
- 3. g = -np.log(q)
- 4. pg = p \* g
- 5. CE = np.sum(pg)

- -log(0) ≈32
- $-\log(0.1)\approx 3$
- $-\log(0.3)\approx 2$
- $-\log(0.5)\approx 1$
- $-\log(0.7) \approx 0.5$
- $-\log(0.9) \approx 0.2$
- $-\log(1)=0$



Show your work

p

pg

