

Cucumber Report

29-Mar-2022, 4:07:11 pm

Start : Mar 29, 4:06:45.710 pm

End : Mar 29, 4:07:10.041 pm

Duration : 24.331 s

Features



Scenarios


Steps

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 0
FAILED - 7
SKIPPED - 0

PASSED - 22
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Data driven demo testing	3	0	3	0	3.513 s
2	Login Functionality	4	0	4	0	20.811 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Data driven demo testing</u>	<u>DataTable demo scenario</u>	3	3	0	0	3.104 s
2	<u>Data driven demo testing</u>	<u>Test successful registration of a new user</u>	4	4	0	0	0.165 s
3	<u>Data driven demo testing</u>	<u>Test successful registration of a new user</u>	4	4	0	0	0.213 s
4	<u>Login Functionality</u>	<u>Verify the Login functionality for the different users</u>	3	3	0	0	1.863 s
5	<u>Login Functionality</u>	<u>Verify the Login functionality for the different users</u>	3	3	0	0	1.363 s
6	<u>Login Functionality</u>	<u>Verify the Login functionality for the different users</u>	3	3	0	0	6.458 s
7	<u>Login Functionality</u>	<u>Verify the Login functionality for the different users</u>	3	2	1	0	11.107 s

(F)- Data driven demo testing

FAILED	DURATION - 3.513 s	Scenarios		Steps	
/ 4:06:45.710 pm // 4:06:49.223 pm /		Total - 3		Total - 11	
		Pass - 0		Pass - 11	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 0	

(S)- DataTable demo scenario

<div>FAILED</div> <div>DURATION - 3.104 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:06:45.714 pm // 4:06:48.818 pm /				
Data driven demo testing				
@TableDemo-DataDriven				

#	Step / Hook Details	Status	Duration										
1	Given the test data table for software engineers	PASSED	0.003 s										
2	When verify the login values	PASSED	0.008 s										
	<table><tr><td>name</td><td>experience</td></tr><tr><td>John</td><td>5</td></tr><tr><td>Lisa</td><td>8</td></tr><tr><td>Nisha</td><td>12</td></tr><tr><td>Vekariya</td><td>15</td></tr></table>			name	experience	John	5	Lisa	8	Nisha	12	Vekariya	15
name	experience												
John	5												
Lisa	8												
Nisha	12												
Vekariya	15												
3	Then data received succefully	PASSED	0.000 s										
	AFTER - com.hooks.Hooks.tearDown()	FAILED	0.172 s										
	java.lang.NullPointerException: Cannot invoke "io.cucumber.java.Scenario.attach(byte[], String, String)" because "this.scenario" is null at com.hooks.Hooks.tearDown(Hooks.java:33)												

(S)- Test successful registration of a new user

FAILED	DURATION - 0.165 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:06:48.839 pm // 4:06:49.004 pm /				
Data driven demo testing				
@ScenarioOutlineDemo-DataDriven				

#	Step / Hook Details	Status	Duration						
1	Given email address of new user as "nisha.vekariya@ibm.in.com"	PASSED	0.000 s						
2	When I enter my personal informations	PASSED	0.000 s						
	<table><tr><td>title</td><td>customerFirstName</td><td>customerLastName</td></tr><tr><td>Sotware QA</td><td>Nisha</td><td>Vekariya</td></tr></table>			title	customerFirstName	customerLastName	Sotware QA	Nisha	Vekariya
	title			customerFirstName	customerLastName				
Sotware QA	Nisha	Vekariya							
3	And I enter my address informations	PASSED	0.001 s						
	<table><tr><td>firstName</td><td>lastName</td><td>company</td></tr><tr><td>Nishi</td><td>Vekariya</td><td>IBM</td></tr></table>			firstName	lastName	company	Nishi	Vekariya	IBM
	firstName			lastName	company				
Nishi	Vekariya	IBM							
4	Then successfully submitted the application	PASSED	0.000 s						
	AFTER - com.hooks.Hooks.tearDown()	FAILED	0.155 s						
	java.lang.NullPointerException: Cannot invoke "io.cucumber.java.Scenario.attach(byte[], String, String)" because "this.scenario" is null at com.hooks.Hooks.tearDown(Hooks.java:33)								



(S)- Test successful registration of a new user

FAILED	DURATION - 0.213 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:06:49.010 pm // 4:06:49.223 pm /				
Data driven demo testing				
@ScenarioOutlineDemo-DataDriven				



#	Step / Hook Details	Status	Duration
1	Given email address of new user as "nisha.vekariya@cisco.com"	PASSED	0.001 s

#	Step / Hook Details	Status	Duration						
2	When I enter my personal informations	PASSED	0.001 s						
	<table><tr><td>title</td><td>customerFirstName</td><td>customerLastName</td></tr><tr><td>Sotware Automation Engg</td><td>John</td><td>Smith</td></tr></table>			title	customerFirstName	customerLastName	Sotware Automation Engg	John	Smith
	title			customerFirstName	customerLastName				
Sotware Automation Engg	John	Smith							
3	And I enter my address informations	PASSED	0.001 s						
	<table><tr><td>firstName</td><td>lastName</td><td>company</td></tr><tr><td>Thomas</td><td>Mathew</td><td>Cisco</td></tr></table>			firstName	lastName	company	Thomas	Mathew	Cisco
	firstName			lastName	company				
Thomas	Mathew	Cisco							
4	Then successfully submitted the application	PASSED	0.000 s						
	AFTER - com.hooks.Hooks.tearDown()	FAILED	0.205 s						
	java.lang.NullPointerException: Cannot invoke "io.cucumber.java.Scenario.attach(byte[], String, String)" because "this.scenario" is null at com.hooks.Hooks.tearDown(Hooks.java:33)								

(F)- Login Functionality

FAILED	DURATION - 20.811 s	Scenarios		Steps	
/ 4:06:49.230 pm // 4:07:10.041 pm /		Total - 4	4	Total - 12	12
		Pass - 0		Pass - 11	
		Fail - 4		Fail - 1	
		Skip - 0		Skip - 0	



(S)- Verify the Login functionality for the different users

FAILED	DURATION - 1.863 s		Steps	
/ 4:06:49.230 pm // 4:06:51.093 pm /			Total - 3	
Login Functionality			Pass - 3	
@SignIn-DataDriven			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given application url for login	PASSED	0.347 s
2	When user enters "standard_user" and "secret_sauce"	PASSED	0.327 s
3	Then submit the login form, Home page should be opened	PASSED	0.216 s
	AFTER - com.hooks.Hooks.tearDown()	FAILED	0.198 s



#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "io.cucumber.java.Scenario.attach(byte[], String, String)" because "this.scenario" is null at com.hooks.Hooks.tearDown(Hooks.java:33)		

(S)- Verify the Login functionality for the different users

<div>FAILED</div> <div>DURATION - 1.363 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:06:51.102 pm // 4:06:52.465 pm /</div>				
<div>Login Functionality</div>				
<div>@SignIn-DataDriven</div>				

#	Step / Hook Details	Status	Duration
1	Given application url for login	PASSED	0.056 s
2	When user enters "problem_user" and "secret_sauce"	PASSED	0.239 s
3	Then submit the login form, Home page should be opened	PASSED	0.154 s
	AFTER - com.hooks.Hooks.tearDown()	FAILED	0.165 s
	java.lang.NullPointerException: Cannot invoke "io.cucumber.java.Scenario.attach(byte[], String, String)" because "this.scenario" is null at com.hooks.Hooks.tearDown(Hooks.java:33)		



(S)- Verify the Login functionality for the different users

<div>FAILED</div> <div>DURATION - 6.458 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:06:52.471 pm // 4:06:58.929 pm /				
Login Functionality				
@SignIn-DataDriven				

#	Step / Hook Details	Status	Duration
1	Given application url for login	PASSED	0.040 s
2	When user enters "performance_glitch_user" and "secret_sauce"	PASSED	0.283 s
3	Then submit the login form, Home page should be opened	PASSED	5.153 s

#	Step / Hook Details	Status	Duration
	AFTER - com.hooks.Hooks.tearDown()	FAILED	0.219 s
	java.lang.NullPointerException: Cannot invoke "io.cucumber.java.Scenario.attach(byte[], String, String)" because "this.scenario" is null at com.hooks.Hooks.tearDown(Hooks.java:33)		

(S)- Verify the Login functionality for the different users

FAILED		DURATION - 11.107 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0			
/ 4:06:58.934 pm // 4:07:10.041 pm /								
Login Functionality								
@SignIn-DataDriven								

#	Step / Hook Details	Status	Duration
1	Given application url for login	PASSED	0.040 s
2	When user enters "locked_out_user" and "secret_sauce"	PASSED	0.256 s
3	Then submit the login form, Home page should be opened java.lang.AssertionError: Home page is not displayed..... Please check the credentials for login. at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.assertEquals(Assert.java:1157) at com.stepDefinations.DatadrivenExample.submit_the_login_form_Home_page_should_be_opened(DatadrivenExample.java:40) at ?.submit the login form, Home page should be opened(file:///C:/Nisha/Automation/Selenium-Java-TestNG-BDD/src/test/java/com/features/DatadrivenExample.feature:8) * Not displayable characters are replaced by '?'. AFTER - com.stepDefinations.DatadrivenExample.afterScenario()	FAILED	0.130 s
	org.openqa.selenium.TimeoutException: Supplied function might have stalled Build info: version: '4.0.0-alpha-6', revision: '5f43a29cfc' System info: host: 'LAPTOP-N3A7QVH0', ip: '192.168.1.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:221) at com.utils.SeleniumHelper.explicitWaitForElementToBeClickable(SeleniumHelper.java:78) at com.utils.SeleniumHelper.clickElement(SeleniumHelper.java:25) at com.pageObject.ProductPage.logoutFromApp(ProductPage.java:54) at com.stepDefinations.DatadrivenExample.afterScenario(DatadrivenExample.java:46) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1956) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2091) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)	FAILED	10.513 s

#	Step / Hook Details	Status	Duration
	at com.utils.SeleniumHelper.explicitWaitForElementToBeClickable(SeleniumHelper.java:78) at com.utils.SeleniumHelper.clickElement(SeleniumHelper.java:25) at com.pageObject.ProductPage.logoutFromApp(ProductPage.java:54) at com.stepDefinations.DatadrivenExample.afterScenario(DatadrivenExample.java:46) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER - com.hooks.Hooks.tearDown() java.lang.NullPointerException: Cannot invoke "io.cucumber.java.Scenario.attach(byte[], String, String)" because "this.scenario" is null at com.hooks.Hooks.tearDown(Hooks.java:33)	FAILED	0.161 s