

Tugas Mata Kuliah Pemrograman Website
Laporan Hasil Pengerjaan Aktivitas Mandiri



Oleh :

Nisa Anjar Amelia (242410101003)

PROGRAM STUDI SISTEM INFORMASI
FAKULTAS ILMU KOMPUTER
UNIVERSITAS JEMBER

2026

AKTIVITAS MANDIRI 5

MEMBUAT CRUD lengkap - Form, Validasi & Upload file

1. Membuat Resource Controller: `php artisan make:controller PetaniController --resource --model=Petani`

```
PS D:\laragon\www\PanenKu-app>
PS D:\laragon\www\PanenKu-app> php artisan make:model Petani -m


INFO Model [D:\laragon\www\PanenKu-app\app\Models\Petani.php] created successfully.

INFO Migration [D:\laragon\www\PanenKu-app\database\Migrations\2026_05_10_034017_create_petanis_table.php] created successfully.

PS D:\laragon\www\PanenKu-app> php artisan make:controller PetaniController --resource --model=Petani

INFO Controller [D:\laragon\www\PanenKu-app\app\Http\Controllers\PetaniController.php] created successfully.

PS D:\laragon\www\PanenKu-app>
```



The screenshot shows a code editor with a file explorer on the left. The file explorer shows a project named 'PANENKU-APP' with various folders like 'config', 'database', 'migrations', 'seeders', 'public', 'css', 'img', and 'resources'. The main editor displays a migration file named '2026_05_10_034017_create_petanis_table.php'. The code is as follows:

```
<?php
1
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9     public function up(): void
10     {
11         Schema::create('petanis', function (Blueprint $table) {
12             $table->id();
13             $table->string('kode')->unique();
14             $table->string('nama');
15             $table->string('email')->unique();
16             $table->enum('komoditas', ['Padi', 'Jagung', 'Sayur', 'Buah']);
17             $table->string('foto')->nullable();
18             $table->timestamps();
19         });
20     }
21
22     public function down(): void
23     {
24         Schema::dropIfExists('petanis');
25     }
26 };
```


The status bar at the bottom indicates the cursor is at line 26, column 3, with 4 spaces, UTF-8 encoding, and LF line endings. The PHP version is 8.3. The system clock shows 10:45 on 10/05/2026.

2. Daftarkan di routes/web.php: Route::resource('petani', PetaniController::class)


The screenshot shows a code editor with a file explorer on the left. The file explorer shows a project named 'PANENKU-APP' with various folders like 'app', 'controllers', 'models', 'resources', 'routes', 'views', 'middleware', 'tests', 'vendor', and 'bootstrap'. The main editor displays the 'routes/web.php' file. The code is as follows:

```
1 use Illuminate\Support\Facades\Route;
2 use App\Http\Controllers\PetaniController;
3 use App\Http\Controllers\BerandaController;
4 use App\Http\Controllers\PreorderController;
5 use App\Http\Controllers\RiwayatController;
6 use App\Http\Controllers\DashboardController;
7 use App\Http\Controllers\ProfileController;
8
9 // Publik
10 Route::get('/', [BerandaController::class, 'index'])->name('beranda');
11 Route::get('/tentang', function () {
12     return view('tentang');
13 })->name('tentang');
14
15 // Admin only
16 Route::middleware(['auth', 'role:admin'])->group(function () {
17     Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');
18     Route::get('/pesanan', [PreorderController::class, 'adminIndex'])->name('pesanan.admin');
19     Route::patch('/pesanan/{id}/status', [PreorderController::class, 'updateStatus'])->name('pesanan.status');
20     Route::get('/produk', [ProdukController::class, 'index'])->name('produk');
21     Route::post('/produk', [ProdukController::class, 'store'])->name('produk.store');
22     Route::post('/produk/simpan', [ProdukController::class, 'store'])->name('produk.simpan');
23     Route::get('/produk/{id}/edit', [ProdukController::class, 'edit'])->name('produk.edit');
24     Route::put('/produk/{id}', [ProdukController::class, 'update'])->name('produk.update');
25     Route::delete('/produk/{id}', [ProdukController::class, 'destroy'])->name('produk.destroy');
26
27     Route::resource('petani', PetaniController::class); // tambah ini
28 });
```


The status bar at the bottom indicates the cursor is at line 4, column 32 (6 selected), with 4 spaces, UTF-8 encoding, and LF line endings. The PHP version is 8.3. The system clock shows 10:47 on 10/05/2026.





3. Membuat semua view: petani/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)




```
1 @extends('layouts.app')
2
3 @section('title', 'Data Petani')
4
5 @section('content')
6 <section class="card animate-once">
7   <div style="display: flex; justify-content: space-between; align-items: center; margin-bottom: 16px;">
8     <h2> Data Petani</h2>
9     <a href="{{ route('petani.create') }}" class="btn-tambah-produk">+ Tambah Petani</a>
10   </div>
11
12 @if(session('success'))
13   <div style="background: #d1fae5; border: 1px solid #6ee7b7; color: #065f46; padding: 12px 20px; border-radius: 8px; margin-bottom: 16px;">
14     {{ session('success') }}
15   </div>
16 @endif
17
18 @if(session('error'))
19   <div style="background: #fee2e2; border: 1px solid #fca5a5; color: #991b1b; padding: 12px 20px; border-radius: 8px; margin-bottom: 16px;">
20     {{ session('error') }}
21   </div>
22 @endif
23
24 <div class="table-wrapper">
25   <table aria-label="Tabel data petani">
```




```
1 @extends('layouts.app')
2
3 @section('title', 'Tambah Petani')
4
5 @section('content')
6 <section class="card animate-once" style="max-width: 600px; margin: 0 auto;">
7   <h2 style="text-align: center; margin-bottom: 24px;">+ Tambah Petani</h2>
8
9   <form method="POST" action="{{ route('petani.store') }}" enctype="multipart/form-data">
10     @csrf
11
12     <div class="form-group">
13       <label for="kode">Kode Petani</label>
14       <input type="text" id="kode" name="kode" value="{{ old('kode') }}" placeholder="Contoh: PTN001" required>
15       @error('kode')<span class="err-msg show">{{ $message }}</span>@enderror
16     </div>
17
18     <div class="form-group">
19       <label for="nama">Nama Petani</label>
20       <input type="text" id="nama" name="nama" value="{{ old('nama') }}" placeholder="Nama lengkap petani" required>
21       @error('nama')<span class="err-msg show">{{ $message }}</span>@enderror
22     </div>
23   </form>
24
25   <div class="form-group">
```




4. Implementasi method index() — ambil semua petani dengan paginate(10) dan tampilkan ke view




```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Petani;
6 use Illuminate\Http\Request;
7
8 class PetaniController extends Controller
9 {
10     public function index()
11     {
12         $petani = Petani::paginate(10);
13         return view('petani.index', compact('petani'));
14     }
15
16     public function create()
17     {
18         return view('petani.create');
19     }
20
21     public function store(Request $request)
22     {
23     }
```



```
2 <html lang="id">
3 <body>
4
5 <nav>
6     <ul>
7         <li><a href="{{ route('beranda') }}" class="{{ request()->routeIs('beranda') ? 'active' : '' }}">Beranda</li>
8         @auth
9             <li><a href="{{ route('dashboard') }}" ...>Dashboard</li>
10             <li><a href="{{ route('produk') }}" ...>Kelola Produk</li>
11             <li><a href="{{ route('pesanan.admin') }}" ...>Kelola Pesanan</li>
12             <li><a href="{{ route('petani.index') }}" class="{{ request()->routeIs('petani') ? 'active' : '' }}">Kelola Petani</li>
13         @endif
14         <li>
15             <form method="POST" action="{{ route('logout') }}" style="display:inline">
16                 @csrf
17                 <a href="#" onclick="event.preventDefault(); this.closest('form').submit();">Keluar</a>
18             </form>
19         </li>
20         @else
21             <li><a href="{{ route('login') }}">Masuk</li>
22             <li><a href="{{ route('register') }}">Daftar</li>
23         @endauth
24     </ul>
25 </nav>
```



5. Implementasi create() dan store() — dengan validasi nim (unique), nama (min:3), email (email|unique), jurusan (in:SI,TL,MI)



← → 127.0.0.1:8000/petani/create

Beranda Dashboard Kelola Produk Kelola Pesanan Kelola Petani Keluar

Tambah Petani

Kode Petani
Contoh: PTN001

Nama Petani
Nama lengkap petani

Email
email@contoh.com Please fill out this field.

Komoditas Utama
-- Pilih Komoditas --

Foto Profil
Choose File No file chosen

31° 11:14 10/05/2026

← → 127.0.0.1:8000/petani

Beranda Dashboard Kelola Produk Kelola Pesanan Kelola Petani Keluar

Petani berhasil ditambahkan!

Data Petani

+ Tambah Petani



Petani berhasil ditambahkan!


No	Foto	Kode	Nama	Email	Komoditas	Aksi
1	—	PTN001	Suyadis	suyadi19@gmail.com	Padi	Detail Edit

← Kembali ke Beranda


31° 11:15 10/05/2026

6. Implementasi edit() dan update() — tampilkan form dengan old() atau \$mahasiswa->field, validasi unique kecuali ID ini








7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus



8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')




9. **BONUS:** Tambahkan fitur upload foto profil dengan validasi `image|mimes:jpg,png|max:2048`



AKTIVITAS MANDIRI 6

Middleware & Aunтетikasi

1. Instal Laravel Breeze: composer require laravel/breeze --dev, kemudian php artisan breeze:install blade



This screenshot shows the initial setup of a new controller in a Laravel project. The Explorer pane on the left shows the project structure with 'PanenKu-app - Copy' as the active workspace. The main editor displays the 'PetaniController.php' file, which is currently empty except for the PHP opening tag. The terminal at the bottom shows the command 'php artisan make:controller PetaniController --resource --model=Petani' being executed. The output indicates that a model 'Petani' was generated and then the controller was created successfully.

```
<?php
namespace App\Http\Controllers;

use App\Models\Petani;
use Illuminate\Http\Request;

class PetaniController extends Controller
{
    /**
     * Display a listing of the resource.
     */
    public function index()
    {
        //
    }
}
```

PS D:\laragon\www\PanenKu-app - Copy> php artisan make:controller PetaniController --resource --model=Petani


A App\Models\Petani model does not exist. Do you want to generate it? (yes/no) [yes]

> yes

INFO Model [D:\laragon\www\PanenKu-app - Copy\app\Models\Petani.php] created successfully.

INFO Controller [D:\laragon\www\PanenKu-app - Copy\app\Http\Controllers\PetaniController.php] created successfully.

PS D:\laragon\www\PanenKu-app - Copy>



This screenshot shows the same 'PetaniController.php' file with its implementation. The 'index' method is implemented to query the 'Petani' model, paginate the results, and return a view. The 'create' method is implemented to return a view for creating a new pet. The 'store' method is implemented to handle the creation of a new pet record. The terminal shows the command 'php artisan migrate' being executed, which is used to create the database tables for the application.

```
<?php
namespace App\Http\Controllers;

use App\Models\Petani;
use Illuminate\Http\Request;


class PetaniController extends Controller
{
    public function index()
    {
        $petani = Petani::where('user_id', auth()->id()->paginate(10);
        return view('petani.index', compact('petani'));
    }

    public function create()
    {
        return view('petani.create');
    }


    public function store(Request $request)
    {
    }
}
```


PS D:\laragon\www\PanenKu-app - Copy>

2. Jalankan php artisan migrate untuk membuat tabel users





3. Jalankan npm install && npm run dev untuk build assets






4. Coba register dan login di <http://127.0.0.1:8000/register>








5. Amankan semua route mahasiswa dengan middleware auth:
 Route::middleware('auth')->resource('petani', PetaniController::class)



6. Coba akses /petani tanpa login — pastikan diredirect ke halaman login





7. Tambahkan nama user di navbar: {{ auth()->user()->name }}






```
resources > views > layouts > app.blade.php
2  <html lang="id">
10 <body>
23 <nav>
24 <ul>
27 @auth
37 @endif
38 <li style="color:white;padding:8px 12px;opacity:0.8">
39 <a href="#">{{ auth()->user()->name }}</a>
40 </li>
41 </ul>
42 </nav>
43 <li>
44 <form method="POST" action="{{ route('logout') }}" style="display:inline">
45 @csrf
46 <a href="#" onclick="event.preventDefault(); this.closest('form').submit();">Keluar</a>
47 </form>
48 </li>
49 @else
50 <li><a href="{{ route('login') }}">Masuk</a></li>
51 <li><a href="{{ route('register') }}">Daftar</a></li>
52 @endauth
53 </ul>
54 </nav>
55 <main class="animate-once">
56
```



8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu







9. **BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login**

