

Tugas Mata Kuliah Pemrograman Website
Laporan Hasil Pengerjaan Aktivitas Mandiri



Oleh :

Nisa Anjar Amelia (242410101003)


PROGRAM STUDI SISTEM INFORMASI
FAKULTAS ILMU KOMPUTER
UNIVERSITAS JEMBER

2026

AKTIVITAS MANDIRI 1

INSTALASI DAN SETUP PROYEK LARAVEL


1. Screenshot hasil php --version di terminal



The screenshot shows the Visual Studio Code editor with a project named 'PanenKu-app'. The Explorer panel on the left shows the project structure, including 'app', 'database', 'resources', and 'views'. The main editor area displays a PHP migration file '2026_04_28_112113_create_produk_table.php'. The terminal at the bottom shows the command 'php --version' and its output:

```
PS D:\laragon\www\PanenKu-app> php --version
PHP 8.3.30 (cli) (built: Jan 13 2026 22:50:40) (ZTS Visual C++ 2019 x64)
Copyright (c) The PHP Group
Zend Engine v4.3.30, Copyright (c) Zend Technologies
PS D:\laragon\www\PanenKu-app>
```

2. Screenshot hasil composer --version



The screenshot shows the Visual Studio Code editor with the same project 'PanenKu-app'. The Explorer panel shows the 'resources > views' directory. The main editor area displays a Blade template file 'beranda.blade.php'. The terminal at the bottom shows the command 'composer --version' and its output:

```
PS D:\laragon\www\PanenKu-app> composer --version
Composer version 2.9.4 2026-01-22 14:08:50
PHP version 8.3.30 (D:\laragon\bin\php\php-8.3.30-Win32-vs16-x64\php.exe)
Run the "diagnose" command to get more detailed diagnostics output.
PS D:\laragon\www\PanenKu-app>
```

3. Screenshot database nemuin_db di phpMyAdmin


The screenshot displays the phpMyAdmin web interface in a browser. The browser's address bar shows the URL `localhost/phpmyadmin/index.php?route=/database/structure&db=panenku_db`. The phpMyAdmin interface has a top navigation bar with tabs for Structure, SQL, Search, Query, Export, Import, Operations, Privileges, Routines, Events, and More. The left sidebar shows the database structure, with 'panenku_db' selected. The main content area shows the 'Structure' tab for the 'panenku_db' database. It includes a 'Filters' section with a search box and a table list. The table list has columns: Table, Action, Rows, Type, Collation, Size, and Overhead. The table list includes the following tables: cache, cache_locks, failed_jobs, jobs, job_batches, migrations, password_reset_tokens, produks, sessions, and users. The '10 tables' summary row shows 5 InnoDB tables with a total size of 192.0 KiB.

Table	Action	Rows	Type	Collation	Size	Overhead
☐ cache	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	
☐ cache_locks	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	
☐ failed_jobs	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	
☐ jobs	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	
☐ job_batches	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	
☐ migrations	★ Browse Structure Search Insert Empty Drop	4	InnoDB	utf8mb4_unicode_ci	16.0 KiB	
☐ password_reset_tokens	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	
☐ produks	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	
☐ sessions	★ Browse Structure Search Insert Empty Drop	1	InnoDB	utf8mb4_unicode_ci	48.0 KiB	
☐ users	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	
10 tables	Sum	5	InnoDB	utf8mb4_0900_ai_ci	192.0 KiB	0

4. Screenshot konfigurasi file .env: isi DB_DATABASE, DB_USERNAME, DB PASSWORD

```
DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=PanenKu_db
DB_USERNAME=root
DB_PASSWORD=
```

5. Screenshot hasil php artisan key:generate




The screenshot shows the Visual Studio Code interface with the 'PanenKu-app' project open. The Explorer panel on the left shows the project structure. The Terminal panel at the bottom displays the following output:

```
PS D:\laragon\www\PanenKu-app> composer --version
Composer version 2.9.4 2026-01-22 14:08:50
PHP version 8.3.30 (D:\laragon\bin\php\php-8.3.30-Win32-vs16-x64\php.exe)
Run the "diagnose" command to get more detailed diagnostics output.
PS D:\laragon\www\PanenKu-app>

php artisan key:generate

INFO Application key set successfully.
PS D:\laragon\www\PanenKu-app>
```

6. Jalankan server:php artisan serve - buka <http://127.0.0.1:8001> di browser



The screenshot shows the Visual Studio Code interface with the 'PanenKu-app' project open. The Explorer panel on the left shows the project structure. The Terminal panel at the bottom displays the following output:


```
PS D:\laragon\www\PanenKu-app> composer --version
Composer version 2.9.4 2026-01-22 14:08:50
PHP version 8.3.30 (D:\laragon\bin\php\php-8.3.30-Win32-vs16-x64\php.exe)
Run the "diagnose" command to get more detailed diagnostics output.
PS D:\laragon\www\PanenKu-app>

php artisan key:generate

INFO Application key set successfully.
PS D:\laragon\www\PanenKu-app> php artisan serve

INFO Server running on [http://127.0.0.1:8000].

Press Ctrl+C to stop the server
```



7. Screenshot hasil php artisan route:list

```
File Edit Selection View Go Run ... PanenKu-app .env layout.blade.php prc ...
```

EXPLORER

- PANENKU-APP
 - resources
 - views
 - riwayat.blade.php
 - tentang.blade.php
 - routes
 - console.php
 - web.php
 - storage
 - tests
 - vendor
 - editorconfig
 - .env
 - .env.example
 - .gitattributes
 - .gitignore
 - .npmrc
 - artisan
 - composer.json
 - composer.lock
 - package.json
 - phpunit.xml
 - README.md
 - vite.config.js

PROBLEMS 2 OUTPUT DEBUG CONSOLE TERMINAL PORTS

generate php artisan key: generate

INFO Application key set successfully.

PS D:\laragon\www\PanenKu-app> php artisan serve

INFO Server running on [http://127.0.0.1:8000].

Press Ctrl+C to stop the server

```
ANY / ... Illuminate\Routing > RedirectController
GET|HEAD beranda . beranda > PanenKuController@beranda
GET|HEAD hitung/{a}/{b} ... hitung > routes/web.php:38
GET|HEAD preorder preorder > PanenKuController@preorder
POST preorder.simpan > PanenKuController@simpan
GET|HEAD produk .... produk > PanenKuController@produk
POST produk.produk.simpan > PanenKuController@simpan
PUT produk/{id} produk.update > PanenKuController@update
DELETE produk/{id} produk.hapus > PanenKuController@hapus
GET|HEAD produk/{id}/edit produk.edit > PanenKuController@edit
GET|HEAD riwayat . riwayat > PanenKuController@riwayat
DELETE riwayat.riwayat.hapus-semua > PanenKuController@hapusSemua
DELETE riwayat/{id} riwayat.hapus > PanenKuController@hapus
PATCH riwayat/{id}/status riwayat.status > PanenKuController@status
GET|HEAD storage/{path} storage.local > vendor/laravel/framework/src/Illuminate/Storage/StorageFacade.php
PUT storage/{path} storage.local.upload > vendor/laravel/framework/src/Illuminate/Storage/StorageFacade.php
GET|HEAD tentang ..... tentang
GET|HEAD up vendor/laravel/framework/src/Illuminate/Storage/StorageFacade.php
```


Showing [18] routes

Ln 28, Col 13 Spaces: 4 UTF-8 LF {} Dotenv Signed out Go Live 18:43 28/04/2026

AKTIVITAS MANDIRI 2

MEMBUAT ROUTING & CONTROLLER DASHBOARD

1. Screenshot hasil php artisan make:controller DashboardController




The screenshot shows the Visual Studio Code interface with the command terminal and the routes list. The terminal shows the following output:

```
php artisan key:generate
INFO Application key set successfully.
PS D:\laragon\www\PanenKu-app> php artisan serve
INFO Server running on [http://127.0.0.1:8000].
Press Ctrl+C to stop the serve
```

The routes list shows the following routes:

```
GET|HEAD produk .... produk > PanenKuController@produk
POST produk.simpan > PanenKuController@simpan
PUT produk/{id} produk.update > PanenKuController@update
DELETE produk/{id} produk.hapus > PanenKuController@hapus
GET|HEAD produk/{id}/edit produk.edit > PanenKuController@edit
GET|HEAD riwayat . riwayat > PanenKuController@riwayat
DELETE riwayat.riwayat.hapus-s semua > PanenKuController@hapusRiwayat
DELETE riwayat/{id} riwayat.hapus > PanenKuController@hapusRiwayat
PATCH riwayat/{id}/status riwayat.status > PanenKuController@status
GET|HEAD storage/{path} storage.local > vendor\laravel\framework\src\Illuminate\Filesystem\FilesystemController@local
PUT storage/{path} storage.local.upload > vendor\laravel\framework\src\Illuminate\Filesystem\FilesystemController@upload
GET|HEAD tentang ..... tentang
GET|HEAD up vendor\laravel\framework\src\Illuminate\Files...
```

2. Screenshot isi file DashboardController.php



The screenshot shows the contents of the `DashboardController.php` file. The code is as follows:

```
<?php
namespace App\Http\Controllers;


use Illuminate\Http\Request;
use Illuminate\Support\Facades\Session;

class PanenKuController extends Controller
{
    private function produkDefault(): array
    {
        return [
            ['id'=>'padi', 'nama'=>'Padi', 'harga'=>6000, 'stok'=>500, 'img'=>'https://asset.kompas.com/crops/V-'],
            ['id'=>'jagung', 'nama'=>'Jagung', 'harga'=>5000, 'stok'=>300, 'img'=>'https://asset.kompas.com/crops/ZU'],
            ['id'=>'tomat', 'nama'=>'Tomat', 'harga'=>8000, 'stok'=>200, 'img'=>'https://asset.kompas.com/crops/Rk'],
            ['id'=>'cabai', 'nama'=>'Cabai', 'harga'=>35000, 'stok'=>100, 'img'=>'https://assets.corteva.com/is/ima'],
            ['id'=>'timun', 'nama'=>'Timun', 'harga'=>7000, 'stok'=>150, 'img'=>'https://jagadtani.com/uploads/ga1'];
    }

    private function getAllProduk(): array
    {
        $default = $this->produkDefault();
        $custom = Session::get('produk_custom', []);
        $override = collect($custom)->keyBy('id')->toArray();


        $merged = collect($default)
            ->map(fn($p) => isset($override[$p['id']]) ? $override[$p['id']] : $p);
    }
}
```

3. Daftarkan route di routes/web.php:
Route::get('/dashboard',[DashboardController::class,
'index']->name('dashboard'))




```
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4 use App\Http\Controllers\PanenKuController;
5 use App\Http\Controllers\DashboardController;
6
7
8 Route::redirect('/', '/beranda');
9 Route::get('/beranda', [DashboardController::class, 'index'])->name('beranda');
10 Route::get('/produk', [PanenKuController::class, 'produk'])->name('produk');
11 Route::post('/produk', [PanenKuController::class, 'simpanProduk'])->name('produk.simpan');
12 Route::get('/produk/{id}/edit', [PanenKuController::class, 'editProduk'])->name('produk.edit');
13 Route::put('/produk/{id}', [PanenKuController::class, 'updateProduk'])->name('produk.update');
14 Route::delete('/produk/{id}', [PanenKuController::class, 'hapusProduk'])->name('produk.hapus');
15 Route::get('/preorder', [PanenKuController::class, 'preorder'])->name('preorder');
16 Route::post('/preorder', [PanenKuController::class, 'simpanPreorder'])->name('preorder.simpan');
17 Route::get('/riwayat', [PanenKuController::class, 'riwayat'])->name('riwayat');
18 Route::patch('/riwayat/{id}/status', [PanenKuController::class, 'ubahStatus'])->name('riwayat.status');
19 Route::delete('/riwayat/{id}', [PanenKuController::class, 'hapusOrder'])->name('riwayat.hapus');
20 Route::delete('/riwayat', [PanenKuController::class, 'hapusSemua'])->name('riwayat.hapus-semua');
21 Route::view('/tentang', 'tentang')->name('tentang');
22 Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b)->name('hitung');
```

4. Screenshot file view sementara resources/views/dashboard.blade.php




```
1 @extends('layout')
2
3 @section('title', 'Beranda')
4 @section('desc', 'Platform digital pre-order hasil panen langsung dari petani lokal.')
5
6 @section('konten')
7
8 <article aria-labelledby="judulSambutan" class="card animate-once">
9   <h2 id="judulSambutan">Selamat Datang di PanenKu </h2>
10   <p>
11     Website ini membantu pembeli melakukan pemesanan hasil panen secara
12     pre-order langsung dari petani. Sistem ini memudahkan pengguna untuk
13     melihat produk yang tersedia, melakukan pemesanan, serta memantau
14     riwayat transaksi dengan lebih praktis.
15   </p>
16 </article>
17
18 <section aria-labelledby="judulUnggulan" class="card animate-once" style="animation-delay:.1s">
19   <h2 id="judulUnggulan">Keunggulan Platform</h2>
20   <ul class="features">
21     <li>📍 Produk langsung dari petani lokal</li>
22     <li>💰 Harga lebih transparan &amp; terjangkau</li>
23     <li>🕒 Sistem pre-order yang mudah &amp; cepat</li>
24     <li>📁 Riwayat pesanan tersimpan otomatis</li>
25   </ul>
26 </section>
27
28 <section aria-label="Statistik pesanan" class="animate-once" style="animation-delay:.2s">
29   <div class="stats-row">
30     ...
31   </div>
32 </section>
```


5. Akses <http://127.0.0.1:8001/dashboard> di browser



6. Screenshot membuat route /tentang




```
File Edit Selection View Go Run ... PanenKu-app
EXPLORER
PANENKU-APP
  database
  migrations
  0001_01_01_00000...
  2026_04_28_11211...
  seeders
  .gitignore
  database.sqlite
  public
  resources
  css
  js
  views
    beranda.blade.php
    layout.blade.php
    Preorder.blade.php
    produk_edit.blade...
    produk.blade.php
    riwayat.blade.php
    tentang.blade.php
  routes
  console.php
  web.php
  storage
  OUTLINE
  TIMELINE
  7

resources > views > tentang.blade.php
1 @extends('layout')
2
3 @section('title', 'Tentang')
4
5 @section('konten')
6
7
8 <article aria-labelledby="judulTentang" class="card animate-once">
9   <h2 id="judulTentang">Tentang PanenKu </h2>
10
11   <p>
12     <strong>PanenKu</strong> adalah platform digital pre-order hasil panen yang
13     menghubungkan petani lokal langsung dengan pembeli. Kami hadir untuk
14     mempermudah proses jual-beli produk pertanian secara transparan dan efisien.
15   </p>
16
17   <br>
18
19   <p>
20     Dibangun menggunakan <strong>Laravel {{ app()->version() }}</strong> sebagai
21     framework backend, dirancang untuk memudahkan pengelolaan stok, pesanan,
22     dan riwayat transaksi.
23   </p>
24
25   <ul class="features">
26     <li>🌱 Produk langsung dari petani lokal</li>
27     <li>🔥 Harga lebih transparan & terjangkau</li>
28     <li>🍷 Sistem pre-order yang mudah & cepat</li>
29     <li>📝 Riwayat pesanan tersimpan otomatis</li>
30     <li>🔒 Data aman & dikelola dengan baik</li>
31   </ul>
32 </article>
```




7. Screenshot hasil php artisan route:list (semua route terdaftar)



```
PUT produk/{id} ..... produk.update > PanenKuController@updateProduk
DELETE produk/{id} ..... produk.hapus > PanenKuController@hapusProduk
GET|HEAD produk/{id}/edit ..... produk.edit > PanenKuController@editProduk
DELETE riwayat ..... riwayat > PanenKuController@riwayat
DELETE riwayat/{id} ..... riwayat.hapus > PanenKuController@hapusSemua
PATCH riwayat/{id}/status ..... riwayat.status > PanenKuController@ubahStatus
GET|HEAD storage/{path} storage.local > vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider...
PUT storage/{path} storage.local.upload > vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServicePr...
tentang ..... tentang > vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:223
up ..... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:223
```

8. Screenshot mencoba Route::get('/hitung/{a}/{b}', fn((\$a, \$b))=>\$a + \$b) dan akses /hitung/10/25



```
Route::get('/hitung/{a}/{b}', fn(($a, $b))=>$a + $b)->name('hitung');
```

