

PROJECT BASED EXPERIENTIAL LEARNING PROGRAM (NALAIYA THIRAN)

Fertilizers Recommendation System For Disease Prediction

A PROJECT REPORT

Submitted by

1.Nisagar-813819106071

2.Poojapriyadharshini-813819106075

3.Praveena-813819106077

4.Suriyasri-813819106112

TEAM ID:PNT2022TMID32773

**DEPARTMENT OF ELECTRONICS AND
COMMUNICATION ENGINEERING**




BONAFIDE CERTIFICATE

Certified that this project report "FERTILIZER RECOMMENDATION SYSTEM FOR DISEASE PREDICTION" is the bonafide work of

NISAGAR S	-	813819106071
PRAVEENA M	-	813819106077
POOJAPRIYADHARSHINI A	-	813819106075
SURIYASRI S	-	813819106112

who carried out the project under my supervision.



SIGNATURE
MENTOR

Dr. M. Baritha Begum
Professor,
Electronics and Communication
Engineering
Saranathan College of Engineering,
Tiruchirappalli-620012.



SIGNATURE
EVALUATOR

Dr. M. Padma
Professor,
Electronics and Communication
Engineering
Saranathan College of Engineering,
Tiruchirappalli-620012.



SIGNATURE

Dr. M. Santhi,
HEAD OF THE DEPARTMENT
Professor,
Electronics and Communication
Engineering
Saranathan College of Engineering,
Tiruchirappalli-620012.

TABLE OF CONTENTS

S.No.	Content	Page no.
1.	<u>INTRODUCTION</u> 1.1 Project overview 1.2 Purpose	3 4
2.	<u>LITERATURE SURVEY</u> 2.1 Existing Problem 2.2 References 2.3 Problem Statement Definition	4 5 5
3.	<u>IDEATION AND PROPOSED SOLUTION</u> 3.1 Empathy map canvas 3.2 Ideation and brain storming 3.3 Proposed Solution 3.4 Proposed Solution Fit	8 9 10 12
4.	<u>REQUIREMENT ANALYSIS</u> 4.1 Functional Requirements 4.2 Non Functional Requirements	13 13
5.	<u>PROJECT DESIGN</u> 5.1 Data Flow Diagrams 5.2 Solution and Technical architecture 5.3 User Stories	14 15 17
6.	<u>PROJECT PLANNING AND SCHEDULING</u> 6.1 Sprint Delivery Schedule 6.2 Reports from JIRA	18 23
7.	<u>CODING AND SOLUTIONING</u> 7.1 Feature 1 7.2 Feature 2	25 25
8.	<u>TESTING</u> 8.1 Test cases	26
9.	<u>RESULTS</u> 9.1 Performance Metrics	27

10.	ADVANTAGES AND DISADVANTAGES	28
11.	CONCLUSION	29
12.	FUTURE SCOPE	30
13.	APPENDIX	30
14.	GITHUB PROJECT LINK AND DEMO LINK	50

1. INTRODUCTION

1.1 PROJECT OVERVIEW

Agriculture is the most important sector in today's life. Most plants are affected by a wide variety of bacterial and fungal diseases. Diseases on plants placed a major constraint on the production and a major threat to food security. Hence, early and accurate identification of plant diseases is essential to ensure high quantity and best quality. In recent years, the number of diseases on plants and the degree of harm caused has increased due to the variation in pathogen varieties, changes in cultivation methods, and inadequate plant protection techniques.

An automated system is introduced to identify different diseases on plants by checking the symptoms shown on the leaves of the plant. Deep learning techniques are used to identify the diseases and suggest the precautions that can be taken for those diseases.

So the ultimate aim of our project is to help the farmers by identifying the disease before the crop get damaged and to give good quality crops to all the people in the cheap budget so we have chosen this domain and by using deep learning technique we are developing a software project called fertilizer recommendation and disease predication.

1.2 Purpose

We propose a system which helps farmers detect plant disease. We use the EfficientNet [8] deep learning model, which achieves 99.8% validation accuracy on our choice of dataset for plant disease detection **to predict the occurrence or change in severity of plant diseases.** At the field scale, these systems are used by growers to make economic decisions about disease treatments for control.

2 LITERATURE SURVEY

2.1 EXSISTING PROBLEMS

There are needs to simulation results show that KNN based classification method provides an accuracy of **85%** for the blast affected leaf images and **86%** for the normal leaf images.

Disease can be predicted accurately only using complex application. Quality production is increases by using machine learning techniques so that the food security is increased.

Disease can be predicted for only limited crops and it is not applicable for all crops. There are unwanted background image so can't able to detect the plant correctly.

2.2 REFERENCES

S. RAMESH ,D. VYDEKI - 1970

PRADEEP SEELWAL,A. SHARMA - 2022

S.MOHANTY,DAVID P., HUQHES, M.SALATHE - 2016

H.AMIN,A.DARIUM,M.SOLLIMAN

2.3 PROBLEM STATEMENT DEFINITION

According to this survey, going to work for giving it **100%** accuracy. Usage of possible and non-destructive application leads to the easy diagnosis.

Trying to detect the disease for more crops. Under research to avoid the unwanted input background image.

Process is going on to detect the disease for more crops. Working for it giving 100% accuracy.

FERTILIZER RECOMMENDATION SYSTEM FOR DISEASE PREDICTION

TEAMMATES: NISAGAR S

POOJAPRIYADHARSHINI A

PRAVEENA M

SURIYASRI S

S.NO.	TITLE	AUTHOR & YEAR	DESCRIPTION	ADVANTAGES	DISADVANTAGES	PROBLEM STATEMENT
1	Application of machine learning In detection of blast disease In South Indian rice crops.	S.Ramesh D.Vydeli & 1970	This paper proposes rice blast disease detection mechanism using Machine learning algorithm, to identify the disease in the early stage of the crop cultivation and increase the rice agriculture production in an effective manner.	It detects the disease effectively so the cultivation of paddy has been raised and gives good quantity and quality.	The simulation results show that KNN based classification method provides an accuracy of 85% for the blast affected leaf images and 86% for the normal leaf images.	According to this survey, going to work for giving it 100% accuracy.
2	Machine vision system for rice disease detection.	Pradeep seeiwat, A.Sharma & 2022	To get maximum value added products, quality product monitoring is the most fundamental requirement. Production of agriculture products can	Quality production is increased by using machine learning techniques so that the food security is increased.	Disease can be predicted accurately only using complex application.	Usage of possible and non - destructive application leads to the easy diagnosis.


			be minimized due to many of the reasons. The fundamental key factor of the quality reduction is the diseases or fungal infection present in the plants.			
3	Using Deep Learning for Image-Based Plant Disease Detection	S. Mohanty, David P. Hughes, M. Salathé & 2016	Using a public dataset of 54,306 images of diseased and healthy plant leaves collected under controlled conditions, a deep convolutional neural network is trained to identify 14 crop species and 26 diseases.	The trained model achieves an accuracy of 99.35% on a held-out test set, demonstrating the feasibility of this approach.	Disease can be predicted only for limited crops and it is not applicable for all crops.	Trying to detect the disease for more crops.
4	Cardamon plant disease detection approach using efficient Net V2	S.C.K.J.C.D and N.Petil	It includes colletotrichum blight and phyllostics leaf spot of cardamon plant and black rot, isariopsis leaf spot of grapes with high accuracy level.	Efficient Net V2 convolutional network and parameter efficiency.	There are unwanted background image so can't able to detect the plant correctly.	Under research to avoid the unwanted input background image.
5	End to End deep learning model for corn leaf disease classification	H.Amin,A.Daruim, M.Salliman	Detect the disease in corn plants and they use deep learning model to identify healthy and	Utilizing end to end deep learning model to identify healthy and unhealthy corn plant leaf.	Efficient Net b0 and Densenet 121 only used for corn leaf disease R	Process is going on to detect the disease for more crops.

3. IDEATION & PROPOSED SOLUTION

3.1 Empathy map canvas



3.2 Brainstorming And Ideation



3.3 Proposed solution

Project team shall fill the following information in proposed solution template.

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	<ul style="list-style-type: none">• Many disease are raising now a days, so that the quality of the crops are decreasing.• Growing only certain crops depletes the soil and if the crops are harmed by illnesses
2.	Idea / Solution description	<ul style="list-style-type: none">• Plant disease reduces the production and quality of food, fibre and biofuel crops. It has been a major factors that influencing the farmers life as well as our life.• To overcome this problem we develop this project to predict the plant if the crop is affected with which disease, and a viable remedy is then offered to the user.
3.	Novelty / Uniqueness	<ul style="list-style-type: none">• Crop diseases detection using image processing in which user get pesticides based on disease images.• To predict the accurate disease for plant and crops we add more image dataset with wider variations are trained.• Most of the farmers are uneducated so we develop the system which is easily accessible by anyone

4.	Social Impact / Customer Satisfaction	<ul style="list-style-type: none">• Providing Complete irrigation data through cloud computing.• It helpful for farmers to increase productivity.• Increase the usability of natural manure.• Efficient utilization of existing knowledge through artificial intelligence.
5.	Business Model (Revenue Model)	<ul style="list-style-type: none">• As long as this system is beneficial to users, subscriptions will increase which gives benefits to industry.

6.	Scalability of the Solution	<ul style="list-style-type: none">• Useful for those who don't know the basic about cultivation.
----	-----------------------------	--

3.4 Problem solution fit

CS, fit into CC Round on J&P tap into Identify strong TR & EM	1. CUSTOMER SEGMENT(S) Who is your customer? i.e. working partner of 0-6 p.c. 1000	CS Farmers Others who want to identify plant diseases	6. CUSTOMER CONSTRAINTS What constraints prevent your customers from taking action or limit their choices of solutions? i.e. spending power, budget, no cash, network connections, available devices	CC Limited fertilizers available Solution needs to be fast Suggested precautions might be very difficult Spending power	5. AVAILABLE SOLUTIONS What solutions are available to the customer when they have the problem or need to get the job done? What have they tried in the past? What can it cost the customer? Is it a paper or an alternative to digital networking?	A5 Asking friends, other farmers - solutions are based on personal experience: can be incorrect also; Using generic pesticides/fertilizers Leaving the plants as such and hoping for the best	Explore A5, differentiate Focus on A5, P, E
	2. JOBS-TO-BE-DONE / PROBLEMS What jobs do you offer to your customers? How do you address your customers? There need to be more than one, replace different ones.	J&P Identify plant disease Suggest fertilizers and alternatives Provide various precautions to prevent disease in the future	9. PROBLEM ROOT CAUSE What is the root cause that this problem occurs? i.e. the basic motivation the user has to do this job? i.e. customer have to do it because of the change in regulations	RC Lack of documentation regarding traditional solutions Alternatives may not be present Solutions might be outdated	7. BEHAVIOUR What does your customer do to address the problem and get the job done? i.e. directly internet find the right entry point (fertilizer, educate usage and benefits); indirectly recommend; customers spend free time on networking work (i.e. Conferences)	BE Ask his/her friends for best approach Use his/her knowledge to apply suitable fertilizers Research on trending methods to cure plant diseases	Focus on A5, P, E
	3. TRIGGERS What triggers customers to act? i.e. seeing their neighbour installing solar panels, reading about a more efficient solution in the news.	TR Seeing their plants die; viewing a more successful solution on the TV	10. YOUR SOLUTION If you are working on an existing business, write down your current solution first, fill in the gaps, and check how much it fits reality. If you are working on a new business opportunity, then focus it back until you fit in the canvas and come up with a solution that fits within customer limitations, solves a problem and matches customer behaviour.	SL Fertilizers Recommendation System For Disease Prediction An automated technique is created to recognize many plant diseases by examining the symptoms seen on the plant's leaves. In order to diagnose illnesses and provide preventative measures, deep learning algorithms are applied.	8. CHANNELS OF BEHAVIOUR What kind of actions do customers take online? Categorize online channels from A7 and use them for customer development.	CH Look up popular treatments; learn about precautions for disease present.	Focus on A5, P, E
	4. EMOTIONS: BEFORE / AFTER How do customers feel when they face a problem or a job and afterwards? i.e. lost, uncertain - confident, in control - use it in your communication strategy & design.	EM Before: Confused, nervous, anxious After: Happy, relaxed, calm			8.1 ONLINE Other kind of actions do customers take offline? Categorize offline channels from A7 and use them for customer development.	Ask friends/family for solutions/treatment; read newspaper, magazines regarding common diseases	Focus on A5, P, E

4. REQUIREMENT ANALYSIS

4.1 Functional Requirements:

Ideation phase-II Functional requirements

Date	03 October 2022
Team ID	PNT2022TMID32773
Project Name	Fertilizer recommendation system for disease prediction
Maximum Marks	4 Marks


Functional Requirements:

Following are the functional requirements of the proposed solution.


FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail
FR-2	User Confirmation	Confirmation via Email , Otp
FR-3	Image Upload	Get plant image from User
FR-4	Analyse Image	Perform analysis of given image
FR-5	View Disease	Display disease details observed in image Display 'No disease detected' if no disease observed in image
FR-6	Get Precautions	Display precautions for disease observed in image Display general precautions if no disease observed in image, along with 'No disease detected but general precautions are:'
FR-7	View Fertilizers	Application of best fertilizer
FR-8	View General Information	Show general information regarding plant diseases, fertilizers, precautions
FR-9	Feedback	Allow user to send feedback regarding the experience while operating the system.

5. PROJECT DESIGN

5.1 Data Flow Diagrams




5.2 Solution Architecture



Technical Architecture

Technology architecture is defined as in reference to computer, software or networks, the overall design of a computing system and the logical and physical interrelationship between its component. The architecture specifies the hardware, software, access methods and protocols used throughout the system.



5.3 User stories

User journey

© 2019, UX Pin LLC. All rights reserved.

Creating a user journey is a quick way to help you and your team gain a deeper understanding of who you're designing for and the stakeholders in your project. The information you add here should be representative of the observations and research you've done about your users. ☺

● Phases		User journey phases are useful for communication than user feedback.			Define the stages of an effective user journey based on the service.			Service and user segments		
● Steps <small>Download evidence you used from our site.</small>		<input type="checkbox"/> Choosing a regular meal plan <input type="checkbox"/> Adding the dishes they wanted to the meal plan <input type="checkbox"/> Choosing the serving size for each dish	<input type="checkbox"/> Reviewing the nutrition information of the meal plan <input type="checkbox"/> Selecting the best meal plan for their budget	<input type="checkbox"/> Ordering the meal plan <input type="checkbox"/> Receiving the meal plan	<input type="checkbox"/> Receiving the meal plan <input type="checkbox"/> Preparing the meal plan	<input type="checkbox"/> Receiving the meal plan <input type="checkbox"/> Enjoying the meal plan	<input type="checkbox"/> Receiving the meal plan <input type="checkbox"/> Enjoying the meal plan			
● Feelings <small>Other emotions might be missing when filling out this template.</small>	+	<input type="checkbox"/> Curious <input type="checkbox"/> Curiosities <input type="checkbox"/> Curiosity	<input type="checkbox"/> Curious <input type="checkbox"/> Curiosities <input type="checkbox"/> Curiosity	<input type="checkbox"/> Curious <input type="checkbox"/> Curiosities <input type="checkbox"/> Curiosity	<input type="checkbox"/> Curious <input type="checkbox"/> Curiosities <input type="checkbox"/> Curiosity	<input type="checkbox"/> Curious <input type="checkbox"/> Curiosities <input type="checkbox"/> Curiosity	<input type="checkbox"/> Curious <input type="checkbox"/> Curiosities <input type="checkbox"/> Curiosity			
	-	<input type="checkbox"/> Interested <input type="checkbox"/> Interested <input type="checkbox"/> Interested	<input type="checkbox"/> Interested <input type="checkbox"/> Interested <input type="checkbox"/> Interested	<input type="checkbox"/> Interested <input type="checkbox"/> Interested <input type="checkbox"/> Interested	<input type="checkbox"/> Interested <input type="checkbox"/> Interested <input type="checkbox"/> Interested	<input type="checkbox"/> Interested <input type="checkbox"/> Interested <input type="checkbox"/> Interested	<input type="checkbox"/> Interested <input type="checkbox"/> Interested <input type="checkbox"/> Interested			
● Pain points <small>Possible pain user needs.</small>		<input type="checkbox"/> There is no time to prepare a healthy meal <input type="checkbox"/> It's difficult to find healthy food that also tastes good	<input type="checkbox"/> Choosing the right meal plan to cook	<input type="checkbox"/> Want to eat healthy but don't know what to cook	<input type="checkbox"/> Paying for meal plans	<input type="checkbox"/> Unable to cook healthy meals because the ingredients are expensive	<input type="checkbox"/> Unable to cook healthy meals because the ingredients are expensive	<input type="checkbox"/> Unable to cook healthy meals because the ingredients are expensive	<input type="checkbox"/> Unable to cook healthy meals because the ingredients are expensive	
● Opportunities <small>Possible improvements or areas to work on.</small>		<input type="checkbox"/> Encouraging families to use the service regularly for meal planning	<input type="checkbox"/> Showing customers how to use the service to reduce the cost of cooking	<input type="checkbox"/> Promoting the service to families with children who are picky eaters	<input type="checkbox"/> Providing users with a guide to the service	<input type="checkbox"/> Encouraging users to use the service to reduce the cost of cooking	<input type="checkbox"/> Encouraging users to use the service to reduce the cost of cooking	<input type="checkbox"/> Encouraging users to use the service to reduce the cost of cooking	<input type="checkbox"/> Encouraging users to use the service to reduce the cost of cooking	

[Share your Feedback](#)

6.PROJECT PLANNING & SCHEDULING

6.1 SPRINT PLANNING & ESTIMATION

Project Planning Phase		
Milestone and Activity Plan		
Title	Description	Status
Date	28 October 2022	
Team ID	PNT2022TMID32773	
Project Name	Fertilizer Recommendation System for Disease Prediction	
Ideation Phase		
Literature survey	Literature Survey on the selected projects & gathering information by referring the Technical papers etc.	COMPLETED
Brainstorm and Idea prioritization	List the Idea's by organising the brainstorming session & prioritize the top 4 Ideas based on the Feasibility & Importance	COMPLETED
Problem statement	List of problems in the project	COMPLETED
Prepare empathy map	Prepare Empathy Map Canvas to capture the User Pains & Gains, prepare list of problem statements	COMPLETED

Project Design Phase – 1

Title	Description	Status
Proposed Solution	Prepare the Proposed Solution Document, which includes the Novelty, Feasibility of Idea, Social impact, Scalability of solution, etc.	COMPLETED
Problem Solution Fit	Prepare Problem – Solution Fit Document	COMPLETED
Solution Architecture	Prepare the Technology (Solution) Architecture diagram	COMPLETED

Project Design Phase – 2

Title	Description	Status
Customer Journey	Prepare the customer journey maps to understand the user interactions & experiences with the application	COMPLETED
Functional Requirement	Prepare the Functional Requirement Document	COMPLETED

Data Flow Diagram	Draw the data flow diagrams & submit for review	COMPLETED
Technology Architecture	Prepare the Technology Architecture Diagram	COMPLETED

Project Planning Phase

Title	Description	Status
Prepare Project Planning & Sprint Delivery Plan	Prepare the Product Backlog, Sprint planning, stories & Story points	COMPLETED
Prepare Milestone & Activity List	Prepare the Milestones & activity list of the project	COMPLETED

Project Development Phase

Project Development Delivery of Sprint 1,2,3	Develop & Submit the developed code by testing it.	IN-PROGRESS
--	--	-------------

Sprint	Functional Requirement (Epic)	User story number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Dataset collection	USN-1	Collect the dataset	6	Medium	Praveena
	Image Preprocessing	USN-2	Process the images which can be collected from the user	14	High	Nisagar Poojapriyadharshini Suriyasri
Sprint-2	Model Building for fruit disease prediction	USN-4	Create a model which can classify diseased fruit plants from given images.	6	Medium	Poojapriyadharshini Praveena
	Fruit Dataset	USN-5	Datasets with fruits	4	Low	Nisagar Suriyasri
	Model Building for vegetable disease prediction	USN-6	Create a model which can classify diseased vegetable plants from given images.	6	Medium	Nisagar Suriyasri
	Vegetable Dataset	USN-7	Datasets with vegetables	4	Low	Poojapriyadharshini Praveena
Sprint-3	Test both models	USN-8	Test the both vegetables and fruits models using the datasets.	4	Low	Nisagar Suriyasri
	Application buildings	USN-9	Build the application	2	Low	Nisagar
	Registration	USN-10	As a user/admin/shopkeeper, I can log into the application by entering email & password	3	Medium	Poojapriyadharshini
	Redirect the page	USN-11	Page can be redirected to Another page	5	Medium	Poojapriyadharshini Praveena

	Upload Images	USN-12	Here we upload the diseased fruit images	2	Low	Suriyasri
	Recommended Results	USN-13	As an admin, I can view other user details and uploads for other purposes	4	Medium	Nisagar Suriyasri
Sprint-4	Train the models on IBM cloud	USN-14	Created model can be tested by IBM cloud .	20	High	Nisagar Poojapriyadharshini Praveena Suriyasri

Sprint	Total story points	Duration	Sprint start date	Sprint end date(planned)	Story points completed(As on planned end date)	Sprint release date(Actual)
Sprint 1	20	6 days	24 Oct 2022	29 Oct 2022	20	31 Nov 2022
Sprint 2	20	6 days	31 Oct 2022	5 Nov 2022	20	6 Nov 2022
Sprint 3	20	6 days	7 Nov 2022	12 Nov 2022	20	13 Nov 2022
Sprint 4	20	6 days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

6.3 REPORTS FROM JIRA

nisagar.atlassian.net/jira/software/projects/JIRA/boards/1/backlog

Jira Software Your work Projects Filters Dashboards People Apps Create

Search

jira Software project

PLANNING Roadmap Backlog Board

DEVELOPMENT Code Project pages Add shortcut Project settings

You're in a team-managed project Learn more

Does your team need more from Jira? Get a free trial of our Standard plan.

Projects / jira Backlog

Backlog

Search N M PA SS Epic Insights

JIRA Sprint 1 24 Oct – 29 Oct (2 issues) Complete sprint ...

JIRA Sprint 2 31 Oct – 5 Nov (4 issues) Complete sprint ...

JIRA Sprint 3 7 Nov – 12 Nov (6 issues) Complete sprint ...

JIRA Sprint 4 14 Nov – 19 Nov (1 issue) Complete sprint ...

Backlog (0 issues) Create sprint

Your backlog is empty.

This screenshot shows the Jira Backlog page for the 'jira' project. The left sidebar includes links for Planning (Roadmap, Backlog), Development (Code, Project pages), and Project settings. The main area displays a list of completed sprints (Sprint 1 to 4) with their respective dates and issue counts. Below this is a section for the backlog, which is currently empty. A banner at the top offers a free trial of the Standard plan.

nisagar.atlassian.net/jira/software/projects/JIRA/boards/1/roadmap?statuses=3&timeline=MONTHS

Jira Software Your work Projects Filters Dashboards People Apps Create

Search

jira Software project

PLANNING Roadmap Backlog Board

DEVELOPMENT Code Project pages Add shortcut Project settings

You're in a team-managed project Learn more

Give feedback Share Export ...

Roadmap


Status category Epic Clear filters

Sprints NOV DEC

JIRA-1 Dataset collection JIRA-2 Image Preprocessing JIRA-3 Model building for fruit disease ... JIRA-8 Model building for vegetable dis... JIRA-11 Fruit Dataset JIRA-13 Vegetable dataset JIRA-20 Test b + 2 models

Today Weeks Months Quarters

This screenshot shows the Jira Roadmap page for the 'jira' project. The left sidebar includes links for Planning (Roadmap, Backlog), Development (Code, Project pages), and Project settings. The main area displays a Gantt chart for the next month, showing several sprints (JIRA-1 to JIRA-20) with their start and end dates. The timeline is set to 'Months'. A navigation bar at the bottom allows switching between Today, Weeks, Months, and Quarters.



The screenshot shows the Jira Software homepage. The left sidebar has a "jira" project selected under "PLANNING" with "Board" highlighted. The main area displays "All sprints" with a "Complete sprint" button. The board interface includes columns for "IN PROGRESS" and "DONE". To the right, a "IN REVIEW 13 ISSUES" section lists several tasks:

- Collect the dataset (JIRA-4)
- Process the images which can be collected from the user (JIRA-5)
- Create a model which can

The top navigation bar includes links for "Your work", "Projects", "Filters", "Dashboards", "People", "Apps", and "Create". A search bar and various icons are also present at the top.

7.CODING AND SOLUTIONING


7.1 Feature 1



```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
(c) Microsoft Corporation. All rights reserved.

C:\Users\saich\Desktop\deployment_copy1>python app.py
* Serving Flask app 'app'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 146-057-255
[]
```

7.2 Feature 2



```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
Microsoft Windows [Version 10.0.22000.1219]
(c) Microsoft Corporation. All rights reserved.

C:\Users\saich\Desktop\deployment_copy1>python app_ibm.py
* Serving Flask app 'app_ibm'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 146-057-255
[]
```

8.TEST CASES

```
Click here to refres... IBM Gmail YouTube Maps Dell
https://github.com/IBM-EPBL/IBM-Project-16743-1659621316/blob/main/PROJ%20DEVELOPMENT%20PHASE/Delivery...
+ Model: "sequential"
model.add(Flatten())
model.summary()
=====
Layer (type)          Output Shape       Param #
conv2d (Conv2D)      (None, 126, 126, 32)    896
max_pooling2d (MaxPooling2D) (None, 63, 63, 32)    0
flatte...
dense (Dense)        (None, 300)           38182700
dense_1 (Dense)      (None, 150)           45150
dense_2 (Dense)      (None, 9)             1359
=====
Total params: 38,150,185
Trainable params: 38,150,185
Non-trainable params: 0
-----
Add Dense layer
model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
model.add(Dense(9,activation='softmax'))
Train and save the model
Compile the model
model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
Fix the model
model.fit(x_train,steps_per_epoch=89,validation_data=x_test,validation_steps=27,epochs=28)
```

```
Click here to refres... IBM Gmail YouTube Maps Dell
https://github.com/IBM-EPBL/IBM-Project-16743-1659621316/blob/main/PROJ%20DEVELOPMENT%20PHASE/Delivery...
+ model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
model.add(Dense(9,activation='softmax'))
Train and save the model
Compile the model
model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
Fix the model
model.fit(x_train,steps_per_epoch=168,validation_data=x_test,validation_steps=52,epochs=3)
Epoch 1/3
168/168 [=====] - 145s 86ms/step - loss: 1.9705 - accuracy: 0.4804 - val_loss: 694.4424 - val_accuracy: 0.2668
Epoch 2/3
168/168 [=====] - 140s 830ms/step - loss: 0.7669 - accuracy: 0.7321 - val_loss: 1121.5676 - val_accuracy: 0.2230
Epoch 3/3
168/168 [=====] - 136s 810ms/step - loss: 0.5643 - accuracy: 0.8034 - val_loss: 1416.2469 - val_accuracy: 0.2019
Save the model
model.save("fruit.h5")
Test the Model
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
model=load_model("fruit.h5")
img=image.load_img('/content/Dataset Plant Disease/fruit-dataset/fruit-dataset/test/Apple___healthy/00fcfa0da-2db3-481b-b98a-9b67bb7b105c___RS_HL 776.jpg')
img
x = image.img_to_array(img)
x = np.expand_dims(x, axis = 0)
x
array([[[[165., 153., 189.],
       [165., 153., 189.],
       [165., 153., 189.],
       ...,
       [176., 170., 206.],
```

9.RESULTS

9.1 MODEL PERFORMANCE TESTING

The image shows two screenshots of a Jupyter Notebook interface. Both screenshots are titled 'IBM' and show the URL <https://github.com/IBM-EPR/IBM-Project-16743-1659621316/blob/main/PROJECT%20DEVELOPMENT%20PHASE/Delivery...>. The top screenshot displays code for a neural network structure:

```
from tensorflow.keras import Sequential

In [4]: model=Sequential()

In [5]: model.add(Convolution2D(32,(3,3),input_shape = (128,128,3),activation = 'relu'))

In [6]: model.add(MaxPooling2D(pool_size = (2,2)))

In [7]: model.add(Flatten())

In [8]: model.add(Dense(units = 300 ,kernel_initializer = 'uniform',activation = 'softmax'))
model.add(Dense(units = 150 ,kernel_initializer = 'random_uniform',activation = 'softmax'))
model.add(Dense(units = 75 ,kernel_initializer = 'uniform',activation = 'softmax'))
model.add(Dense(units = 9,activation = 'softmax',kernel_initializer = 'random_uniform'))

In [9]: model.compile(loss = 'categorical_crossentropy',optimizer = "adam",metrics = ["accuracy"])

In [10]: model.fit_generator(x_train, steps_per_epoch = 10,epochs = 50,validation_data = x_test,validation_steps = 27)

C:\Users\yeshv\AppData\Roaming\Python\Python39\site-packages\tensorflow\python\keras\engine\training.py:1969: UserWarning: 'Model.fit_generator' is deprecated and will be removed in a future version. Please use 'Model.fit', which supports generators.
  warnings.warn('`Model.fit_generator` is deprecated and '
```

The bottom screenshot shows a similar sequence of code for a different model structure:

```
In [5]: model.add(Convolution2D(32,(3,3),input_shape = (128,128,3),activation = 'relu'))

In [6]: model.add(MaxPooling2D(pool_size = (2,2)))

In [7]: model.add(Flatten())

In [8]: model.add(Dense(units = 40 ,kernel_initializer = 'uniform',activation = 'softmax'))
model.add(Dense(units = 20 ,kernel_initializer = 'random_uniform',activation = 'softmax'))
model.add(Dense(units = 6,activation = 'softmax',kernel_initializer = 'random_uniform'))

In [9]: model.compile(loss = 'categorical_crossentropy',optimizer = "adam",metrics = ["accuracy"])

In [10]: model.fit_generator(x_train, steps_per_epoch = 168,epochs = 3,validation_data = x_test,validation_steps = 52)

C:\Users\yeshv\AppData\Roaming\Python\Python39\site-packages\tensorflow\python\keras\engine\training.py:1969: UserWarning: 'Model.fit_generator' is deprecated and will be removed in a future version. Please use 'Model.fit', which supports generators.
  warnings.warn('`Model.fit_generator` is deprecated and '
```

Both screenshots include a warning message about the deprecation of the `fit_generator` method.

10. ADVANTAGES & DISADVANTAGES

ADVANTAGES

1. They are quick in providing plant nutrients and restoring soil fertility. They are portable and easy to transport. Plants easily absorb fertilizers. Fertilizers improve and increase the productivity of many crops such as wheat, maize, and rice.

2. Without fertilizers, nature struggles to replenish the nutrients in the soil. When crops are harvested, important nutrients are removed from the soil, because they follow the crop and end up at the dinner table. If the soil is not replenished with nutrients through fertilizing, crop yields will deteriorate over time.

3. To supply each palm with adequate nutrients in balanced proportion to ensure healthy vegetative growth and optimum economic FFB yields. To apply the fertilisers in the prescribed manner over the areas of the estate that are likely to result in the most efficient uptake of nutrients.

4. The most important characteristics of a fertilizer is to be adapted to the kind of crop you are growing and to the different stages of growth and maturation (ratio of N,P,K) and the physical and chemical nature of the soil (capacity of ions adsorption, pH, presence of humus).

DISADVANTAGES

1. Synthetic fertilizers often contain toxins that can be destructive to the soil, and the chemicals in these fertilizers can be poisonous to humans, wildlife, and marine life if they reach the oceans. Fertilizers can also leach through soil into groundwater, making it very harmful to the surrounding environment.

2. Adverse impacts of fertilizers are mainly caused by their excessive and inefficient use. This leads to nutrient losses to the environment and other adverse impacts, such as drinking water contamination and eutrophication of freshwater systems and coastal zones

11.CONCLUSION

The TPF-CNN dual operator approach makes the insecticide recommendation operation efficient and compact. The proposed system consists of combined insecticide and fertilizer recommendation systems, which will help farmers gain maximum farm yield. Also, the soil nutrients would be managed efficiently, resulting in nutrient-rich soil. The cost incurred for laboratory testing of soil nutrients will reduce. The proposed approach gives the recommendation of insecticides in a short time of 10 s and fertilizer recommendation in 60 s only. Compared to other approaches such as KNN, SVM, and ANN, it gives nearly 20% higher performance. This system can be used anywhere as it is standalone and does not require an internet connection. In the future, the system can be integrated with more sensors such as pH, temperature, humidity, and moisture sensors for open and indoor farming. Also, this system can be used in online and offline modes. This system can be recommended for farmers, soil testing laboratories, and seed hybridizing companies. The limitations of this model are it does not save any data on the system or cloud database.

12.FUTURE SCOPE

This further research is implementing the proposed algorithm with the existing public datasets. Also, various segmentation algorithms can be implemented to improve accuracy. The proposed algorithm can be modified further to identify the disease that affects the various plant organs such as stems and fruits.

13.APPENDIX

SOURCE CODE

HTML CODE

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Home</title>
  <link
    href="https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.mi
n.css" rel="stylesheet">
  <script
    src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.j
s"></script>
```

```
<script
src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>
<script
src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<link href="E:\Plant Disease\flask\static\css\main.css"
rel="stylesheet">
<style>
body
{
    background-image:
url("https://purepng.com/public/uploads/large/purepng.com-
grassnaturerosegreencartoonillustrationgrassfieldlandscape-
961524676349chnpr.png");
    background-size: cover;
}
.bar
{
margin: 0px;
padding:20px;
background-color:white;
opacity:0.6;
color:black;
font-family:'Roboto',sans-serif;
font-style: italic;
border-radius:20px;
font-size:25px;
```

```
}

h3
{
margin: 0px;
padding:20px;
background-color:#9ACD32;
width: 800px;
opacity:0.6;
color:#000000;
font-family:'Roboto',sans-serif;
font-style: italic;
border-radius:20px;
font-size:25px;
}

a
{
color:black;
float:right;
text-decoration:none;
font-style:normal;
padding-right:20px;
}

a:hover{
background-color:black;
color:white;
border-radius:15px;0
font-size:30px;
padding-left:10px;
```

```
}
```

```
.div1{
```

```
    background-color: lightgrey;
```

```
    width: 500px;
```

```
    border: 10px solid peach;
```

```
    padding: 20px;
```

```
    margin: 20px;
```

```
    height: 500px;
```

```
}
```

```
.header { position: relative;
```

```
        top:0;
```

```
        margin:0px;
```

```
        z-index: 1;
```

```
        left: 0px;
```

```
        right: 0px;
```

```
        position: fixed;
```

```
        background-color: #8B008B ;
```

```
        color: white;
```

```
        box-shadow: 0px 8px 4px grey;
```

```
        overflow: hidden;
```

```
        padding-left:20px;
```

```
        font-family: 'Josefin Sans'
```

```
        font-size: 2vw;
```

```
width: 100%;  
height:8%;  
text-align: center;  
}  
.topnav {  
overflow: hidden;  
background-color: #FCAD98;  
}  
  
.topnav-right a {  
float: left;  
color: white;  
text-align: center;  
padding: 14px 16px;  
text-decoration: none;  
font-size: 22px;  
}  
  
.topnav-right a:hover {  
background-color: #FF69B4;  
color: white;  
}  
  
.topnav-right a.active {  
background-color: #DA70D6;  
color: white;  
}
```

```
.topnav-right {  
    float: right;  
    padding-right:100px;  
}  
</style>  
</head>  
<body>  
  
<!--Brian Tracy-->  
  
<div class="header">  
<div style="width:50%;float:left;font-size:2vw;text-align:left;color:white; padding-top:1%;padding-left:5%;">Plant  
Disease Prediction</div>  
<div class="topnav-right" style="padding-top:0.5%;>  
  
    <a class="active" href="E:\Plant  
Disease\flask\template\home.html">Home</a>  
    <a href="E:\Plant  
Disease\flask\template\predict.html">Predict</a>  
    </div>  
</div>  
</div>  
<br>  
<br>  
<br>  
<br>  
<br>
```

```
<br>
<br>
<h1>
<h2>
<center>
    Detect If your Plant is Infected!!
</center>
</h2>

<center>
<h3>Agriculture is one of the major sectors world wide. Over the years it has developed and the use of new technologies and equipment replaced almost all the traditional methods of farming. The plant diseases effect the production. Identification of diseases and taking necessary precautions is all done through naked eye, which requires labour and laboratries. This application helps farmers in detecting the diseases by observing the spots on the leaves, which inturn saves effort and labor costs.</h3>
</center>

</h1>
</body>
</html>
```

PREDICT CODE

```
{  
    "nbformat": 4,  
    "nbformat_minor": 0,  
    "metadata": {  
        "colab": {  
            "provenance": []  
        },  
        "kernelspec": {  
            "name": "python3",  
            "display_name": "Python 3"  
        },  
        "language_info": {  
            "name": "python"  
        }  
    },  
    "cells": [  
        {  
            "cell_type": "code",  
            "source": [  
                "<!DOCTYPE html>\n",  
                "<html >\n",  
                "\n",  
                "<head>\n",  
                " <meta charset=\"UTF-8\">\n",  
                " <meta name=\"viewport\" content=\"width=device-width,  
initial-scale=1\">\n",  
                " <title> Plant Disease Prediction</title>\n",  
                "  
            ]  
        }  
    ]  
}
```

```
" <link
href='https://fonts.googleapis.com/css?family=Pacifico'
rel='stylesheet' type='text/css'>\n",
    "<link href='https://fonts.googleapis.com/css?family=Arimo'
rel='stylesheet' type='text/css'>\n",
    "<link
href='https://fonts.googleapis.com/css?family=Hind:300'
rel='stylesheet' type='text/css'>\n",
    "<link
href='https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.min.css\' rel='stylesheet'\>\n",
    "<script
src='https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js\'></script>\n",
    "<script
src='https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js\'></script>\n",
    "<script
src='https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js\'></script>\n",
    "<link
href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300' rel='stylesheet' type='text/css'>\n",
    "<link
href='https://fonts.googleapis.com/css?family=Merriweather'
rel='stylesheet'>\n",
    "<link href='https://fonts.googleapis.com/css?family=Josefin
Sans' rel='stylesheet'>\n",
```

```
"<link
href='https://fonts.googleapis.com/css?family=Montserrat'
rel='stylesheet'>\n",
    "<link href=\\"{{ url_for('static', filename='css/final.css') }}\\"
rel=\"stylesheet\"> \n",
    "<style>\n",
    ".header {\t\n",
    "\t\t\ttop:0;\t\n",
    "\t\t\tmargin:0px;\n",
    "\t\t\tleft: 0px;\n",
    "\t\t\tright: 0px;\n",
    "\t\t\tposition: fixed;\n",
    "\t\t\tbackground-color: #28272c;\n",
    "\t\t\tcolor: white;\n",
    "\t\t\tbox-shadow: 0px 8px 4px grey;\n",
    "\t\t\toverflow: hidden;\n",
    "\t\t\tpadding-left:20px;\n",
"\t\t\tfont-family: 'Josefin Sans';\n",
    "\t\t\tfont-size: 2vw;\n",
    "\t\t\twidth: 100%;\n",
    "\t\t\theight:8%;\n",
    "\t\t\ttext-align: center;\n",
    "\t\t}\n",
    "\t\t.topnav {\n",
    "    overflow: hidden;\n",
    "    background-color: #333;\n",
    "}\n",
    "\n",
```

```
".topnav-right a {\n",
  " float: left;\n",
  " color: #f2f2f2;\n",
  " text-align: center;\n",
  " padding: 14px 16px;\n",
  " text-decoration: none;\n",
  " font-size: 18px;\n",
}\n",
"\n",
".topnav-right a:hover {\n",
  "\twidth: 100%;\n",
  "\tmargin-bottom: 10px;\n",
  "\tbackground: rgba(255,255,255,255);\n",
  "\tborder: none;\n",
  "\toutline: none;\n",
  " background-color: #ddd;\n",
  " color: black;\n",
}\n",
"\n",
".topnav-right a.active {\n",
  " background-color: #565961;\n",
  " color: white;\n",
}\n",
"\n",
".topnav-right {\n",
  " float: right;\n",
  " padding-right:100px;\n",
}\n",
"\t\t\t\n",
```

```
".login{\n",
"margin-top:-70px;\n",
"}\n",
"body {\n",
"\n",
" background-color:#ffffff;\n",
" background-repeat: no-repeat;\n",
" background-size:cover;\n",
" background-position: 0px 0px;\n",
" }\n",
".login{\n",
"\tmargin-top:100px;\n",
"}\n",
"\n",
".container {\n",
" margin-top:40px;\n",
" padding: 16px;\n",
"}\n",
"select { \n",
"\tpadding: 10px;\n",
"\tfont-size: 13px;\n",
"\tcolor: #000000;\n",
"\ttext-shadow: 1px 1px 1px rgba(0,0,0,0.3);\n",
"\tborder: 1px solid rgba(0,0,0,0.3);\n",
"\tborder-radius: 4px;\n",
"\tbox-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0
1px 1px rgba(255,255,255,0.2);\n",
"\t-webkit-transition: box-shadow .5s ease;\n",
"\t-moz-transition: box-shadow .5s ease;\n",
```

```
"\t-o-transition: box-shadow .5s ease;\n",
"\t-ms-transition: box-shadow .5s ease;\n",
"\ttransition: box-shadow .5s ease;\n",
"}\n",
"\n",
" \n",
"</style>\n",
"</head>\n",
"\n",
"<body style=\"font-family:Montserrat;overflow:scroll;\">\n",
"\n",
"<div class=\"header\"> \n",
" <div style=\"width:50%;float:left;font-size:2vw;text-align:left;color:white; padding-top:1%\">Plant Disease Prediction</div>\n",
" <div class=\"topnav-right\" style=\"padding-top:0.5%;\">\n",
" \n",
" \n",
" </div>\n",
"</div>\n",
"<div class=\"container\">\n",
" <div id=\"content\" style=\"margin-top:2em\">\n",
"\t\t<div class=\"container\">\n",
"\t\t <div class=\"row\">\n",
"\t\t\t<div class=\"col-sm-6 bd\">\n",
"\t\t\t\t\n",
"\t\t\t\t <br>\n",
"\t\t\t<img
```

```
src=\\"{{url_for('static',filename='images/789.jpg')}}\\"
style=\\"height:450px;width:550px\\"class=\"img-rounded\\"
alt=\"Gesture\\"><br\\">
</div>\n",
"\t\t\t<div class=\"col-sm-6\\">\n",
"\t\t\t\t<div>\n",
"\t\t\t\t\t<h4>Drop in the image to get the prediction
</h4>\n",
"\t\t\t\t<form action = \\"\" id=\"upload-file\\" method=\"post\\"
enctype=\"multipart/form-data\\">\n",
"\t\t\t\t\t<select name=\"plant\\">\n",
"\t\t\t\t\t\t<option value=\"select\\" selected>Select plant
type</option>\n",
"\t\t\t\t\t\t<option value=\"fruit\\>Fruit</option>\n",
"\t\t\t\t\t\t<option
value=\"vegetable\\>Vegetable</option>\n",
"\t\t\t\t</select><br>\n",
"\t\t\t\t<label for=\"imageUpload\\" class=\"upload-label\\"
style=\\"background: #28272c;\\">\n",
"\t\t\t\t\tChoose...\\n",
"\t\t\t\t</label>\n",
"\t\t\t\t<input type=\"file\\" name=\"image\\"
id=\"imageUpload\\" accept=\".png, .jpg, .jpeg\\">\n",
"\t\t\t</form>\n",
"\t\t</div>\n",
"\n",
"\t\t<div class=\"image-section\\"
```

```
style="display:none;\">\n",
"\t\t\t\t<div class=\"img-preview\">\n",
"\t\t\t\t<div id=\"imagePreview\">\n",
"\t\t\t\t</div>\n",
"\t\t\t\t</div>\n",
"\t\t\t\t<div>\n",
"\t\t\t\t<button type=\"button\" class=\"btn btn-info btn-lg \"\n
id=\"btn-predict\" style=\"background:\n#28272c;\">Predict!</button>\n",
"\t\t\t\t</div>\n",
"\t\t\t\t</div>\n",
"\n",
"\t\t\t<div class=\"loader\" style=\"display:none;\"></div>\n",
"\n",
"\t\t\t<h3>\n",
"\t\t\t<span id=\"result\" style=\"font-size:17px; \">\n
</span>\n",
"\t\t\t</h3>\n",
"\n",
"\t\t\t</div>\n",
"\t\t\t</div>\n",
"\t\t\t<div>\n",
"\t\t\t</div>\n",
"\t\t\t<div>\n",
"\t\t\t</div>\n",
"\t\t\t</div>\n",
"\t\t\t</div>\n",
"\t\t\t</body>\n",
"\n",
```

```
"<footer>\n",
    "<script src=\"{{ url_for('static', filename='js/main.js') }}\""
type="text/javascript"></script>  \n",
"</footer>\n",
"</html>"
],
"metadata": {
    "id": "AkTNU9_Fbnlw"
},
"execution_count": null,
"outputs": []
}
]
}
```

```
from tensorflow.keras import Sequential

In [4]: model=Sequential()

In [5]: model.add(Convolution2D(32,(3,3),input_shape = (128,128,3),activation = 'relu'))

In [6]: model.add(MaxPooling2D(pool_size = (2,2)))

In [7]: model.add(Flatten())

In [8]: model.add(Dense(units = 300 ,kernel_initializer = 'uniform',activation = 'softmax'))
model.add(Dense(units = 150 ,kernel_initializer = 'random_uniform',activation = 'softmax'))
model.add(Dense(units = 75 ,kernel_initializer = 'uniform',activation = 'softmax'))
model.add(Dense(units = 9,activation = 'softmax',kernel_initializer = 'random_uniform'))

In [9]: model.compile(loss = 'categorical_crossentropy',optimizer = "adam",metrics = ["accuracy"])

In [10]: model.fit_generator(x_train, steps_per_epoch = 10,epochs = 50,validation_data = x_test,validation_steps = 27)

C:\Users\yeshv\AppData\Roaming\Python\Python39\site-packages\tensorflow\python\keras\engine\training.py:1969: UserWarning: 'Model.fit_generator' is deprecated and will be removed in a future version. Please use 'Model.fit', which supports generators.
  warnings.warn("'Model.fit_generator' is deprecated and 'Epoch 1/50
10/10 [=====] - 18s 951ms/step - loss: 2.1955 - accuracy: 0.0855 - val_loss: 2.1932 - val_accuracy: 0.1759
Epoch 2/50
10/10 [=====] - 8s 820ms/step - loss: 2.1897 - accuracy: 0.1562 - val_loss: 2.1889 - val_accuracy: 0.2269
Epoch 3/50
10/10 [=====] - 8s 797ms/step - loss: 2.1868 - accuracy: 0.1937 - val_loss: 2.1846 - val_accuracy: 0.1829

In [5]: model.add(Convolution2D(32,(3,3),input_shape = (128,128,3),activation = 'relu'))

In [6]: model.add(MaxPooling2D(pool_size = (2,2)))

In [7]: model.add(Flatten())

In [8]: model.add(Dense(units = 40 ,kernel_initializer = 'uniform',activation = 'softmax'))
model.add(Dense(units = 20 ,kernel_initializer = 'random_uniform',activation = 'softmax'))
model.add(Dense(units = 6,activation = 'softmax',kernel_initializer = 'random_uniform'))

In [9]: model.compile(loss = 'categorical_crossentropy',optimizer = "adam",metrics = ["accuracy"])

In [10]: model.fit_generator(x_train, steps_per_epoch = 168,epochs = 3,validation_data = x_test,validation_steps = 52)

C:\Users\yeshv\AppData\Roaming\Python\Python39\site-packages\tensorflow\python\keras\engine\training.py:1969: UserWarning: 'Model.fit_generator' is deprecated and will be removed in a future version. Please use 'Model.fit', which supports generators.
  warnings.warn("'Model.fit_generator' is deprecated and 'Epoch 1/3
168/168 [=====] - 85s 505ms/step - loss: 1.7397 - accuracy: 0.3354 - val_loss: 1.7028 - val_accuracy: 0.2921
Epoch 2/3
168/168 [=====] - 49s 289ms/step - loss: 1.6798 - accuracy: 0.3341 - val_loss: 1.6693 - val_accuracy: 0.2921
Epoch 3/3
168/168 [=====] - 64s 382ms/step - loss: 1.6550 - accuracy: 0.3348 - val_loss: 1.6543 - val_accuracy: 0.2933

Out[10]:
In [14]: model.save("fruit.h5")
```

IBM

https://github.com/IBM-EPBL/IBM-Project-16743-1659621316/blob/main/PROJECT%20DEVELOPMENT%20PHASE/Delivery...

Click here to refresh... Gmail YouTube Maps Dell

89/89 [=====] - 80s 894ms/step - loss: 0.2681 - accuracy: 0.9045 - val_loss: 2218.6858 - val_accuracy: 0.3148

Save the model

In []: model.save("vegetable.h5")

Test the Model

In []:

```
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
```

In []: model=load_model("vegetable.h5")

In []:

```
img=image.load_img('/content/Dataset Plant Disease/Veg-dataset/Veg-dataset/test_set/Potato___healthy/a5050bde-febc-4931-b31d-45c9652df318___RS_HL_51.jpg')
img
```

In []:

```
x = image.img_to_array(img)
x = np.expand_dims(x, axis = 0)
```

array([[[[205., 204., 209.,
[199., 198., 203.,
[206., 205., 210.,
...,
[147., 142., 146.,
[147., 142., 146.,
[141., 136., 140.]],

IBM

https://github.com/IBM-EPBL/IBM-Project-16743-1659621316/blob/main/PROJECT%20DEVELOPMENT%20PHASE/Delivery...

Click here to refresh... Gmail YouTube Maps Dell

In []: model.save("fruit.h5")

Test the Model

In []:

```
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
```

In []: model=load_model("fruit.h5")

In []:

```
img=image.load_img('/content/Dataset Plant Disease/fruit-dataset/fruit-dataset/test/Apple___healthy/00fcfa0da-2db3-481b-b98a-9b67bb7b105c___RS_HL_776.jpg')
img
```

In []:

```
x = image.img_to_array(img)
x = np.expand_dims(x, axis = 0)
```

In []:

```
x
```

out[] array([[[[165., 153., 189.,
[165., 153., 189.,
[165., 153., 189.,
...,
[176., 170., 206.,
[176., 170., 206.,
[176., 170., 206.]],
[[164., 152., 188.],

The image shows two screenshots of a web browser window. The top screenshot displays a CSS file from GitHub, specifically 'topnav-right.css'. The bottom screenshot displays a Python script from GitHub, specifically 'predict.py'.

```
background-color: #FCAD98;
}

.topnav-right a {
    float: left;
    color: white;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
    font-size: 22px;
}

.topnav-right a:hover {
    background-color: #FF69B4;
    color: white;
}

.topnav-right a.active {
    background-color: #D0A70D;
    color: white;
}

.topnav-right {
    float: right;
    padding-right: 100px;
}
style>
head>
<body>

<!--Brian Tracy-->

<div class="header">
<div style="width:50%;float:left;font-size:2vw;text-align:left;color:white; padding-top:1%;padding-left:5%;">Plant Disease Prediction</div>
<div class="topnav-right" style="padding-top:0.5%;>

    <a class="active" href="E:\Plant Disease\flask\template\home.html">Home<a>
    <a href="E:\Plant Disease\flask\template\predict.html">Predict<a>

```

```
model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
model.add(Dense(9,activation='softmax'))
Train and save the model

Compile the model

model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])

Fix the model

model.fit(x_train,steps_per_epoch=168,validation_data=x_test,validation_steps=52,epochs=3)
Epoch 1/3
168/168 [=====] - 145s 861ms/step - loss: 1.9705 - accuracy: 0.4804 - val_loss: 694.4424 - val_accuracy: 0.2668
Epoch 2/3
168/168 [=====] - 140s 830ms/step - loss: 0.7669 - accuracy: 0.7321 - val_loss: 1121.5676 - val_accuracy: 0.2230
Epoch 3/3
168/168 [=====] - 136s 810ms/step - loss: 0.5643 - accuracy: 0.8034 - val_loss: 1416.2469 - val_accuracy: 0.2019
Save the model

model.save("fruit.h5")
Test the Model

from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
model=load_model("fruit.h5")
img=image.load_img('/content/Dataset Plant Disease/fruit-dataset/fruit-dataset/test/Apple___healthy/00fcda0da-2db3-481b-b98a-9b67bb7b105c___RS_HL 776
img

x = image.img_to_array(img)
x = np.expand_dims(x, axis = 0)
x
array([[[[165., 153., 189.],
       [165., 153., 189.],
       [165., 153., 189.],
       ...,
       [176., 170., 206.],
       ...,
       ...]]])
```

GITHUB AND PROJECT DEMO LINK

GITHUB LINK:

<https://github.com/IBM-EPBL/IBM-Project-16743-1659621316>

PROJECT DEMO LINK:

https://drive.google.com/drive/folders/174zHfXGuyKZndKktAyz5Kfrm2gT6_eEp