



```
nisarg@nisarg-Alienware-A51m: ~/data/assignments/ias/a1/2020202012_lab1
nisarg@nisarg-Alienware-A51m: ~/data/assignments/ias/a1/2020202012_lab1 101x55
nisarg@nisarg-Alienware-A51m:~/data/assignments/ias/a1/2020202012_lab1$ python3 server.py
socket created
Bind info : 127.0.0.1:50003
Listen success

New Thread created, Thread-count:1
```



```
nisarg@nisarg-Alienware-A51m: ~/data/assignments/ias/a1/2020202012_lab1
nisarg@nisarg-Alienware-A51m: ~/data/assignments/ias/a1/2020202012_lab1 101x55
nisarg@nisarg-Alienware-A51m:~/data/assignments/ias/a1/2020202012_lab1$ python3 server.py
socket created
Bind info : 127.0.0.1:50003
Listen success
```

```
New Thread created, Thread-count:1
Connection addr : ('127.0.0.1', 48280)
New Thread created, Thread-count:2
Connection addr : ('127.0.0.1', 48282)
New Thread created, Thread-count:3
File: /site2/p.pdf
```



```
nisarg@nisarg-Alienware-A51m: ~/data/assignments/ias/a1/2020202012_lab1
nisarg@nisarg-Alienware-A51m: ~/data/assignments/ias/a1/2020202012_lab1 101x55
nisarg@nisarg-Alienware-A51m:~/data/assignments/ias/a1/2020202012_lab1$ python3 server.py
socket created
Bind info : 127.0.0.1:50003
Listen success

New Thread created, Thread-count:1
Connection addr : ('127.0.0.1', 48280)
New Thread created, Thread-count:2
Connection addr : ('127.0.0.1', 48282)
New Thread created, Thread-count:3
File: /site2/p.pdf
```

