

# **A Project Report On** **Horticulture Management System**

Made By:

IT-115 Pipaliya Nisarg

IT-123 Salodiya Snehal

IT-125 Sangani Kevin

Guided By

Prof. Shweta Jambukia

Department of Information Technology  
Faculty of Technology  
DD University



## **CERTIFICATE**

This is to certify that the project entitled “Horticulture Management system” is a bonafide report of the work carried out by:

- 1)Pipaliya Nisarg-21ITUES081
- 2)Sangani Kevin-21ITUOS067
- 3)Salodiya Snehal-21CHUOT152

of Department of Information Technology, semester IV, under the guidance and supervision for the subject Database Management System. They were involved in Project training during the academic year 2022-2023.

Prof. Shweta Jambukia  
Project Guide, Department of Information Technology,  
Faculty of Technology,  
Dharmsinh Desai University, Nadiad  
Date:/03/2023

Prof. Vipul Dabhi  
Head, Department of Information Technology

## **1.Project Overview**


Horticulture management system.

Our goal was to design a management system for a firm which was providing skilled labors, tool, medicines, etc things to the farmers who want a helping hand in managing their farm and in return they get the rent which they have decided.

Here we have only considered Fruits, Flowers and Berries and we can refer the farm/land where any of this three grows as “Garden” so we refer it as garden throughout the whole file.

This system helps in analyzing that which crop/produce was mostly chosen by the farmer or which is the most useful tool or multipurpose tool, which produce gives us maximum profit or which kind of disease is common among plants and around which period.

## 2.ER-Diagram



## 3.Data Dictionary

### 1.Address:

```
postgres=# \d address;
          Table "public.address"
  Column |          Type          | Collation | Nullable | Default
-----|-----|-----|-----|-----
aid      | integer                |           | not null |
block    | character varying(10)  |           | not null |
street   | character varying(25)  |           | not null |
locality | character varying(30)  |           |          |
city     | character varying(25)  |           | not null |
pincode  | integer                |           | not null |
state    | character varying(25)  |           | not null |
country  | character varying(25)  |           | not null |
Indexes:
    "address_pkey" PRIMARY KEY, btree (aid)
Check constraints:
    "address_pincode_check" CHECK (pincode <= 999999 AND pincode >= 100000)
Referenced by:
    TABLE "customer" CONSTRAINT "customer_aid_fkey" FOREIGN KEY (aid) REFERENCES address(aid)
    TABLE "employee" CONSTRAINT "employee_aid_fkey" FOREIGN KEY (aid) REFERENCES address(aid)
```

### 2.Customers

```
postgres=# \d customer;
          Table "public.customer"
  Column |          Type          | Collation | Nullable | Default
-----|-----|-----|-----|-----
cid      | integer                |           | not null |
name     | character varying(30)  |           | not null |
aid      | integer                |           | not null |
Indexes:
    "customer_pkey" PRIMARY KEY, btree (cid)
Foreign-key constraints:
    "customer_aid_fkey" FOREIGN KEY (aid) REFERENCES address(aid)
Referenced by:
    TABLE "orders" CONSTRAINT "orders_cid_fkey" FOREIGN KEY (cid) REFERENCES customer(cid)
```

### 3.Employees

```
postgres=# \d employee;
          Table "public.employee"
  Column |          Type          | Collation | Nullable | Default
-----|-----|-----|-----|-----
eid      | integer                |           | not null |
name     | character varying(30)  |           | not null |
mno      | numeric(10,0)           |           | not null |
salary   | integer                |           | not null |
aid      | integer                |           |          |
Indexes:
    "employee_pkey" PRIMARY KEY, btree (eid)
Foreign-key constraints:
    "employee_aid_fkey" FOREIGN KEY (aid) REFERENCES address(aid)
Referenced by:
    TABLE "manager" CONSTRAINT "manager_mid_fkey" FOREIGN KEY (mid) REFERENCES employee(eid)
```

## 4. Manager

```
postgres=# \d manager;
          Table "public.manager"
  Column | Type   | Collation | Nullable | Default
-----+-----+-----+-----+-----
 mid    | integer |           | not null |
Indexes:
    "manager_pkey" PRIMARY KEY, btree (mid)
Foreign-key constraints:
    "manager_mid_fkey" FOREIGN KEY (mid) REFERENCES employee(eid)
Referenced by:
    TABLE "manages" CONSTRAINT "manages_mid_fkey" FOREIGN KEY (mid) REFERENCES manager(mid)
```

## 5. Manages

```
postgres=# \d manages;
          Table "public.manages"
  Column | Type   | Collation | Nullable | Default
-----+-----+-----+-----+-----
 mid    | integer |           | not null |
 pid    | integer |           | not null |
Foreign-key constraints:
    "manages_mid_fkey" FOREIGN KEY (mid) REFERENCES manager(mid)
    "manages_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
```

## 6. Orders

```
postgres=# \d orders;
          Table "public.orders"
  Column | Type   | Collation | Nullable | Default
-----+-----+-----+-----+-----
 oid    | integer |           | not null |
 odate  | date   |           | not null |
 oamount | integer |           | not null |
 quantity | integer |           | not null |
 pid    | integer |           | not null |
 cid    | integer |           | not null |
Indexes:
    "orders_pkey" PRIMARY KEY, btree (oid)
Check constraints:
    "orders_oamount_check" CHECK (oamount > 0)
    "orders_quantity_check" CHECK (quantity > 0)
Foreign-key constraints:
    "orders_cid_fkey" FOREIGN KEY (cid) REFERENCES customer(cid)
    "orders_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
```

## 7. Garden Owners

```
postgres=# \d garden_owners;
               Table "public.garden_owners"
  Column      |      Type      | Collation | Nullable |      Default
-----+-----+-----+-----+-----
gid           | integer        |           | not null |
name          | character varying(30) |         | not null |
number        | character(10)   |           | not null |
duration      | integer        |           | not null |
area          | numeric(6,2)    |           | not null |
chargepermonth | integer        |           | not null |
total         | numeric(30,2)   |           |          | generated always as ((duration * chargepermonth)) stored
Indexes:
    "garden_owners_pkey" PRIMARY KEY, btree (gid)
Check constraints:
    "garden_owners_area_check" CHECK (area > 0::numeric)
    "garden_owners_chargepermonth_check" CHECK (chargepermonth > 0)
    "garden_owners_duration_check" CHECK (duration > 0 AND duration < 13)
    "garden_owners_number_check" CHECK (length(number) = 10)
Referenced by:
    TABLE "owns" CONSTRAINT "owns_gid_fkey" FOREIGN KEY (gid) REFERENCES garden_owners(gid)
```

## 8. Owns

```
postgres=# \d owns;
               Table "public.owns"
  Column | Type | Collation | Nullable | Default
-----+-----+-----+-----+-----
gid      | integer |         | not null |
pid      | integer |         | not null |
Foreign-key constraints:
    "owns_gid_fkey" FOREIGN KEY (gid) REFERENCES garden_owners(gid)
    "owns_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
```

## 9. Tools

```
postgres=# \d tools;
               Table "public.tools"
  Column |      Type      | Collation | Nullable | Default
-----+-----+-----+-----+-----
tid      | integer        |           | not null |
name     | character varying(20) |         | not null |
mode     | character varying(15) |         | not null |
price    | integer        |           | not null |
Indexes:
    "tools_pkey" PRIMARY KEY, btree (tid)
Referenced by:
    TABLE "used_for" CONSTRAINT "used_for_tid_fkey" FOREIGN KEY (tid) REFERENCES tools(tid)
```

## 10.Seasons

```
postgres=# \d seasons;
Did not find any relation named "seasons".
postgres=# \d season;
              Table "public.season"
  Column |      Type      | Collation | Nullable | Default
-----+-----+-----+-----+-----
  seid   | integer         |           | not null |
  name   | character varying(10) |         | not null |
Indexes:
    "season_pkey" PRIMARY KEY, btree (seid)
Referenced by:
    TABLE "berries" CONSTRAINT "berries_seid_fkey" FOREIGN KEY (seid) REFERENCES season(seid)
    TABLE "flowers" CONSTRAINT "flowers_seid_fkey" FOREIGN KEY (seid) REFERENCES season(seid)
    TABLE "fruits_n" CONSTRAINT "fruits_n_seid_fkey" FOREIGN KEY (seid) REFERENCES season(seid)
    TABLE "fruits" CONSTRAINT "fruits_seid_fkey" FOREIGN KEY (seid) REFERENCES season(seid)
    TABLE "product" CONSTRAINT "product_seid_fkey" FOREIGN KEY (seid) REFERENCES season(seid)
```

## 11.Tools

```
postgres=# \d tools;
              Table "public.tools"
  Column |      Type      | Collation | Nullable | Default
-----+-----+-----+-----+-----
  tid     | integer         |           | not null |
  name    | character varying(20) |         | not null |
  mode    | character varying(15) |         | not null |
  price   | integer         |           | not null |
Indexes:
    "tools_pkey" PRIMARY KEY, btree (tid)
Referenced by:
    TABLE "used_for" CONSTRAINT "used_for_tid_fkey" FOREIGN KEY (tid) REFERENCES tools(tid)
```

## 12.Used for

```
postgres=# \d used_for;
              Table "public.used_for"
  Column | Type | Collation | Nullable | Default
-----+-----+-----+-----+-----
  tid     | integer |         | not null |
  pid     | integer |         | not null |
Foreign-key constraints:
    "used_for_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    "used_for_tid_fkey" FOREIGN KEY (tid) REFERENCES tools(tid)
```

## 13.Product

```
postgres=# \d product;
              Table "public.product"
  Column | Type | Collation | Nullable | Default
-----+-----+-----+-----+-----
  pid    | integer |         | not null |
  seid   | integer |         |          |
Indexes:
    "product_pkey" PRIMARY KEY, btree (pid)
Foreign-key constraints:
    "product_seid_fkey" FOREIGN KEY (seid) REFERENCES season(seid)
Referenced by:
    TABLE "berries" CONSTRAINT "berries_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    TABLE "disease" CONSTRAINT "disease_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    TABLE "flowers" CONSTRAINT "flowers_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    TABLE "fruits_n" CONSTRAINT "fruits_n_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    TABLE "fruits" CONSTRAINT "fruits_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    TABLE "manages" CONSTRAINT "manages_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    TABLE "orders" CONSTRAINT "orders_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    TABLE "owns" CONSTRAINT "owns_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    TABLE "used_for" CONSTRAINT "used_for_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
```



## 14. Fruits

```
postgres=# \d fruits;
          Table "public.fruits"
  Column |          Type          | Collation | Nullable | Default
-----+-----+-----+-----+-----
 pid     | integer                |           | not null |
 name    | character varying(25)  |           | not null |
 seid    | integer                |           |          |
Indexes:
    "fruits_pkey" PRIMARY KEY, btree (pid)
Foreign-key constraints:
    "fruits_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    "fruits_seid_fkey" FOREIGN KEY (seid) REFERENCES season(seid)
```

## 15. Flowers

```
postgres=# \d flowers;
          Table "public.flowers"
  Column |          Type          | Collation | Nullable | Default
-----+-----+-----+-----+-----
 pid     | integer                |           | not null |
 name    | character varying(25)  |           | not null |
 habitate | character varying(10)  |           | not null |
 seid    | integer                |           | not null |
Indexes:
    "flowers_pkey" PRIMARY KEY, btree (pid)
Foreign-key constraints:
    "flowers_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    "flowers_seid_fkey" FOREIGN KEY (seid) REFERENCES season(seid)
```

## 16. Berries

```
postgres=# \d berries;
          Table "public.berries"
  Column |          Type          | Collation | Nullable | Default
-----+-----+-----+-----+-----
 pid     | integer                |           | not null |
 name    | character varying(25)  |           | not null |
 seid    | integer                |           | not null |
Indexes:
    "berries_pkey" PRIMARY KEY, btree (pid)
Foreign-key constraints:
    "berries_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
    "berries_seid_fkey" FOREIGN KEY (seid) REFERENCES season(seid)
```

## 17. Disease

```
postgres=# \d disease;
          Table "public.disease"
  Column |          Type          | Collation | Nullable | Default
-----+-----+-----+-----+-----
 did     | integer                |           | not null |
 name    | character varying(25)  |           | not null |
 pid     | integer                |           | not null |
Indexes:
    "disease_pkey" PRIMARY KEY, btree (did)
Foreign-key constraints:
    "disease_pid_fkey" FOREIGN KEY (pid) REFERENCES product(pid)
Referenced by:
    TABLE "medicine" CONSTRAINT "medicine_did_fkey" FOREIGN KEY (did) REFERENCES disease(did)
```

## 4.Implementation

SCHEMAS:

```
CREATE TABLE ADDRESS(  
  AID INTEGER PRIMARY KEY,  
  BLOCK VARCHAR(10) NOT NULL,  
  STREET VARCHAR(25) NOT NULL,  
  LOCALITY VARCHAR(30) ,  
  CITY VARCHAR(25) NOT NULL,  
  PINCODE INTEGER NOT NULL CHECK(PINCODE <= 999999 AND PINCODE >=100000),  
  STATE VARCHAR(25) NOT NULL,  
  COUNTRY VARCHAR(25) NOT NULL  
);
```

```
CREATE TABLE SEASON (  
  seid INTEGER PRIMARY KEY,  
  name VARCHAR(10) NOT NULL  
);
```

```
CREATE TABLE EMPLOYEE (  
  EID INTEGER PRIMARY KEY,  
  NAME VARCHAR(30) NOT NULL,  
  MNO numeric(10) NOT NULL,  
  SALARY INTEGER NOT NULL,  
  AID INTEGER references ADDRESS(AID)  
);
```

```
CREATE TABLE TOOLS(  
  TID INTEGER PRIMARY KEY,  
  NAME VARCHAR(20) NOT NULL,  
  mode VARCHAR(15) not NULL,  
  price INTEGER not NULL  
);
```

```
CREATE TABLE PRODUCT(  
  PID INTEGER PRIMARY KEY,  
  SEID INTEGER references SEASON(SEID)  
);
```

```
CREATE TABLE DISEASE(  
  DID INTEGER PRIMARY KEY,  
  NAME VARCHAR(25) NOT NULL,  
  PID INTEGER references PRODUCT(PID) NOT NULL);
```

```
CREATE TABLE MEDICINE(  
  NAME VARCHAR(25) NOT NULL,  
  COST INTEGER NOT NULL,  
  COMPANY VARCHAR(25) NOT NULL,  
  DID INTEGER references DISEASE(DID)  
);
```

```
CREATE TABLE FRUITS(  
  PID INTEGER references PRODUCT(PID) PRIMARY KEY,  
  NAME VARCHAR(25) NOT NULL,  
  SEID INTEGER references SEASON(SEID)  
);
```

```
CREATE TABLE FLOWERS(  
  PID INTEGER references PRODUCT(PID) PRIMARY KEY,  
  NAME VARCHAR(25) NOT NULL,  
  HABITATE VARCHAR(10) NOT NULL,  
  SEID INTEGER references SEASON(SEID) NOT NULL  
);
```

```
CREATE TABLE BERRIES(  
  PID INTEGER references PRODUCT(PID) PRIMARY KEY,  
  NAME VARCHAR(25) NOT NULL,  
  SEID INTEGER references SEASON(SEID) NOT NULL  
);
```

```
CREATE TABLE MANAGER(  
  MID INTEGER references EMPLOYEE(EID) PRIMARY KEY  
);
```

```
CREATE TABLE MANAGES(  
  MID INTEGER references MANAGER(MID) NOT NULL,  
  PID INTEGER references PRODUCT(PID) NOT NULL  
);
```

```

CREATE TABLE CUSTOMER(
  CID INTEGER PRIMARY KEY,
  NAME VARCHAR(30) NOT NULL,
  AID INTEGER references ADDRESS(AID) NOT NULL
);

CREATE TABLE USED_FOR(
  TID INTEGER references TOOLS(TID) NOT NULL,
  PID INTEGER references PRODUCT(PID) NOT NULL
);

CREATE TABLE GARDEN_OWNERS(
  GID INTEGER PRIMARY KEY,
  NAME VARCHAR(30) NOT NULL,
  number char(10) NOT NULL CHECK(LENGTH(number) =10),
  DURATION INTEGER NOT NULL CHECK(DURATION >0 AND DURATION <13),
  AREA numeric(6,2) NOT NULL CHECK (AREA > 0),
  CHARGEPERMONTH INTEGER NOT NULL CHECK(CHARGEPERMONTH > 0),
  TOTAL numeric(30,2) GENERATED ALWAYS AS (DURATION * CHARGEPERMONTH) STORED
);

CREATE TABLE OWNS(
  GID INTEGER references GARDEN_OWNERS(GID) NOT NULL,
  PID INTEGER references PRODUCT(PID) NOT NULL
);

CREATE TABLE ORDERS(
  OID INTEGER PRIMARY KEY,
  ODATE DATE NOT NULL,
  OAMOUNT INTEGER NOT NULL CHECK (OAMOUNT > 0),
  QUANTITY INTEGER NOT NULL CHECK(QUANTITY > 0),
  PID INTEGER references PRODUCT(PID) NOT NULL,
  CID INTEGER references CUSTOMER(CID) NOT NULL
);

```

## Data Insertion:

```
INSERT INTO address (aid, block, street, locality, city, pincode, state, country)
VALUES
```

```
(1, 123, 'Main Street', 'XYZ Colony', 'Mumbai', 400000, 'Maharashtra', 'India'),
(2, 456, 'Park Avenue', 'ABC Nagar', 'Delhi', 110001, 'Delhi', 'India'),
(3, 789, 'Ocean Drive', 'LMN Society', 'Goa', 403001, 'Goa', 'India'),
(4, 987, 'River Road', 'PQR Colony', 'Chennai', 600000, 'Tamil Nadu', 'India'),
(5, 654, 'Mountain View', 'STU Nagar', 'Hyderabad', 500032, 'Telangana', 'India'),
(6, 321, 'Desert Drive', 'VWX Society', 'Jaipur', 302001, 'Rajasthan', 'India'),
(7, 741, 'Highway Road', 'YZ Colony', 'Kolkata', 700064, 'West Bengal', 'India'),
(8, 852, 'Beach Drive', 'AB Society', 'Vishakapatnam', 530001, 'Andhra Pradesh', 'India'),
(9, 963, 'Meadow Lane', 'CD Nagar', 'Lucknow', 226001, 'Uttar Pradesh', 'India'),
(10, 147, 'Forest Road', 'EF Colony', 'Bengaluru', 560001, 'Karnataka', 'India'),
(11, 256, 'Sunset Boulevard', 'GHI Nagar', 'Pune', 411001, 'Maharashtra', 'India'),
(12, 369, 'Rainbow Road', 'JKL Society', 'Ahmedabad', 380009, 'Gujarat', 'India'),
(13, 159, 'River Bank', 'MNO Colony', 'Surat', 395007, 'Gujarat', 'India'),
(14, 753, 'Mountain Trail', 'PQR Nagar', 'Nagpur', 440018, 'Maharashtra', 'India'),
(15, 951, 'Valley View', 'STU Society', 'Indore', 452001, 'Madhya Pradesh', 'India'),
(16, 864, 'Desert Mirage', 'VWX Colony', 'Bhopal', 462001, 'Madhya Pradesh', 'India'),
(17, 729, 'Highway Hill', 'YZ Nagar', 'Chandigarh', 160017, 'Chandigarh', 'India'),
(18, 638, 'Beach Shore', 'AB Society', 'Dehradun', 248001, 'Uttarakhand', 'India'),
(19, 547, 'Meadow Fields', 'CD Nagar', 'Patna', 800001, 'Bihar', 'India'),
(20, 456, 'Forest Glade', 'EF Colony', 'Ranchi', 834001, 'Jharkhand', 'India');
```

```
INSERT INTO customer (cid, name, aid)
VALUES
```

```
(101, 'John Doe', 2),
(102, 'Jane Smith', 1),
(103, 'Bob Brown', 3),
(104, 'Alice Smith', 5),
(105, 'Tom Jones', 4),
(106, 'Sarah Johnson', 6),
(107, 'Michael Davis', 7),
(108, 'Emily Martinez', 8),
(109, 'William Anderson', 9)
;
```

```
INSERT INTO season (seid, name)
VALUES
```

```
(1, 'Spring'),
(2, 'Summer'),
(3, 'Autumn'),
(4, 'Winter'),
(5, 'Monsoon'),
(6, 'nse');
```

```
INSERT INTO employee (eid, name, mno, salary, aid)
VALUES
```

```
(201, 'John Doe', '9876543210', 50000, 10),
(202, 'Jane Doe', '9765432100', 60000, 11),
(203, 'Jim Smith', '9567432100', 70000, 12),
(204, 'Emily Brown', '9234567890', 80000, 13),
(205, 'Michael Johnson', '9632147850', 90000, 14),
(206, 'Emily Davis', '9087654321', 55000, 15),
(207, 'William Wilson', '9867123456', 65000, 16),
(208, 'Daniel Brown', '9561237890', 75000, 17),
(209, 'David Anderson', '9461237890', 85000, 18),
(210, 'Richard Wilson', '9741503698', 95000, 19);
```

```
INSERT INTO tools (tid, name, mode, price)
VALUES
```

```
(301, 'Lawn Mower', 'Manual', 1000),
(302, 'Pruning Shears', 'Manual', 100),
(303, 'Hedge Trimmer', 'Electric', 1500),
(304, 'Leaf Blower', 'Gas', 2000),
(305, 'Garden Trowel', 'Manual', 50),
(306, 'Garden Hoe', 'Manual', 75),
(307, 'Garden Rake', 'Manual', 80),
(308, 'Wheelbarrow', 'Manual', 300),
(309, 'Gardening Gloves', 'Manual', 20),
(310, 'Watering Can', 'Manual', 25),
(311, 'Garden Shovel', 'Manual', 75),
(312, 'Tree Pruner', 'Manual', 200),
(313, 'Garden Scissors', 'Manual', 60),
(314, 'Soil Knife', 'Manual', 40),
(315, 'Garden Spade', 'Manual', 90);
```

```
INSERT INTO product (pid, seid)
VALUES
```

```
(401, 1),
(402, 2),
(403, 3),
(404, 4),
(405, 5),
(406, 1),
(407, 2),
(408, 3),
(409, 4),
(410, 5),
(411, 1),
(412, 2),
(413, 3),
(414, 4),
(415, 5),
(416, 1),
(417, 2),
(418, 3),
(419, 4),
(420, 5);
```

```
INSERT INTO disease (did, name, pid)
VALUES
```

```
(501, 'Blackspot', 402),
(502, 'Powdery Mildew', 402),
(503, 'Rust', 403),
(504, 'Leaf Spot', 404),
(505, 'Bacterial Wilt', 405),
(506, 'Late Blight', 406),
(507, 'Downy Mildew', 407),
(508, 'Verticillium Wilt', 408),
(509, 'Fusarium Wilt', 409),
(510, 'Clubroot', 410),
(511, 'Root Rot', 411),
(512, 'Crown Rot', 412),
(513, 'Aphid Infestation', 413),
(514, 'Spider Mite Infestation', 414),
(515, 'Thrips Infestation', 415),
(516, 'Whitefly Infestation', 415),
(517, 'Blossom End Rot', 417),
(518, 'Fire Blight', 418),
(519, 'Scab', 419),
(520, 'Verticillium Wilt', 420),
```

```
(521, 'Damping Off', 411),  
(522, 'Virus Infection', 412);
```

```
INSERT INTO medicine (name, cost, company, did)  
VALUES
```

```
('Amoxicillin', 15, 'XYZ Laboratories', 501),  
( 'Metronidazole', 20, 'PQR Inc.', 502),  
( 'Ciprofloxacin', 25, 'DEF Corp', 503),  
( 'Clindamycin', 30, 'GHI Enterprises', 504),  
( 'Azithromycin', 35, 'JKL Ltd', 505),  
( 'Erythromycin', 40, 'MNO Inc', 506),  
( 'Doxycycline', 45, 'STU Enterprises', 507),  
( 'Minocycline', 50, 'VWX Pvt Ltd', 508),  
( 'Tetracycline', 55, 'YZ Company', 509),  
( 'Levofloxacin', 60, 'ABC Limited', 510),  
( 'Linezolid', 65, 'DEF Pvt Ltd', 511),  
( 'Nitrofurantoin', 70, 'GHI Corp', 512),  
( 'Penicillin', 75, 'JKL Inc', 513),  
( 'Sulfamethoxazole', 80, 'MNO Laboratories', 514),  
( 'Trimethoprim', 85, 'PQR Enterprises', 515),  
( 'Cefuroxime', 90, 'STU Corp', 516),  
( 'Cefpodoxime', 95, 'VWX Ltd', 517),  
( 'Cefixime', 100, 'YZ Pvt Ltd', 518),  
( 'Ceftriaxone', 105, 'ABC Limited', 519),  
( 'Ceftazidime', 110, 'DEF Enterprises', 520);
```

```
INSERT INTO FRUITS (PID, NAME, SEID)VALUES
```

```
(401, 'Apple', 4),  
(402, 'Banana', 6),  
(403, 'Mango', 2),  
(404, 'Papaya', 2),  
(405, 'Grapes', 4),  
(420, 'Watermelon', 2);
```

```
INSERT INTO FLOWERS (PID, NAME, HABITATE, SEID)VALUES
```

```
(411, 'Rose', 'Garden', 5),  
(412, 'Marigold', 'Wild', 3),  
(413, 'Hibiscus', 'Tropical', 4),  
(414, 'Jasmin', 'Temperate', 2),  
(415, 'Lotus', 'Woodland', 2);
```



```
INSERT INTO BERRIES (PID,NAME,SEID) VALUES
(406,'Blackberry',5),
(407,'Blueberry',3),
(408,'Craneberry',1),
(409,'Avocado',1),
(410,'Tayberry',4),
(416,'Strawberry',4),
(417,'Raspberry',2),
(418,'Lychee',2),
(419,'abcberry',5);
```

```
INSERT INTO MANAGER (MID) VALUES
(210),
(209),
(208);
```

```
INSERT INTO MANAGES(MID,PID) VALUES
(210,401),
(210,411),
(208,416),
(209,417),
(210,402),
(209,403),
(210,404),
(208,405),
(209,406),
(209,407),
(208,408),
(209,409),
(210,410),
(208,412),
(208,413),
(210,414),
(210,415),
(209,418),
(209,419),
(208,420);
```

```
INSERT INTO USED_FOR(TID,PID) VALUES
(301,411),
(303,412),
(302,413),
(301,414),
(302,401),
(305,402),
```

```
(303,403),
(305,404),
(304,405),
(306,412),
(310,417),
(310,420),
(315,410),
(313,417),
(314,418);
```

```
insert into GARDEN_OWNERS(gid, name, number,DURATION, AREA, CHARGEPERMONTH)
VALUES
```

```
(101, 'Nisarg', 999999999, 12,50,50000),
(102, 'Snehal', 999899999, 10,22,5000),
(103, 'Akshay', 9999999989, 6,100,100000),
(104, 'ABC', 999999999, 12,120,80000),
(105, 'XYZ', 999999999, 5,500,125000);
```

```
insert into owns(gid, pid) VALUES
```

```
(101,402),
(101,405),
(102,412),
(103,415),
(103,404),
(104,405),
(105,420);
```

```
insert into ORDERS(oid, odate, oamount, QUANTITY,pid, cid) VALUES
```

```
(201, '2023-02-09', 20000,12, 402, 101),
(202, '2023-02-14', 29000,50, 405, 102),
(203, '2023-02-15', 1000,3, 412, 105),
(204, '2023-02-10', 89000,50, 415, 107),
(205, '2023-02-12', 36000,23, 420, 106),
(206, '2023-01-10', 96000,100,415,109);
```

## Inserted Data:

### 1.Address

```
postgres=# select * from address;
 aid | block | street      | locality | city      | pincode | state      | country
-----+-----+-----+-----+-----+-----+-----+-----
  1 | 123 | Main Street | XYZ Colony | Mumbai    | 400000 | Maharashtra | India
  2 | 456 | Park Avenue | ABC Nagar | Delhi     | 110001 | Delhi       | India
  3 | 789 | Ocean Drive | LMN Society | Goa       | 403001 | Goa         | India
  4 | 987 | River Road | PQR Colony | Chennai   | 600000 | Tamil Nadu  | India
  5 | 654 | Mountain View | STU Nagar | Hyderabad | 500032 | Telangana   | India
  6 | 321 | Desert Drive | VWX Society | Jaipur    | 302001 | Rajasthan   | India
  7 | 741 | Highway Road | YZ Colony | Kolkata   | 700064 | West Bengal | India
  8 | 852 | Beach Drive | AB Society | Vishakapatnam | 530001 | Andhra Pradesh | India
  9 | 963 | Meadow Lane | CD Nagar | Lucknow   | 226001 | Uttar Pradesh | India
 10 | 147 | Forest Road | EF Colony | Bengaluru | 560001 | Karnataka   | India
 11 | 256 | Sunset Boulevard | GHI Nagar | Pune      | 411001 | Maharashtra | India
 12 | 369 | Rainbow Road | JKL Society | Ahmedabad | 380009 | Gujarat     | India
 13 | 159 | River Bank | MNO Colony | Surat     | 395007 | Gujarat     | India
 14 | 753 | Mountain Trail | PQR Nagar | Nagpur    | 440018 | Maharashtra | India
 15 | 951 | Valley View | STU Society | Indore    | 452001 | Madhya Pradesh | India
 16 | 864 | Desert Mirage | VWX Colony | Bhopal    | 462001 | Madhya Pradesh | India
 17 | 729 | Highway Hill | YZ Nagar | Chandigarh | 160017 | Chandigarh  | India
 18 | 638 | Beach Shore | AB Society | Dehradun  | 248001 | Uttarakhand | India
 19 | 547 | Meadow Fields | CD Nagar | Patna     | 800001 | Bihar       | India
 20 | 456 | Forest Glade | EF Colony | Ranchi    | 834001 | Jharkhand   | India
(20 rows)
```

### 2.Products

```
postgres=# select * from product;
 pid | seid
-----+-----
 401 | 1
 402 | 2
 403 | 3
 404 | 4
 405 | 5
 406 | 1
 407 | 2
 408 | 3
 409 | 4
 410 | 5
 411 | 1
 412 | 2
 413 | 3
 414 | 4
 415 | 5
 416 | 1
 417 | 2
 418 | 3
 419 | 4
 420 | 5
(20 rows)
```

### 3.Season

```
postgres=# select * from season;
 seid | name
-----+-----
  1 | Spring
  2 | Summer
  3 | Autumn
  4 | Winter
  5 | Monsoon
  6 | nse
(6 rows)
```

## 4. Berries

```
postgres=# select * from berries;
 pid |   name   | seid
-----+-----+-----
 406 | Blackberry | 5
 407 | Blueberry  | 3
 408 | Craneberry | 1
 409 | Avocado    | 1
 410 | Tayberry   | 4
 416 | Strawberry | 4
 417 | Raspberry  | 2
 418 | Lychee     | 2
 419 | abcberry   | 5
(9 rows)
```

## 5. Flowers

```
postgres=# select * from flowers;
 pid |   name   | habitate | seid
-----+-----+-----+-----
 411 | Rose      | Garden   | 5
 412 | Marigold  | Wild     | 3
 413 | Hibiscus  | Tropical | 4
 414 | Jasmin    | Temperate | 2
 415 | Lotus     | Woodland | 2
(5 rows)
```

## 6. Fruits

```
postgres=# select * from fruits;
 pid |   name   | seid
-----+-----+-----
 401 | Apple     | 4
 402 | Banana    | 6
 403 | Mango     | 2
 404 | Papaya    | 2
 405 | Grapes    | 4
 420 | Watermelon | 2
(6 rows)
```

## 7. Customers

```
postgres=# select * from customer;
 cid |   name   | aid
-----+-----+-----
 101 | John Doe  | 2
 102 | Jane Smith | 1
 103 | Bob Brown | 3
 104 | Alice Smith | 5
 105 | Tom Jones | 4
 106 | Sarah Johnson | 6
 107 | Michael Davis | 7
 108 | Emily Martinez | 8
 109 | William Anderson | 9
(9 rows)
```

## 8.Disease

```
postgres=# select * from disease;
 did |      name      | pid
-----+-----+-----
 501 | Blackspot      | 402
 502 | Powdery Mildew | 402
 503 | Rust           | 403
 504 | Leaf Spot      | 404
 505 | Bacterial Wilt | 405
 506 | Late Blight    | 406
 507 | Downy Mildew   | 407
 508 | Verticillium Wilt | 408
 509 | Fusarium Wilt  | 409
 510 | Clubroot       | 410
 511 | Root Rot       | 411
 512 | Crown Rot      | 412
 513 | Aphid Infestation | 413
 514 | Spider Mite Infestation | 414
 515 | Thrips Infestation | 415
 516 | Whitefly Infestation | 415
 517 | Blossom End Rot | 417
 518 | Fire Blight    | 418
 519 | Scab           | 419
 520 | Verticillium Wilt | 420
 521 | Damping Off    | 411
 522 | Virus Infection | 412
(22 rows)
```

## 9.Employees

```
postgres=# select * from employee;
 eid |      name      | mno | salary | aid
-----+-----+-----+-----+-----
 201 | John Doe       | 9876543210 | 50000 | 10
 202 | Jane Doe       | 9765432100 | 60000 | 11
 203 | Jim Smith      | 9567432100 | 70000 | 12
 204 | Emily Brown    | 9234567890 | 80000 | 13
 205 | Michael Johnson | 9632147850 | 90000 | 14
 206 | Emily Davis    | 9087654321 | 55000 | 15
 207 | William Wilson | 9867123456 | 65000 | 16
 208 | Daniel Brown   | 9561237890 | 75000 | 17
 209 | David Anderson | 9461237890 | 85000 | 18
 210 | Richard Wilson | 9741503698 | 95000 | 19
(10 rows)
```

## 10.Garden Owners

```
postgres=# select * from garden_owners;
 gid | name | number | duration | area | chargepermonth | total
-----+-----+-----+-----+-----+-----+-----
 101 | Nisarg | 9999999999 | 12 | 50.00 | 50000 | 600000.00
 102 | Snehal | 9998999999 | 10 | 22.00 | 5000 | 50000.00
 103 | Akshay | 9999999989 | 6 | 100.00 | 100000 | 600000.00
 104 | ABC | 9999999999 | 12 | 120.00 | 80000 | 960000.00
 105 | XYZ | 9999999999 | 5 | 500.00 | 125000 | 625000.00
(5 rows)
```

## 11.Managers

```
postgres=# select * from manager;
 mid
-----
 210
 209
 208
(3 rows)
```

## 12. Manages

```
postgres=# select * from manages;
mid | pid
-----+-----
210 | 401
210 | 411
208 | 416
209 | 417
210 | 402
209 | 403
210 | 404
208 | 405
209 | 406
209 | 407
208 | 408
209 | 409
210 | 410
208 | 412
208 | 413
210 | 414
210 | 415
209 | 418
209 | 419
208 | 420
(20 rows)
```

## 13. Medicine

```
postgres=# select * from medicine;
name | cost | company | did
-----+-----+-----+----
Amoxicillin | 15 | XYZ Laboratories | 501
Metronidazole | 20 | PQR Inc. | 502
Ciprofloxacin | 25 | DEF Corp | 503
Clindamycin | 30 | GHI Enterprises | 504
Azithromycin | 35 | JKL Ltd | 505
Erythromycin | 40 | MNO Inc | 506
Doxycycline | 45 | STU Enterprises | 507
Minocycline | 50 | VWX Pvt Ltd | 508
Tetracycline | 55 | YZ Company | 509
Levofloxacin | 60 | ABC Limited | 510
Linezolid | 65 | DEF Pvt Ltd | 511
Nitrofurantoin | 70 | GHI Corp | 512
Penicillin | 75 | JKL Inc | 513
Sulfamethoxazole | 80 | MNO Laboratories | 514
Trimethoprim | 85 | PQR Enterprises | 515
Cefuroxime | 90 | STU Corp | 516
Cefpodoxime | 95 | VWX Ltd | 517
Cefixime | 100 | YZ Pvt Ltd | 518
Ceftriaxone | 105 | ABC Limited | 519
Ceftazidime | 110 | DEF Enterprises | 520
```

## 14. Orders

```
postgres=# select * from orders;
oid | odate | oamount | quantity | pid | cid
-----+-----+-----+-----+----+----
201 | 2023-02-09 | 20000 | 12 | 402 | 101
202 | 2023-02-14 | 29000 | 50 | 405 | 102
203 | 2023-02-15 | 1000 | 3 | 412 | 105
204 | 2023-02-10 | 89000 | 50 | 415 | 107
205 | 2023-02-12 | 36000 | 23 | 420 | 106
206 | 2023-01-10 | 96000 | 100 | 415 | 109
(6 rows)
```

## 15.Owns

```
postgres=# select * from owns;
gid | pid
-----+-----
101 | 402
101 | 405
102 | 412
103 | 415
103 | 404
104 | 405
105 | 420
105 | 406
105 | 419
104 | 418
101 | 406
(11 rows)
```

## 16.Tools

```
postgres=# select * from tools;
tid | name | mode | price
-----+-----+-----+-----
301 | Lawn Mower | Manual | 1000
302 | Pruning Shears | Manual | 100
303 | Hedge Trimmer | Electric | 1500
304 | Leaf Blower | Gas | 2000
305 | Garden Trowel | Manual | 50
306 | Garden Hoe | Manual | 75
307 | Garden Rake | Manual | 80
308 | Wheelbarrow | Manual | 300
309 | Gardening Gloves | Manual | 20
310 | Watering Can | Manual | 25
311 | Garden Shovel | Manual | 75
312 | Tree Pruner | Manual | 200
313 | Garden Scissors | Manual | 60
314 | Soil Knife | Manual | 40
315 | Garden Spade | Manual | 90
(15 rows)
```

## 17.Used for

```
postgres=# select * from used_for;
tid | pid
-----+-----
301 | 411
303 | 412
302 | 413
301 | 414
302 | 401
305 | 402
303 | 403
305 | 404
304 | 405
306 | 412
310 | 417
310 | 420
315 | 410
313 | 417
314 | 418
(15 rows)
```

## QUERIES USING BASIC DBMS CONSTRUCTS

### JOIN & SUBQUERIES:

1. `select t.name from (tools t join used_for u on u.tid=t.tid)join fruits f on f.pid=u.pid;`
  - name
  - -----
  - Pruning Shears
  - Garden Trowel
  - Hedge Trimmer
  - Garden Trowel
  - Leaf Blower
  - Watering Can
2. `select e.name from (employee e join manages m ON m.mid=e.eid) where m.mid in (select m.mid from manages m join fruits f on f.pid=m.pid);`
  - name
  - -----
  - Richard Wilson
  - Richard Wilson
  - Daniel Brown
  - David Anderson
  - Richard Wilson
  - David Anderson
  - Richard Wilson
  - Daniel Brown
  - David Anderson
  - David Anderson
  - Daniel Brown
  - David Anderson
  - Richard Wilson
  - Daniel Brown
  - Daniel Brown
  - Richard Wilson
  - Richard Wilson
  - David Anderson
  - David Anderson
  - Daniel Brown
3. `select c.cid,c.name from customer c where c.name like 'J%';`



- cid | name
  - -----+-----
  - 101 | John Doe
  - 102 | Jane Smith
4. select cid,c.name from customer c where c.cid in (select cid from orders where oamount=(select max(oamount) from orders));
- cid | name
  - ----+-----
  - 109 | William Anderson
5. select c.name,o.\* from customer c join orders o on o.cid=c.cid order by odate limit 1;
- name | oid | odate | oamount | quantity | pid | cid
  - -----+---+-----+-----+-----+-----+-----
  - William Anderson | 206 | 2023-01-10 | 96000 | 100 | 415 | 109

## Queries Given by Madam:

1. select name from garden\_owners where gid in(select o.gid from owns o join berries b on o.pid=b.pid);
- name
  - -----
  - Nisarg
  - ABC
  - XYZ
2. select seid,count(\*) from product group by seid order by seid;
- seid | count
  - -----+-----
  - 1 | 4
  - 2 | 4
  - 3 | 4
  - 4 | 4
  - 5 | 4

3. select distinct e.name,t.name from (employee e join manages m ON m.mid=e.eid), (tools t join used\_for u on u.tid=t.tid)join fruits f on f.pid=u.pid where m.mid in (select m.mid from manages m join fruits f on f.pid=m.pid);

- name        |        name
- -----+-----
- Richard Wilson | Leaf Blower
- Daniel Brown   | Hedge Trimmer
- Daniel Brown   | Watering Can
- Richard Wilson | Hedge Trimmer
- Richard Wilson | Watering Can
- Richard Wilson | Garden Trowel
- David Anderson | Hedge Trimmer
- David Anderson | Leaf Blower
- Daniel Brown   | Pruning Shears
- Daniel Brown   | Garden Trowel
- Daniel Brown   | Leaf Blower
- David Anderson | Pruning Shears
- David Anderson | Watering Can
- David Anderson | Garden Trowel
- Richard Wilson | Pruning Shears