

Institute of Computer Technology
B. Tech Computer Science and Engineering

Sub: Identity and Access Management (2CSE507)

Name - Nisarg Prajapati

Branch - Cyber Security

Enrollment no. – 23162171019

Semester - 5

Class - A

Batch – 52



PRACTICAL NO:- 3

Aim:


Performing Bruteforcing using BurpSuite

Process:


1. Open Burpsuite and open a temporary project.



23162171019



2. Now, open the chromium browser from the burpsuite and search for the site you want to perform brute force on.



What's new?

Burp AI: Your personal pentesting assistant

Automatically follow up on vulnerabilities to save time, reduce blind spots, and uncover deeper insights.

[Find out more →](#)

Cut through complexity

Burp AI helps you understand unfamiliar web technologies with quick, AI-generated explanations to keep you focused on testing.

[Find out more →](#)

Recorded login method

AI recorded login

Automatically generate a recorded login sequence using AI

Use Burp to automatically generate recorded login sequences, helping you to reduce setup time and avoid scan failures.

[Find out more →](#)

AI enhancements

Choose AI-powered features to enhance your scan. Note that:

Name	Description
<input checked="" type="checkbox"/> SAC false positive reduction	Reduces false positives

Accept-Encoding

This header tells the server which content-encoding methods the client can handle. Common values include "gzip", "deflate", and "br." If you see "gzip," the client can handle compressed data, which helps reduce data size and speed up loading times. Remember, "br" is now mostly outdated, and "gzip" has often provided better compression.

Report extension project

Use APIs to create your own extensions to customize Burp's behavior.

```
#!/usr/bin/perl
# Copyright 2012-2025, PortSwigger Ltd. All rights reserved.
# This code may be used to develop new extensions,
# and may be used to extend the functionality
# of existing extensions.
# See https://portswigger.net/burp/ for more details.

package Burp::MyExtension;

use strict;
use warnings;
```

Altoro Mutual

Sign In | Contact Us | Feedback | Search

DEMO SITE ONLY

ONLINE BANKING LOGIN

PERSONAL

- Deposit Products
- Checking
- Loan Products
- Cards
- Investments & Insurance
- Other Services

SMALL BUSINESS

- Deposit Products
- Lending Services
- Cards
- Insurance
- Retirement
- Other Services

INSIDE ALTORO MUTUAL

- About Us
- Contact Us
- Locations
- Investor Relations
- Press Room
- Careers
- Subscribe

PERSONAL

Online Banking with FREE Online Bill Pay

No stamps, envelopes, or checks to write give you more time to spend on the things you enjoy.

Real Estate Financing

Fast. Simple. Professional. Whether you are preparing to buy, build, purchase land, or construct new space, let Altoro Mutual's premier real estate lenders help with financing. As a regional leader, we know the market, we understand the business, and we have the track record to prove it.

Business Credit Cards

You're always looking for ways to improve your company's bottom line. You want to be informed, improve efficiency and control expenses. Now you can do it all - with a business credit card account from Altoro Mutual.

Retirement Solutions

Retaining good employees is a tough task. See how Altoro Mutual can assist you in accomplishing this feat through effective Retirement Solutions.

Privacy and Security

The 2000 employees of Altoro Mutual are dedicated to protecting your privacy and security. We pledge to provide you with the information and resources that you need to help secure your information and keep it confidential. This is our promise.

Win a Samsung Galaxy S10 smartphone

Completing this short survey will enter you in a draw for 1 of 5 Samsung Galaxy S10 smartphones! We look forward to hearing your important feedback.

Privacy Policy | Security Statement | Server Status Check | REST API | © 2025 Altoro Mutual, Inc.


This web application is open source! [Get your copy from GitHub](#) and take advantage of advanced features

The Altoro website is published by HCL Technologies, Ltd. for the sole purpose of demonstrating the effectiveness of HCL products in detecting web application vulnerabilities and website defects. This site is not a real banking site. Similarities, if any, to third party products and/or websites are purely coincidental. This site is provided "as is" without warranty of any kind, either express or implied. HCL does not assume any risk in relation to your use of this website. For more information, please go to <https://www.hcl-software.com/privacy/>


Copyright © 2008, 2017, IBM Corporation. All rights reserved. Copyright © 2017, 2025, HCL Technologies, Ltd., All rights reserved.

23162171019

3. Go to the login page, enter the correct username and any random password.




4. Before submitting, switch to burpsuite, go to the proxy tab and turn on the intercept.




23162171019


5. Now, go back to the browser and submit the login form.




6. Now switch back to the burpsuite and click on the intercepted package.



- Right click on the content of the package and select the ‘Send to intruder’ option.



- Now go to Intruder and select the value of password and click on ‘Add \$’ to select the content for payload.



9. Choose brute forcer as payload type, select character set and the min and max length possible for the password.

Payloads

Payload position: All payload positions

Payload type: Brute forcer

Payload count: 3,125

Request count: 3,125

Payload configuration

This payload type generates payloads of specified lengths that contain all permutations of a specified character set.

Character set: nimda

Min length: 5

Max length: 5

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add

Edit

Remove

Up

Down

☐ Enabled

Rule



Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.


☒ URL-encode these characters: .\=\<>7+&*,:;"{}|^`#

23162171019


10. Now, to start brute forcing, click the ‘start attack’ button and wait for the process to finish.




11. The payload, for which the returned packet length is largest, is the correct password.



23162171019



13. And if step 12 fails, you can just login using the password through the normal way.



23162171019

