```
**INTERPRETATION OF PROBLEMENT NUTWORDS - /nichal (master)
| git may represent the nutword of th
```

```
nisch@LAPTOP-OV8BAUER MINGW64 ~/nischal (master)

§ git clone https://github.com/sanjanadinesh-code/calculator_using_htmlcssjs-.git

Cloning into 'calculator_using_htmlcssjs-'...
remote: Enumerating objects: 100% (6/6), done.
remote: Counting objects: 100% (4/4), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0

Receiving objects: 100% (6/6), done.

nisch@LAPTOP-OV8BAUER MINGW64 ~/nischal (master)

§ git clone -b feature https://github.com/sanjanadinesh-code/calculator_using_htmlcssjs-.git
fatal: destination path 'calculator_using_htmlcssjs-' already exists and is not an empty directory.

nisch@LAPTOP-OV8BAUER MINGW64 ~/nischal (master)

§ git clone -b feature https://github.com/cameronmcnz/rock-paper-scissor/tree/fix.git

Cloning into 'fix'...
fatal: repository 'https://github.com/cameronmcnz/rock-paper-scissor/tree/fix.git/' not found
```

```
NINGW64:/c/Users/nisch/nischal/nis/nis
nisch@LAPTOP-OV8BAUER MINGW64 ~/nischal/nis (feature)
$ mkdir nis
nisch@LAPTOP-0V8BAUER MINGW64 ~/nischal/nis (feature)
$ cd nis
 git init
nitialized empty Git repository in C:/Users/nisch/nischal/nis/nis/.git/
  isch@LAPTOP-0V8BAUER MINGW64 ~/nischal/nis/nis (master)
echo>text.txt
  isch@LAPTOP-0V8BAUER MINGW64 ~/nischal/nis/nis (master)
$ git add text.txt
warning: in the working copy of 'text.txt', LF will be replaced by CRLF the next time Git touches it
 nisch@LAPTOP-0V8BAUER MINGW64 ~/nischal/nis/nis (master)
g git branch feature
fatal: not a valid object name: 'master'
 isch@LAPTOP-OV8BAUER MINGW64 ~/nischal/nis/nis (master)
git commit -m"First commit:text.txt is crated"
master (root-commit) 681dbl0] First commit:text.txt is crated
1 file changed, 1 insertion(+)
create mode 100644 text.txt
 risch@LAPTOP-0V8BAUER MINGW64 ~/nischal/nis/nis (master)
git checkout -b feature
witched to a new branch 'feature'
nisch@LAPTOP-0V8BAUER MINGW64 ~/nischal/nis/nis (feature)
$ git branch feature
fatal: a branch named 'feature' already exists
  isch@LAPTOP-0V8BAUER MINGW64 ~/nischal/nis/nis (feature) git branch
  isch@LAPTOP-0V8BAUER MINGW64 ~/nischal/nis/nis (feature) git checkout master witched to branch 'master'
  isch@LAPTOP-0v8BAUER MINGW64 ~/nischal/nis/nis (master) echo>dev.txt
§ git add dev.txt
warning: in the working copy of 'dev.txt', LF will be replaced by CRLF the next time Git touches it
nisch@LAPTOP-0V8BAUER MINGW64 ~/nischal/nis/nis (master)
$ git checkout master
Already on 'master'
A dev.txt
```

```
MINGW64:/c/Users/DELL/reb
DELL@charith MINGW64 ~/reb (feature)
$ git checkout master
Switched to branch 'master'
$ git branch
   feature
DELL@charith MINGW64 ~/reb (master)
$ echo>dev.txt
 DELL@charith MINGW64 ~/reb (master)
$ git add dev.txt
warning: in the working copy of 'dev.txt', LF will be replaced by CRLF the next time Git touches it
DELL@charith MINGW64 ~/reb (master)
$ git commit -m"Second commit:dev.txt created"
[master fdf3aee] Second commit:dev.txt created
1 file changed, 1 insertion(+)
create mode 100644 dev.txt
 DELL@charith MINGW64 ~/reb (master)
$ echo>sita.txt
 DELL@charith MINGW64 ~/reb (master)
$ git add sita .txt
fatal: pathspec 'sita' did not match any files
DELL@charith MINGW64 ~/reb (master)
$ git add sita.txt
warning: in the working copy of 'sita.txt', LF will be replaced by CRLF the next time Git touches it
DELL@charith MINGW64 ~/reb (master)
$ git commit -m"Third commit:sita.txt is created"
[master a95f02f] Third commit:sita.txt is created
1 file changed, 1 insertion(+)
create mode 100644 sita.txt
DELL@charith MINGW64 ~/reb (master)

$ git log --oneline

a95f02f (HEAD -> master) Third commit:sita.txt is created

fdf3aee Second commit:dev.txt created

56513a2 (feature) First commit:test.txt is created
 DELL@charith MINGW64 ~/reb (master)
$ git rebase feature
 Current branch master is up to date.
 DELL@charith MINGW64 ~/reb (master)
s git log --oneline
a95f02f (HEAD -> master) Third commit:sita.txt is created
fdf3aee Second commit:dev.txt created
56513a2 (feature) First commit:test.txt is created
 DELL@charith MINGW64 ~/reb (master)
```

```
MINOWS4/Utbers/michigitass6

mischBLAPTOP-DVBBAUER MINOM64 --
5 cd gitass6

mischBLAPTOP-DVBBAUER MINOM64 --
5 cd gitass6

mischBLAPTOP-DVBBAUER MINOM64 -/gitass6

sight init
mitialized empty cit repository in C:/Users/misch/gitass6/.git/
mischBLAPTOP-DVBBAUER MINOM64 -/gitass6 (master)

s cho-text.txt

mischBLAPTOP-DVBBAUER MINOM64 -/gitass6 (master)

s git add text.txt

mischBLAPTOP-DVBBAUER MINOM64 -/gitass6 (master)

s git add text.txt

mischBLAPTOP-DVBBAUER MINOM64 -/gitass6 (master)

s git add text.txt

mischBLAPTOP-DVBBAUER MINOM64 -/gitass6 (master)

s git commit -m"First commit
[master (root-commit) 40509f6) First commit
1 file changed, 1 insertion(a)

create mode 100644 text.txt

mischBLAPTOP-DVBBAUER MINOM64 -/gitass6 (master)

s git branch feature-branch

mischBLAPTOP-DVBBAUER MINOM64 -/gitass6 (master)

s git branch feature-branch

mischBLAPTOP-DVBBAUER MINOM64 -/gitass6 (feature-branch)

sichBLAPTOP-DVBBAUER MINOM64 -/gitass6 (feature-branch)
```

```
MINGW64:/c/Users/DELL/gitass6
DELL@charith MINGW64 ~ (master)
$ mkdir gitass6
$ cd gitass6
 DELL@charith MINGW64 ~/gitass6 (master)
$ git init
Initialized empty Git repository in C:/Users/DELL/gitass6/.git/
 DELL@charith MINGW64 ~/gitass6 (master)
$ echo>test.txt
DELL@charith MINGW64 ~/gitass6 (master)
$ git add test.txt
warning: in the working copy of 'test.txt', LF will be replaced by CRLF the next time Git touches it
DELL@charith MINGW64 ~/gitass6 (master)
$ git add test.txt
DELL@charith MINGW64 ~/gitass6 (master)
$ git commit -m"First commit"
[master (root-commit) a54f90e] First commit
1 file changed, 1 insertion(+)
create mode 100644 test.txt
DELL@charith MINGW64 ~/gitass6 (master)
$ git branch feature-branch
DELL@charith MINGW64 ~/gitass6 (master)
$ git checkout feature-branch
Switched to branch 'feature-branch'
DELL@charith MINGW64 ~/gitass6 (feature-branch)
$ echo>charith.txt
DELL@charith MINGW64 ~/gitass6 (feature-branch)
$ git add charith.txt
warning: in the working copy of 'charith.txt', LF will be replaced by CRLF the next time Git touches it
DELL@charith MINGW64 ~/gitass6 (feature-branch)
$ git add charith.txt
DELL@charith MINGW64 ~/gitass6 (feature-branch)
$ git commit -m"feature branch first commit:charith.txt is created"
[feature-branch c325fc4] feature branch first commit:charith.txt is created
1 file changed, 1 insertion(+)
create mode 100644 charith.txt
DELL@charith MINGW64 ~/gitass6 (feature-branch)
$ git checkout master
Switched to branch 'master'
```

```
MINGW64:/c/Users/nisch/gitass6/tagdemo/tag
nisch@LAPTOP-0V8BAUER MINGW64 ~/gitass6 (feature-branch)
$ mkdir tagdemo
nisch@LAPTOP-OV8BAUER MINGW64 ~/gitass6 (feature-branch)
$ cd tagdemo
nisch@LAPTOP-OV8BAUER MINGW64 ~/gitass6/tagdemo (feature-branch)
$ git init
Initialized empty Git repository in C:/Users/nisch/gitass6/tagdemo/.git/
nisch@LAPTOP-0V8BAUER MINGW64 ~/gitass6/tagdemo (master)
$ mkdir tag
nisch@LAPTOP-OV8BAUER MINGW64 ~/gitass6/tagdemo (master)
$ cd tag
nisch@LAPTOP-0V8BAUER MINGW64 ~/gitass6/tagdemo/tag (master)
$ git init
Initialized empty Git repository in C:/Users/nisch/gitass6/tagdemo/tag/.git/
nisch@LAPTOP-0V8BAUER MINGW64 ~/gitass6/tagdemo/tag (master)
$ echo>t.txt
nisch@LAPTOP-OV8BAUER MINGW64 ~/gitass6/tagdemo/tag (master)
$ git add t.txt
warning: in the working copy of 't.txt', LF will be replaced by CRLF the next time Git t
nisch@LAPTOP-0V8BAUER MINGW64 ~/gitass6/tagdemo/tag (master)
$ git commit -m"First commit"
[master (root-commit) 77eba48] First commit
 1 file changed, 1 insertion(+)
 create mode 100644 t.txt
nisch@LAPTOP-0V8BAUER MINGW64 ~/gitass6/tagdemo/tag (master)
$ git tag v1.0.0
nisch@LAPTOP-0V8BAUER MINGW64 ~/gitass6/tagdemo/tag (master)
$ git tag v2.0.0
nisch@LAPTOP-OV8BAUER MINGW64 ~/gitass6/tagdemo/tag (master)
$ git tag v1.0.0 v2.0.0
fatal: tag 'v1.0.0' already exists
nisch@LAPTOP-0V8BAUER MINGW64 ~/gitass6/tagdemo/tag (master)
$ echo "My name is Nischal">t.txt
nisch@LAPTOP-0V8BAUER MINGW64 ~/gitass6/tagdemo/tag (master)
$ cat t.txt
My name is Nischal
nisch@LAPTOP-OV8BAUER MINGW64 ~/gitass6/tagdemo/tag (master)
$ git add t.txt
```

```
| Signature | Sign
```

```
DELL@charith MINGW64 ~/cherrypick (v2)

§ git log --author="rai" --since="2024-07-12" --until="2024-07-13"
commit 409d9c0ca48b064c53d6909fale072f06b0b8759 (HEAD -> v2)
Author: gauthambekal@gmail.com <raikcharith@gmail.com>
Date: Sat Jul 13 13:15:49 2024 +0530

bugfix is created

commit 832d26c7243713a0ca7f17e6f7a15c6e699b4c9e (master)
Author: gauthambekal@gmail.com <raikcharith@gmail.com>
Date: Sat Jul 13 13:09:40 2024 +0530

dev.txt is added
```

```
DELL@charith MINGW64 ~/cherrypick (v2)
$ git log -n 5
commit 409d9c0ca48b064c53d6909fale072f06b0b8759 (HEAD -> v2)
Author: gauthambekal@gmail.com <raikcharith@gmail.com>
Date: Sat Jul 13 13:15:49 2024 +0530

bugfix is created

commit 832d26c7243713a0ca7f17e6f7a15c6e699b4c9e (master)
Author: gauthambekal@gmail.com <raikcharith@gmail.com>
Date: Sat Jul 13 13:09:40 2024 +0530

dev.txt is added

DELL@charith MINGW64 ~/cherrypick (v2)
$ git log -n 5 --oneline
409d9c0 (HEAD -> v2) bugfix is created
832d26c (master) dev.txt is added
```