https://www.nischalsilwal.com.np/

Report generated on May 23, 2026



Average SEO score of top 100 sites: 74%

This website received an SEO score of **74 out of 100**, which is the same as the average score of **74**. Our analysis has identified **12 important issues** that can be addressed to further enhance your website's performance and improve its search engine visibility.

12 Failed

3 Warnings

46 Passed

Issues to fix

HIGH To improve the website experience for your visitors, it is recommended to eliminate any render-blocking resources on this webpage.

HIGH To ensure that Search Engines can accurately identify the topic of this webpage, it is important to include the most common keywords in the title tag, meta description, and heading tags.

HIGH Build quality backlinks from websites relevant to your topic/niche to improve your search engine rankings.

HIGH Add a sitemap file to help search engine crawlers index content more thoroughly and quickly.

MEDIUM Serve properly sized images to reduce page loading times and to improve user's experience.

MEDIUM Avoid using distorted images, as they can have a negative impact on the user experience.

MEDIUM By creating a custom 404 error page with helpful links and information, users are more likely to stay on the site and continue to explore.

MEDIUM Add a Google Analytics script to this website to help in diagnosing potential SEO issues by

© 2022 SEO Site Checkup

monitoring site visitors and traffic sources.

LOW While a canonical link tag can help in resolving duplicate content issues, it's important to verify that the specified URL is accurate, especially if the site's URL structure has been recently updated.

LOW Without an SPF record, spammers can easily spoof emails from this domain, potentially leading to compromised email security and deliverability issues.

LOW This website either lacks a favicon or it has not been referenced properly.

Common SEO issues

7 Failed **1** Warnings **14** Passed

Meta Title Test

This webpage is using a title tag with a length of **65 characters**. While there's no target number of characters, titles should be descriptive and concise. We recommend using a title with a length **between 20 - 60 characters** in order to fit Google Search results that have a 600-pixel limit.

Text: Nischal Silwal — Full Stack Engineer | React, Next.js, TypeScript
Length: 65 characters

Meta Description Test

This webpage is using a meta description tag.

Text: Nischal Silwal is a frontend-focused Full Stack Engineer from Hetauda, Nepal with 3+ years building modern web & mobile apps using React, Next.js, TypeScript, React Native & .NET.
Length: 179 characters

© 2022 SEO Site Checkup

Google Search Results Preview Test

Desktop version

https://www.nischalsilwal.com.np/

Nischal Silwal — Full Stack Engineer | React, Next.js,...

Nischal Silwal is a frontend-focused Full Stack Engineer from Hetauda, Nepal with 3+ years building modern web & mobile apps using React, Next.js, TypeScript, Rea...

Mobile version

https://www.nischalsilwal.com.np/

Nischal Silwal — Full Stack Engineer | React, Next.js,...

Nischal Silwal is a frontend-focused Full Stack Engineer from Hetauda, Nepal with 3+ years building modern web & mobile apps using...

Social Media Meta Tags Test

This webpage is using social media meta tags.

Open Graph Meta Tags	
og:type	website
og:url	https://nischalsilwal.vercel.app/
og:title	Nischal Silwal — Full Stack Engineer
og:description	Frontend-focused Full Stack Engineer with 3+ years building modern web & mobile apps with React, Next.js, TypeScript & .NET from Hetauda, Nepal.
og:image	https://nischalsilwal.vercel.app/og-image.webp
og:image:width	1200
og:image:height	630
og:site_name	Nischal Silwal — Portfolio

© 2022 SEO Site Checkup

Most Common Keywords Test

There is likely no optimal keyword density (search engine algorithms have evolved beyond keyword density metrics as a significant ranking factor). It can be useful, however, to note which keywords appear most often on your page and if they reflect the intended topic of your page. More importantly, the keywords on your page should appear within natural sounding and grammatically correct copy.

12 react | 8 github | 6 projects | 6 native | 6 hetauda

Keywords Usage Test

The most common keywords of this webpage are not distributed across the important HTML tags! Primary keywords should appear in title tag, meta description and heading tags to help Search Engines to properly identify the topic of this webpage.

Keyword	Title tag	Meta description	Headings
react	✓	✓	✗
github	✗	✗	✗
projects	✗	✗	✓
native	✗	✓	✗
hetauda	✗	✓	✗

© 2022 SEO Site Checkup

Keywords Cloud Test

1 apis	3 apollo	2 application	1 applications	1 apps	4 architecture	2 auth													
1 bachelor	1 background	1 building	2 built	1 career	5 clean	3 client	2 coding												
1 companies	1 compression	2 computer	2 contact	5 core	3 cqrs	2 cross													
2 dapper	1 deployments	3 django	3 docker	1 download	1 education	1 educational													
4 engineer	2 experience	2 experiments	2 expo	1 fast	2 features	4 frontend													
1 generation	8 github	1 google	4 graphql	6 hetauda	2 home	1 image													
2 integrations	3 journey	1 kutumba	2 library	4 management	1 mastered	4 mobile													
1 modern	3 monorepo	6 native	5 nepal	4 nischal	2 nischalsilwal	1 node													
2 oauth	2 open	1 optimised	2 pattern	3 platform	3 postgresql	1 present													
1 products	1 professional	6 projects	12 react	2 real	5 redux	2 repository													
1 restful	2 saas	1 scalable	2 server	1 shipping	3 silwal	3 skills	4 software												
1 solutions	2 source	1 specialised	4 stack	2 state	2 subscriptions	1 tailwind													
4 tamagui	1 tech	2 technologies	1 techs	2 time	2 touch	1 tribhuvan	1 truenary												
5 typescript	1 university	3 view	2 work	3 working	3 years														

Related Keywords Test

There are no indexed keywords for this domain!

Competitor Domains Test

Identifying competitor domains allows you to find domains that are competing with your website for search engine rankings on similar keywords. These domains typically target the same audience and have overlapping goals in terms of organic traffic.

© 2022 SEO Site Checkup

Heading Tags Test

This webpage contains headings tags.

H1 tags
Hi, I'm Nischal Silwal

H2 tags
Skills & Technologies
Experience & Journey
Featured Projects
Get in Touch

Robots.txt Test

Congratulations! Your site uses a "robots.txt" file.

https://www.nischalsilwal.com.np/robots.txt

© 2022 SEO Site Checkup

Sitemap Test

This website lacks a sitemap file! Sitemaps can help robots index your content more thoroughly and quickly. Read more on Google's guidelines for implementing the sitemap protocol.

© 2022 SEO Site Checkup

How to pass this test?

An XML sitemap gives search engines and AI crawlers an explicit, machine-readable list of the URLs you want indexed, along with metadata such as last-modified dates. Fixing this issue means generating a valid sitemap, publishing it at a stable URL, and pointing crawlers to it via robots.txt and Search Console. This is especially important for large sites, sites with weak internal linking, or sites where new content needs to be discovered quickly.

Example

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <url>
    <loc>https://example.com/</loc>
    <lastmod>2026-04-15</lastmod>
  </url>
  <url>
    <loc>https://example.com/blog/getting-started</loc>
    <lastmod>2026-03-22</lastmod>
  </url>
</urlset>
```

Where to make the change

- **Raw HTML or static site:** generate the XML at build time and publish it at `/sitemap.xml`. Many static-site generators have a built-in sitemap option.
- **WordPress:** a dedicated SEO plugin will generate and update the sitemap automatically, typically at `/sitemap_index.xml`.
- **Shopify:** Shopify generates `/sitemap.xml` automatically and updates it as products and collections change.
- **Wix or Squarespace:** both platforms generate the sitemap automatically and serve it at the standard root path.
- **Headless or framework sites:** use the framework's built-in sitemap module (for example `next-sitemap` for Next.js or the `@astrojs/sitemap` integration) so the file is regenerated on every build.

Common causes and how to resolve them

- **No sitemap published:** generate one and publish it at the site root. Reference it from robots.txt with a `Sitemap:` line.
- **Sitemap lists URLs that 404 or redirect:** stale entries waste crawl budget and trigger Search Console warnings. Regenerate the sitemap from current published URLs only.
- **Mixed canonical and non-canonical URLs:** the sitemap should list canonical URLs only. Listing both `http` and `https`, or trailing-slash variants, splits crawl signals.
- **Sitemap exceeds size limits:** a single sitemap may contain at most 50,000 URLs and 50 MB uncompressed. Split larger sites into multiple sitemaps and reference them from a sitemap index file.

Best practices

- **Submit to Search Console:** add the sitemap URL in Google Search Console (and Bing Webmaster Tools) so the platform tracks coverage and surfaces errors.

© 2022 SEO Site Checkup

- **Keep `lastmod` accurate:** Google uses `lastmod` as a hint when prioritizing crawls. Update it whenever the page content meaningfully changes; do not bump it on every build.
- **Exclude noindex and disallowed URLs:** the sitemap should describe what you want indexed. Listing pages that are blocked from crawling sends mixed signals.
- **Use sitemap index files for multi-sitemap setups:** a sitemap index aggregates child sitemaps (for example one per content type) and is the single URL you submit to search engines.

Image Alt Test

All "img" tags from this webpage have the required "alt" attribute.

© 2022 SEO Site Checkup

Responsive Image Test

Not all images in this webpage are properly sized! This webpage is serving images that are larger than needed for the size of the user's viewport.

How to pass this test?

This test fails when one or more images on the page are served at dimensions significantly larger than the size at which the browser actually renders them. Fixing this issue means resizing the source files (or serving responsive variants) so the bytes downloaded match the pixels actually displayed. The result is faster page loads, lower data usage, and better Core Web Vitals scores.

Example

```
<img
  src="/images/hero-800.jpg"
  srcset="/images/hero-400.jpg 400w,
        /images/hero-800.jpg 800w,
        /images/hero-1600.jpg 1600w"
  sizes="(max-width: 640px) 100vw, 800px"
  alt="Marathon runners at sunrise"
  width="800" height="450">
```

Where to make the change

- **Raw HTML:** use `srcset` and `sizes` to let the browser pick the right variant for the user's viewport. Always include intrinsic `width` and `height` attributes.
- **WordPress:** WordPress generates multiple image sizes automatically. Use the `the_post_thumbnail()` helper or the block editor's image block, both of which emit responsive `srcset` markup.
- **Shopify:** use the `image_url` Liquid filter with size parameters (for example `{{ image | image_url: width: 800 }}`) and pair with `image_tag` to emit a responsive image.
- **Wix or Squarespace:** both platforms generate responsive variants automatically; this issue is typically caused by uploading a deliberately oversized image.
- **Headless or framework sites:** use the framework's image component (for example `next/image` or `astro:assets`), which generates responsive variants and lazy-loads off-screen images.

Common causes and how to resolve them

- **Original camera or stock-photo file uploaded as-is:** a 6000-pixel-wide JPEG rendered in a 400-pixel column wastes most of the bytes. Resize the source or generate responsive variants.
- **No `srcset`:** the browser has no choice but to use the single source. Add multiple variants so mobile users get smaller files.
- **Hero images sized for ultra-wide displays:** if your largest layout is 1600 pixels, do not ship a 4000-pixel original.
- **Background images set in CSS without responsive sources:** use the `image-set()` CSS function or media queries to swap in different image files at different breakpoints.

Best practices

- **Generate variants at common widths:** 400, 800, 1200, and 1600 pixels covers most viewports cleanly.
- **Always set width and height:** intrinsic dimensions let the browser reserve space and avoid layout shift, helping CLS.
- **Lazy-load off-screen images:** add `loading="lazy"` to images below the fold so the browser only downloads them when needed.

© 2022 SEO Site Checkup

- **Pair with modern formats:** resizing alone is good; resizing and serving WebP or AVIF compounds the savings.

Image Aspect Ratio Test

Not all image display dimensions match the natural aspect ratio! Fix aspect ratio issues to avoid distorted images on this website!

How to pass this test?

This test fails when one or more images are rendered at an aspect ratio meaningfully different from the source file's native ratio, producing stretched or squashed visuals. Fixing this issue means either using `width` and `height` attributes that match the file's real dimensions or replacing the source with a correctly proportioned crop.

Example

```
<!-- Source file is 1600 x 900 (16:9). Set matching attributes: -->
<img src="/images/marathon-1600.jpg"
    alt="Marathon runners at sunrise"
    width="1600" height="900"
    style="max-width: 100%; height: auto;">
```

Where to make the change

- **Raw HTML and CSS:** set the `width` and `height` attributes to the source file's native dimensions. Use CSS `height: auto` when scaling responsively so the browser preserves the ratio.
- **WordPress:** when inserting an image via the block editor, choose the image's intended size rather than overriding dimensions in custom CSS.
- **Shopify, Wix, or Squarespace:** use the platform's built-in image cropper so the displayed crop matches the source file you upload.
- **Headless or framework sites:** components like `next/image` require both `width` and `height`, which prevents distortion when the layout scales.

Common causes and how to resolve them

- **Hard-coded width and height that do not match the file:** recompute them from the source dimensions or remove them and rely on the file's intrinsic ratio.
- **Container has a fixed height that crops the image:** use CSS `object-fit: cover` if cropping is intentional, or change the container so the image keeps its natural ratio.
- **Wrong source file uploaded:** swap in a correctly proportioned crop rather than stretching the wrong file in CSS.

Best practices

- **Always set both `width` and `height`:** the browser uses these to reserve space and avoid layout shift before the image loads, which helps CLS.
- **Use `object-fit` when cropping is intentional:** `cover` fills the container without distortion; `contain` letterboxes to preserve the full image.
- **Standardize on a few aspect ratios:** picking one or two ratios per template makes it easier to crop assets consistently and avoid one-off distortions.

© 2022 SEO Site Checkup

Deprecated HTML Tags Test

This webpage does not use HTML deprecated tags.

© 2022 SEO Site Checkup

Google Analytics Test

A Google Analytics script is not detected on this page. While there are several tools available to monitor your site's visitors and traffic sources, Google Analytics is a free, commonly recommended program to help diagnose potential SEO issues.

© 2022 SEO Site Checkup

How to pass this test?

Google Analytics 4 is a free measurement platform that records visitor behavior, traffic sources, and conversion data. Installing it does not directly affect rankings, but the data it produces is essential for measuring SEO performance, identifying high-value pages, and prioritizing future optimization work. Fixing this issue means installing the GA4 tag site-wide and confirming events appear in your reports.

Example

```
<!-- Place inside <head> on every page -->
<script async src="https://www.googletagmanager.com/gtag/js?id=G-XXXXXXXXXX"></script>
<script>
  window.dataLayer = window.dataLayer || [];
  function gtag(){dataLayer.push(arguments);}
  gtag('js', new Date());
  gtag('config', 'G-XXXXXXXXXX');
</script>
```

Where to make the change

- **Raw HTML:** paste the GA4 snippet into the `<head>` of every page. A shared layout file is the cleanest place.
- **WordPress:** use a site-kit or analytics plugin, or paste the snippet into your theme's header file. Avoid duplicating the tag across multiple plugins.
- **Shopify:** add the GA4 measurement ID under Online Store, Preferences, Google Analytics, or install the official Google channel app.
- **Wix or Squarespace:** both platforms offer a GA4 measurement ID field in their analytics settings panel.
- **Headless or framework sites:** install via Google Tag Manager or use the framework's analytics integration so the tag fires on every route change.

Common causes and how to resolve them

- **Tag not installed at all:** install GA4 using the snippet above or the platform-specific path.
- **Universal Analytics tag still in place:** Universal Analytics stopped processing data on July 1, 2024. Replace any UA tag (`UA-...`) with a GA4 measurement ID (`G-...`).
- **Tag fires only on the homepage:** ensure the snippet is in a shared template loaded by every page, not pasted into one post.
- **Cookie banner blocks the tag before consent:** integrate Consent Mode v2 so GA4 receives anonymized signals before consent and full data after.
- **Tag duplicated:** two snippets on the same page double-count sessions. Audit with the Tag Assistant browser extension and remove duplicates.

Best practices

- **Verify with real-time reports:** after installing, open GA4's Realtime view and load the site to confirm events arrive.
- **Use Google Tag Manager:** for any site beyond the simplest, GTM gives you a single place to manage analytics, conversion tags, and third-party scripts without code changes.

© 2022 SEO Site Checkup

- **Configure key events:** mark conversions (purchase, lead, signup) as key events so reports highlight what matters for SEO ROI.
- **Link to Search Console:** connecting GA4 to Search Console surfaces organic queries alongside on-site behavior in the same reports.

© 2022 SEO Site Checkup

Favicon Test

This website either doesn't have a favicon or this has not been referenced correctly!

How to pass this test?

A favicon is the small icon associated with the site, shown in browser tabs, bookmarks, history listings, and increasingly in search engine results. Fixing this issue means publishing a favicon at the conventional location and declaring it in the page `<head>` so browsers and search engines can find and display it.

Example

```
<head>
  <link rel="icon" href="/favicon.ico" sizes="any">
  <link rel="icon" href="/favicon.svg" type="image/svg+xml">
  <link rel="apple-touch-icon" href="/apple-touch-icon.png">
</head>
```

Where to make the change

- **Raw HTML:** upload `favicon.ico` to the site root and add the `<link rel="icon">` tags in the `<head>`.
- **WordPress:** upload the icon under Appearance, Customize, Site Identity, Site Icon. WordPress will emit the correct link tags.
- **Shopify:** upload the icon under Online Store, Themes, Customize, Theme settings, Favicon.
- **Wix or Squarespace:** both expose a favicon upload field in the site or design settings.
- **Headless or framework sites:** place the favicon files in the public or static directory so they ship at the root paths.

Common causes and how to resolve them

- **No favicon at the root:** add at least `/favicon.ico`. Most browsers fall back to fetching this path even when no link tag is present.
- **Wrong MIME type:** if the favicon is served as `text/html` instead of `image/x-icon` or `image/svg+xml`, browsers will not render it. Check the response in the network tab.
- **Cached old icon after replacement:** browsers cache favicons aggressively. Append a query string (`?v=2`) to bust the cache.
- **Missing high-resolution variants:** modern devices need 180 x 180 (Apple), 192 x 192 (Android), and 512 x 512 (PWA) sizes for crisp rendering.

Best practices

- **Provide an SVG version:** SVG favicons scale crisply at any size and support light or dark scheme variants.
- **Include an Apple touch icon:** a 180 x 180 PNG named `apple-touch-icon.png` at the root makes the site look correct when added to an iOS home screen.
- **Use a consistent visual identity:** the favicon should match the brand mark so users recognize the site at a glance in tabs and bookmarks.
- **Test in both light and dark mode:** some browsers render the tab background differently. Make sure the icon stays legible in both.

© 2022 SEO Site Checkup

Backlinks Test

We didn't find any backlinks for this domain! Quality backlinks from websites relevant to your topic/niche are critical for strong search engine rankings.

JS Error Test

There are no severe JavaScript errors on this webpage.

Console Errors Test

This webpage doesn't have any warnings or errors caught by the Chrome DevTools Console.

Charset Declaration Test

This webpage has a character encoding declaration.

> *Content-Type: text/html; charset=utf-8*

Speed optimizations

1 Failed 1 Warnings 18 Passed

HTML Page Size Test

The size of this webpage's HTML is **10.61 Kb** and is under the average webpage's HTML size of **33 Kb**. Faster loading websites result in a better user experience, higher conversion rates, and generally better search engine rankings.

DOM Size Test

The Document Object Model (DOM) of this webpage has **446 nodes** which is less than the recommended value of 1,500 nodes.

HTML Compression/GZIP Test

This webpage is successfully compressed using **zstd compression** on your code. The HTML code is compressed from **70.65 Kb** to **10.61 Kb** (**85% size savings**). This helps ensure a faster loading webpage and improved user experience.

© 2022 SEO Site Checkup

Site Loading Speed Test

The loading time of this webpage (measured from N. Virginia, US) is around **0.7 seconds** and this is under the average loading speed which is **5 seconds**.

JS Execution Time Test

The JavaScript code used by this webpage is executed in less than **2 seconds**.

© 2022 SEO Site Checkup

Page Objects Test

This webpage has less than **20 http requests**. A higher number of http requests results in a user's browser needing to request a large number of objects from the server, which will ultimately slow down the loading of your webpage.

Content size by content type

Content type	Percent	Size
Javascript	49.9 %	86.52 Kb
Font	27.6 %	47.83 Kb
Image	10.4 %	18.08 Kb
Html	6.7 %	11.55 Kb
Css	5.1 %	8.90 Kb
Other	0.3 %	473 B
TOTAL	**100%**	**173.34 Kb**

Requests by content type

Content type	Percent	Requests
Image	44.4 %	8
Javascript	27.8 %	5
Css	11.1 %	2
Html	5.6 %	1
Font	5.6 %	1
Other	5.6 %	1
TOTAL	**100%**	**18**

Content size by domain

Domain	Percent	Size
nischalsilwal.com.np	60.6 %	105.10 Kb
fonts.gstatic.com	27.6 %	47.83 Kb
static.cloudflareinsights.com	6.6 %	11.40 Kb

© 2022 SEO Site Checkup

img.icons8.com	4.3 %	7.44 Kb
fonts.googleapis.com	0.9 %	1.57 Kb
TOTAL	100%	173.34 Kb

Requests by domain

Domain	Percent	Requests
nischalsilwal.com.np	44.4 %	8
img.icons8.com	38.9 %	7
static.cloudflareinsights.com	5.6 %	1
fonts.googleapis.com	5.6 %	1
fonts.gstatic.com	5.6 %	1
TOTAL	100%	18

CDN Usage Test

This webpage is serving all images, javascript and css resources from CDNs.

Modern Image Format Test

This webpage is using images in a modern format.

Image Metadata Test

This webpage is not using images with large metadata.

Image Caching Test

This website is using cache headers for images and the browsers will display these images from the cache.

JavaScript Caching Test

This webpage is using cache headers for all JavaScript resources.

CSS Caching Test

This webpage is using cache headers for all CSS resources.

© 2022 SEO Site Checkup

JavaScript Minification Test

All JavaScript files used by this webpage are minified.

CSS Minification Test

All CSS resources used by this webpage are minified.

© 2022 SEO Site Checkup

Render Blocking Resources Test

This webpage is using render blocking resources! Eliminating render-blocking resources can help this webpage to load significantly faster and will improve the website experience for your visitors.

© 2022 SEO Site Checkup

How to pass this test?

This test fails when JavaScript or CSS resources block the browser from rendering visible content. Each render-blocking file delays the first paint, and on slower networks the cumulative impact can be severe. Fixing this issue means inlining the truly critical CSS, deferring or asynchronously loading non-essential scripts, and removing unused code.

Example

```
<head>
  <!-- Inline only above-the-fold critical CSS -->
  <style>/* critical styles here */</style>

  <!-- Load full stylesheet asynchronously -->
  <link rel="preload" href="/styles/main.css" as="style"
      onload="this.onload=null;this.rel='stylesheet'">

  <!-- Defer non-critical scripts -->
  <script src="/scripts/app.js" defer></script>
</head>
```

Where to make the change

- **Application code or templates:** identify the CSS and JavaScript needed for the initial render and load only those synchronously. Defer the rest.
- **Build pipeline:** use a critical CSS extractor (such as `critical` or `penthouse`) to generate the above-the-fold styles automatically.
- **WordPress:** performance plugins offer "delay JS execution" and "load CSS asynchronously" options that handle most of this without code changes.
- **Headless or framework sites:** use the framework's preload and code-splitting hints to control what blocks rendering.

Common causes and how to resolve them

- **Single large stylesheet blocking render:** inline critical CSS for the first viewport, load the full stylesheet asynchronously.
- **Synchronous third-party scripts in the head:** add `defer` or `async`, or move them to the end of the body.
- **Web fonts blocking text rendering:** add `font-display: swap` in `@font-face` rules so the fallback font shows immediately.
- **Render-blocking `@import` in CSS:** replace with separate `<link rel="stylesheet">` tags so the browser can fetch them in parallel.

Best practices

- **Use `defer` for scripts that need the DOM:** they execute after parsing but before `DOMContentLoaded`.
- **Use `async` for fully independent scripts:** they execute as soon as they download, in any order.
- **Preload the critical request chain:** tell the browser early about fonts and key assets with `<link rel="preload">`.

© 2022 SEO Site Checkup

- **Audit with Lighthouse:** the Render-blocking resources audit lists every offending file with the estimated time saved by deferring it.

URL Redirects Test

This URL doesn't have any redirects (which could potentially cause site indexation issues and site loading delays).

Largest Contentful Paint Test

The Largest Contentful Paint duration of this webpage is **1.88** seconds. To provide a good user experience, Google recommends that sites should strive to have Largest Contentful Paint of **2.5** seconds or less.

Largest Contentful Paint element within the viewport:

Text: *Hi, I'm Nischal Silwal*
Html: *<h1 class="text-4xl sm:text-5xl md:text-6xl lg:text-7xl font-...">*

Cumulative Layout Shift Test

The CLS score of this webpage is **0.0012**. To provide a good user experience, Google recommends that sites should strive to have a CLS score of **0.1** or less.

DOM element which contributes the most to CLS score:

Html:
Score: 0.0012

Server and security

1 Failed **0** Warnings **6** Passed

URL Canonicalization Test

https://www.nischalsilwal.com.np/ and https://nischalsilwal.com.np/ resolve to the same URL.

SSL Checker and HTTPS Test

This website is successfully using HTTPS, a secure communication protocol over the Internet.

- The certificate is not used before the activation date.
- The certificate has not expired.
- The hostname "www.nischalsilwal.com.np" is correctly listed in the certificate.
- The certificate should be trusted by all major web browsers.
- The certificate was not revoked.
- The certificate was signed with a secure hash.

Certificate Chain:

Server certificate	
Common Name	nischalsilwal.com.np
Subject Alternative Names (SANs)	*.nischalsilwal.com.np, nischalsilwal.com.np
Not Valid Before	Mon, May 11th 2026, 12:20:37 pm (UTC)
Not Valid After	Sun, August 9th 2026, 12:20:36 pm (UTC)
Signature Algorithm	ecdsaWithSha384
Issuer	E7

Intermediate certificate	
Common Name	E7
Organization	Let's Encrypt
Location	US
Not Valid Before	Wed, March 13th 2024, 12:00:00 am (UTC)
Not Valid After	Fri, March 12th 2027, 11:59:59 pm (UTC)
Signature Algorithm	sha256WithRsaEncryption
Issuer	ISRG Root X1

Root certificate	
Common Name	ISRG Root X1
Organization	Internet Security Research Group

© 2022 SEO Site Checkup

Location	US
Not Valid Before	Thu, June 4th 2015, 11:04:38 am (UTC)
Not Valid After	Mon, June 4th 2035, 11:04:38 am (UTC)
Signature Algorithm	sha256WithRsaEncryption
Issuer	ISRG Root X1

Mixed Content Test (HTTP over HTTPS)

This webpage does not use mixed content - both the initial HTML and all other resources are loaded over HTTPS.

HTTP2 Test

This webpage is using the HTTP/2 protocol.

© 2022 SEO Site Checkup

Plaintext Emails Test

We've found 1 email addresses in your page code! We advise you to protect email links in a way that hides them from the spam harvesters.

How to pass this test?

This test fails when the page exposes one or more email addresses in plain text. Spam-harvesting bots scrape pages for plaintext addresses and add them to bulk mailing lists. Fixing this issue means obfuscating contact addresses, using a contact form, or rendering them via JavaScript so simple scrapers cannot read them.

Where to make the change

- **Application code or templates:** replace plain `contact@example.com` text with one of the obfuscation techniques below.
- **WordPress:** a contact form plugin handles email submissions without exposing the address. Some SEO and security plugins also offer email obfuscation.
- **Shopify, Wix, Squarespace:** use the platform's built-in contact form blocks rather than displaying the email address directly.

Common causes and how to resolve them

- **Plain text address in a paragraph or footer:** replace with a contact form, an obfuscated rendering (HTML entities, CSS reversal), or a JavaScript-built mailto link.
- **Mailto link with the address visible:** the visible text is what bots read. Make the visible text a label like "Email us" while the `href` still works.
- **Address baked into images is fine for SEO but bad for accessibility:** screen readers cannot read it. Pair an image with a contact form instead.

Best practices

- **Prefer contact forms:** they reduce spam and make analytics easier.
- **Use HTML entity encoding:** writing `co...` for the address defeats the simplest scrapers, though sophisticated ones decode it.
- **Render via JavaScript:** building the mailto link client-side blocks scrapers that only read static HTML.
- **Consider a Cloudflare-style email obfuscation:** some CDNs automatically rewrite plaintext emails to obfuscated equivalents.

Unsafe Cross-Origin Links Test

This webpage is not using **target="_blank"** links without **rel="noopener"** or **rel="noreferrer"** attribute.

Mobile usability

0 Failed 0 Warnings 3 Passed

Meta Viewport Test


This webpage is using a viewport meta tag.

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

Media Query Responsive Test

This webpage is using CSS media queries, which is the base for responsive design functionalities.

Mobile Snapshot Test



Advanced SEO

3 Failed 1 Warnings 5 Passed

Structured Data Test

This webpage is using structured data.

© 2022 SEO Site Checkup

Custom 404 Error Page Test

This website is not using a custom 404 error page! Default 404 error pages result in a poor experience - it can mislead users into thinking an entire site is down or broken, greatly increases the chance they leave the website entirely, and looks unprofessional. We recommend to have a custom 404 error page in order to improve the website's user experience by letting users know that only a specific page is missing/broken (and not the entire site), providing them helpful links, the opportunity to report bugs, and potentially track the source of broken links.

How to pass this test?

This test fails when the site does not serve a branded, helpful page for missing URLs. A custom 404 keeps users on the site by offering navigation, search, and suggested links rather than dropping them at the browser's generic error screen. Fixing this issue means designing a 404 template, ensuring it returns the correct HTTP 404 status, and pointing your server at it.

Where to make the change

- **Server configuration:** point your web server at a custom 404 page. In Nginx, use `error_page 404 /404.html;`. In Apache, use `ErrorDocument 404 /404.html`.
- **WordPress:** create a `404.php` template in your theme. WordPress invokes it automatically for missing URLs.
- **Shopify:** edit the `404.liquid` template in the theme code editor.
- **Wix or Squarespace:** use the platform's built-in 404 page editor in site settings.
- **Headless or framework sites:** Next.js uses `not-found.js`, Astro uses `404.astro`, and similar frameworks all have a convention for the missing-route page.

Common causes and how to resolve them

- **No custom 404 at all:** create one. The minimum is the site header, navigation, a clear "page not found" message, and links to popular sections.
- **404 page returns HTTP 200:** a "soft 404" confuses search engines. Verify the response status with DevTools or curl, and configure the server to return 404 for missing routes.
- **404 page redirects to homepage:** redirecting users to the homepage hides broken URLs from analytics and search engines. Show a real 404 instead.
- **Generic browser error visible:** the server is not invoking the custom template. Check the configuration directive.

Best practices

- **Keep the site chrome:** show the header, footer, and navigation so users do not feel lost.
- **Offer next steps:** a search box, popular links, or category navigation help users get back on track.
- **Track 404s:** log missing-URL hits in analytics so you can spot broken inbound links worth fixing or redirecting.
- **Be clear about the error:** "Sorry, that page does not exist" is better than vague messaging that confuses users.

© 2022 SEO Site Checkup

Noindex Tag Test

This webpage does not use the noindex meta tag. This means that it can be indexed by search engines.

© 2022 SEO Site Checkup

Canonical Tag Test

This webpage is using the canonical link tag. This tag specifies that the URL: https://nischalsilwal.vercel.app/ should be the preferred version of this page. The canonical tag can be useful when there are similar versions of the same content on several URLs (e.g., such as e-commerce sites where URL modifiers like sort parameters are appended to a product page's URL). Please ensure that this specification is correct, as canonical tags are often hard-coded and may not always reflect the latest changes in a site's URL structure.

```
<link href="https://nischalsilwal.vercel.app/" rel="canonical"/>
```

How to pass this test?

The canonical link tag declares the preferred URL for a page when the same or similar content is reachable at multiple URLs. Fixing this issue means adding a `<link rel="canonical">` tag to every page that points at the URL you want indexed, which consolidates ranking signals onto the canonical version and helps AI crawlers identify the source of truth when citing the page. See the Google canonicalization guide for the full specification.

Example

```
<head>
  <link rel="canonical" href="https://example.com/shoes/marathon">
</head>
```

Where to make the change

- **Raw HTML:** add a single `<link rel="canonical">` inside the `<head>`. The href must be an absolute URL.
- **WordPress:** a dedicated SEO plugin emits canonical tags automatically. Override per-post when the auto-derived URL is wrong.
- **Shopify:** the default Liquid layout emits canonical tags from `{{ canonical_url }}`. Confirm your custom theme has not removed them.
- **Wix or Squarespace:** both platforms emit canonical tags automatically; per-page override fields are available in SEO settings.
- **Headless or framework sites:** emit the canonical tag from the framework's metadata API alongside title and description.

Common causes and how to resolve them

- **No canonical tag at all:** add one pointing at the page's preferred URL.
- **Canonical points to the wrong page:** a templating bug can point every page's canonical at the homepage. Verify the value matches the current URL on a sample of pages.
- **Canonical uses a relative URL:** always use the full `https://` URL. Relative paths can be misinterpreted.
- **Multiple canonical tags on the same page:** only one should exist. A theme and an SEO plugin sometimes both emit one. Pick a single source.
- **Canonical conflicts with a noindex tag:** if a page is noindexed, the canonical pointing at it has no effect. Resolve which signal you actually want.

Best practices

- **Self-canonicalize when in doubt:** if a page has no duplicates, it should canonicalize to itself.
- **Pair with consistent internal linking:** link to the canonical URL from internal navigation, not to query-parameter variants.
- **Use canonicals for pagination and filters:** filtered or sorted product list URLs typically canonicalize to the unfiltered base view.
- **Verify with URL Inspection:** Google Search Console reports the canonical Google has chosen, which may differ from the one you declared.

© 2022 SEO Site Checkup

Nofollow Tag Test

This webpage does not use the nofollow meta tag. This means that search engines will crawl all links from this webpage.

Disallow Directive Test

Your robots.txt file includes a disallow command which instructs search engines to avoid certain parts of your website! You are advised to confirm if access to these resources or pages are intended to be blocked (e.g., if they contain internal-only content or sensitive information).

Meta Refresh Test

This webpage is not using a meta refresh tag.

© 2022 SEO Site Checkup

SPF Records Test

This DNS server is not using an SPF record! SPF (Sender Policy Framework) allows administrators to specify which hosts are allowed to send mail from a given domain by creating a specific SPF record or TXT record in the Domain Name System (DNS). You can find more information about SPF records here.

How to pass this test?

The Sender Policy Framework (SPF) DNS record lists the mail servers authorized to send email on behalf of your domain. Receiving servers use it to verify that messages claiming to come from your domain are legitimate, which significantly reduces the chance of email being marked as spam. Fixing this issue means publishing an SPF record in your DNS that includes every legitimate sender and ends with a strict policy.

Example

```
example.com.  TXT  "v=spf1 include:_spf.google.com include:mailgun.org ~all"
```

Where to make the change

- **DNS provider:** add a TXT record at the domain root with the SPF policy. Cloudflare, Route 53, Namecheap, GoDaddy, and similar all expose a TXT record editor.
- **Email providers:** Google Workspace, Microsoft 365, and most transactional email services publish their required SPF include directives in their setup documentation.

Common causes and how to resolve them

- **No SPF record at all:** add one. Even a minimal record (`v=spf1 include:_spf.google.com ~all`) is better than nothing.
- **Multiple SPF records:** SPF only allows one TXT record per domain. Merge multiple records into a single one with all required `include:` directives.
- **Policy too permissive:** ending with `+all` authorizes anyone to send as your domain. Use `~all` (soft fail) or `-all` (hard fail) instead.
- **Missing legitimate senders:** add an `include:` for every transactional email service (SendGrid, Mailgun, Postmark) and every marketing platform you use.
- **Too many DNS lookups:** SPF caps include lookups at ten. Flatten or consolidate `include:` chains if you exceed it.

Best practices

- **Pair SPF with DKIM and DMARC:** SPF alone is not enough. DKIM signs messages cryptographically; DMARC tells receivers what to do when SPF or DKIM fails.
- **Start with `~all`, move to `-all`:** soft fail lets you observe before strict enforcement. Move to hard fail once you are confident no legitimate sender is missing.
- **Test deliverability:** tools such as MXToolbox SPF check or Google Postmaster Tools surface SPF problems before users complain.
- **Audit annually:** as you add or remove email vendors, the SPF record needs to keep up.

© 2022 SEO Site Checkup

Ads.txt Validation Test

This website doesn't use an ads.txt file! Ads.txt is a text file that contains a list of Authorized Digital Sellers. The purpose of ads.txt files is to give advertisers and advertising networks the ability to verify who is allowed to sell advertising on your website.

© 2022 SEO Site Checkup

© 2022 SEO Site Checkup